



Main

| | |
|---------------------------|---|
| Range | Wilco Clipsal - Series 4 |
| Product or component type | Residual current breaker with overcurrent protection (RCBO) |
| Product brand | Clipsal |
| Device application | Distribution |
| Poles description | 1P + N |
| Neutral position | Left |
| Number of modules | 2 |
| Number of protected poles | 1 |
| [In] rated current | 10 A |
| Network type | AC |
| Trip unit technology | Thermal-magnetic |
| Curve code | C |
| Earth-leakage sensitivity | 30 mA |
| Breaking capacity | 6 kA |

Complementary

| | |
|--|---|
| [Ue] rated operational voltage | 250 V AC |
| [Uimp] rated impulse withstand voltage | 4 kV |
| Local signalling | ON/OFF indication |
| Mounting mode | Clip-on |
| Mounting support | DIN rail |
| Size | 81 x 36 x 77.5 mm conforming to DIN 43880 |

Environment

| | |
|---------------------------------------|--|
| standards | AS/NZS 61009 |
| IP degree of protection | IP20 conforming to IEC 60529 IP40 for modular enclosure conforming to IEC 60529 |
| ambient air temperature for operation | -5...40 °C |

Offer Sustainability

| | |
|----------------------------------|---|
| Sustainable offer status | Green Premium product |
| RoHS (date code: YYWW) | Compliant - since 0851 - Schneider Electric declaration of conformity |
| REACH | Reference not containing SVHC above the threshold |
| Product environmental profile | Available |
| Product end of life instructions | Need no specific recycling operations |

The information provided in this documentation contains general descriptions and/or technical characteristics of the products contained herein. This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications. It is the duty of any such user or integrator to perform the appropriate and complete risk analysis, evaluation and testing of the products with respect to the relevant specific application or use thereof. Neither Schneider Electric Industries SAS nor any of its affiliates or subsidiaries shall be responsible or liable for misuse of the information contained herein.