ZCKE67

limit switch head ZCKE - steel roller plunger reinforced





Main

Main	
Range of product	OsiSense XC
Series name	Standard format
Product or component type	Limit switch head
Device short name	ZCKE
Head type	Plunger head
Product compatibility	XCKJ
Associated body	ZCKJ1 ZCKJ11 ZCKJ11H29 ZCKJ1H7 ZCKJ1H29 ZCKJ1H7 ZCKJ2 ZCKJ2 ZCKJ21 ZCKJ21H29 ZCKJ2H7 ZCKJ2H29 ZCKJ2H7 ZCKJ4 ZCKJ4 ZCKJ4 ZCKJ4H17 ZCKJ41 ZCKJ4H17 ZCKJ4H29 ZCKJ4H7 ZCKJ4H29 ZCKJ4H7 ZCKJ5 ZCKJ5H7 ZCKJ5 ZCKJ5H7 ZCKJ6 ZCKJ6H29 ZCKJ5H7 ZCKJ6 ZCKJ6H29 ZCKJ7H7 ZCKJ7 ZCKJ8 ZCKJ7H129 ZCKJ7 ZCKJ7 ZCKJ8 ZCKJ8H17 ZCKJ8 ZCKJ8H17 ZCKJ8 ZCKJ8H17 ZCKJ8 ZCKJ8H17 ZCKJ9 ZCKJ9H17 ZCKJB31 ZCKJD31 ZCKJD31 ZCKJD31 ZCKJD31 ZCKJD35 ZCKJD35H17 ZCKJD35 ZCKJD37H17 ZCKJD37 ZCKJD37H129 ZCKJD37H17 ZCKJD39 ZCKJD39H17
Movement of operating head	Linear
Type of operator	Roller plunger spring return metal (reinforced)
Type of approach	Lateral approach 2 directions
•	

Complementary

Switch actuation	By 30° cam	
Positive opening	With	
Head material	Metal	

Environment

ambient air temperature for operation	-2570 °C
ambient air temperature for storage	-4070 °C
environmental characteristic	Standard environment

Offer Sustainability

Sustainable offer status	Green Premium product
RoHS (date code: YYWW)	Compliant - since 0851 - Schneider Electric declaration of conformity
REACh	Reference not containing SVHC above the threshold
Product end of life instructions	Need no specific recycling operations

