



INDUSTRIAL

HAZARDOUS
AREAS

DATA ICT

RESIDENTIAL
COMMERCIAL



B&R Enclosures

SOUTH AUSTRALIA REBATED SIDES METERING ENCLOSURE

brenclosures.com.au

South Australia Residential Enclosures

Rebated sides metering enclosures for SA applications



- Designed for both single and multi-phase installations.
- Suitable for domestic and light commercial installations.
- Capacity to recess into a brick wall with ease.
- Manufactured from 1.0mm galvanised steel to Z275.
- Powdercoated Light Grey RAL7035.

Type 1 Enclosure:

- Double folded edges resist twisting and make for safer handling as the safety door edge will not cut hands or cables.
- Cable entry is a ratchet sliding mechanism and removes the need for screw fixing.
- Gravity catch designed to create a positive closing position with the handle remaining flush with the door, eliminating any snag points.
- Safety cord retainer feature is designed for easy retention of extension cords to AS/NZS 3012.



ORDERING GUIDE

Part Number	To suit metering	DIN	Inclusions				Provision for additional earth & neutral link kit	Dimensions (mm)			Panel (mm)		
			Earth	Neutral links	Meter isolator	Meter neutral link		Height	Width	Depth	Height	Width	Depth Behind
NEW 1DIN25RMIB	Type 1	25-pole	•	•	63Amp	•		600	470	265	350	365	75
2DIN25RMI	Type 2	25-pole	•	•	63Amp	•		860	470	265	590	365	75
2DIN50R	Type 2	50-pole	•	•			•	945	470	265	590	365	75

ACCESSORY


Part Number	Product	Description
CL	Lock	Supplied with 2 keys, SA Power Networks master key "series ES"

The NEW 1DIN25RMIB metering enclosure from B&R is packed with so many features, you'll wonder how you ever lived without them. Designed to meet local and Australian standards, this enclosure provides consumers, electricians, builders and specifiers with a meter box designed for increased safety, quality and performance.


Features of the 1DIN25RMIB:



Cable entry with a ratchet sliding mechanism to close off the aperture.



Gravity catch is designed to create a positive closing position and the handle remains flush with the door, eliminating any snag points.



Double folded edges resist twisting and makes for safer handling. The safety door edge will not cut hands or cables.



Safety cord retainer feature is designed for easy retention of extension cords.



AUSTRALIA

Sales

T: 1300 Enclosures (1300 362 567)

F: 1300 796 599

E: sales@brenclosures.com.au

brenclosures.com.au

QUEENSLAND

Brisbane Manufacturing, Sales & Warehouse

51 Stradbroke Street

Heathwood QLD 4110

(PO Box 1151)

Browns Plains BC QLD 4118

T: +61 7 3714 1111

F: +61 7 3714 1091

E: salesqld@brenclosures.com.au

NORTH QUEENSLAND

Townsville Sales & Warehouse

Unit 4 / 780 Ingham Rd, Mount Louisa

(PO Box 7615),

Garbutt QLD 4814

T: +61 7 4727 1900

E: salestvl@brenclosures.com.au

NEW SOUTH WALES

NSW & ACT Sales & Warehouse

Unit 12 / 100 Belmore Road North

(PO Box 192)

Riverwood NSW 2210

T: +61 2 9915 9555

F: +61 2 9584 0055

E: salesnsw@brenclosures.com.au

NEWCASTLE Distribution

Ross Joice Agencies Pty Ltd

109-111 Broadmeadow Road

Broadmeadow NSW 2292

T: +61 2 4961 4433

F: +61 2 4961 2498

VICTORIA

VIC & TAS Sales & Warehouse

50-52 Sunmore Close

Heatherton VIC 3202

T: +61 3 9552 0552

F: +61 3 9551 8636

E: salesvic@brenclosures.com.au

TASMANIA Distribution

W P Martin Pty Ltd

85 Elizabeth Street

Launceston TAS 7250

T: +61 3 6331 5545

F: +61 3 6331 4256

SOUTH AUSTRALIA

SA & NT Manufacturing, Sales & Warehouse

505 Grand Junction Road

Wingfield SA 5013

T: +61 8 8417 6222

F: +61 8 8268 3675

E: salessa@brenclosures.com.au

NORTHERN TERRITORY Distribution

Jewell Distributors Pty Ltd

Cnr Hidden Valley & Beaton Roads

Berrimah NT 0828

T: +61 8 8947 0870

F: +61 8 8947 0764

WESTERN AUSTRALIA

WA Sales Office & Warehouse

6 Montgomery Way

Malaga WA 6090

T: +61 8 6310 4777

F: +61 8 9249 6776

E: saleswa@brenclosures.com.au