

Enclosure Locks & Inserts










B&R's enclosure range are supplied with standard locks and keys. These are described in the particular page for the enclosure and are also detailed at the bottom of this page.

If other locks are required due to site conditions or standards these are shown in the table below. In most cases both options are available to suit the enclosure type.

IMAGE	STYLE	TYPE	DESCRIPTION	MATERIAL	TO SUIT ENCLOSURES
	020	Turnbuckle Lock	7mm square chromed steel insert. Key required – SKU or SKZ	Chromed steel	Universal NI Forte FR Miner ME Universal PB Universal DD <1600mm high Monarch IP <1600mm high Ausrack IP <1600mm high
	020/PS		7mm square powdercoated stainless steel insert. Key required – SKU or SKZ	Powdercoated chromed steel	Universal NI Incline SR Ex enclosures Universal PB <750mm Universal DD <1600mm high Monarch IP <1600mm high Ausrack IP <1600mm high
	020/S		7mm square stainless steel insert. Key required – SKU or SKZ. Available as an option	Stainless Steel	Universal NI Incline SR Ex Range Universal PB <750mm Monarch IP <1600mm high Ausrack IP <1600mm high
	028/S		8mm square slotted stainless steel insert. Key Required – SK8 Available as standard on Bowen Series. Available as option on other enclosures.	Stainless Steel	Bowen Series Universal NI Monarch IP Ausrack IP
	030	Wing knob – Lockable	Available as an option. Key code 92268 Key required – SK3	–	Universal NI Forte FR Universal PB Universal DD <1600mm high Monarch IP <1600mm high Ausrack IP <1600mm high
	040	T-Handle – Lockable	Available as an option. Key code 92268 Key required – SK3	Chromed steel	Universal NI Forte FR Universal PB Universal DD <1600mm high Monarch IP <1600mm high Ausrack IP <1600mm high
	050	L-Handle – Lockable	Standard on 1600mm or higher enclosures. Available as an option on less than 1600mm. Key code 92268 Key required – SK3	Chromed steel	Universal NI Forte FR Universal PB Universal DD Monarch IP Ausrack IP
	052	L Handle – Padlockable	Available as an option Padlockable	Chromed steel	Universal NI Forte FR Universal PB Universal DD Monarch IP Ausrack IP
	052/S		Available as an option. Padlockable	Stainless steel	Universal NI Universal PB Universal DD Monarch IP Ausrack IP

Enclosure Locks & Inserts

IMAGE	STYLE	TYPE	DESCRIPTION	MATERIAL	TO SUIT ENCLOSURES
	060	Swing Handle – Padlockable	Available as an option. Padlockable	Chromed Steel	Monarch IP Ausrack IP
	060/S		Available as an option. Padlockable	Stainless steel	Monarch IP Ausrack IP
	111	Wing knob – Non-lockable	Available as an option.	–	Universal NI Forte FR Universal PB Universal DD <1600mm high Monarch IP <1600mm high Ausrack IP <1600mm high
	SP/LCK	Swing Handle – Padlockable	Available as standard.	Chromed steel	Pilbara SP
	SP/LCK/S			Stainless steel	Pilbara SP
	SP/LCK/DC	LockSock®	Available as standard. Also available as an option	Non-metallic	Pilbara SP Bowen Series
	020/DC	Dust Cap	Available as an option.	Non-metallic	Universal NI Forte FR Universal PB

Enclosure Locks & Inserts



Inserts

IMAGE	PART NUMBER	TYPE	MATERIAL	INSERT TYPE	TO SUIT ENCLOSURES	KEYS
	LKINS3P	Turnbuckle	Steel	3mm Double Bit Pin	Universal NI Universal DD Monarch IP Forte FR Miner ME Universal PB Ausrack IP	SKU SKZ
	LKINS3P/S		Stainless steel		Universal NI Universal DD Monarch IP Forte FR Miner ME Universal PB Ausrack IP	SKU SKZ
	LKINS8S		Steel	8mm Square	Universal NI Universal DD Monarch IP Forte FR Miner ME Universal PB Ausrack IP	SK8
	LKINS8S/S		Stainless steel		Universal NI Universal DD Monarch IP Forte FR Miner ME Universal PB Ausrack IP	SK8
	LKINS8SS/S		Stainless steel	8mm square slotted	Universal NI Universal DD Monarch IP Forte FR Miner ME Universal PB Ausrack IP	SK8
	LKINS8T		Steel	8mm Triangle	Universal NI Universal DD Monarch IP Forte FR Miner ME Universal PB Ausrack IP	SKU SKZ
	LKINS8T/S		Stainless steel		Universal NI Universal DD Monarch IP Forte FR Miner ME Universal PB Ausrack IP	SKU SKZ