



INDUSTRIAL

HAZARDOUS  
AREAS

DATA ICT

RESIDENTIAL  
COMMERCIAL



**B&R Enclosures**  
Universal NI – 316 Stainless Steel

[brenclosures.com.au](http://brenclosures.com.au)

# Universal NI – 316 Stainless Steel

General Purpose Enclosures



- Built for industrial and demanding environments.
- Threaded sockets on the rear of the enclosure to allow mounting feet attached without compromising the IP rating.
- 120° door opening for ease of access to internal systems.
- Conformity, Approvals:
  - CE Mark
  - Lloyds Register #06/10007 (E2)
- Manufactured from 1.2/1.5mm thick 316 stainless steel.
- N4 surface finish or powdercoated X15 orange.

Comes standard with:

- 2mm steel mounting pan powdercoated white
- Stainless steel lock with 7mm square stainless steel insert (NI020/S)
- Door rails
- Earth strap kit



## ORDERING GUIDE

Part Number		Dimensions (mm)						No. of Fixing Points (Suits M8 fixings)	Material Thickness (mm)	Weight (kg)	No. of Locks
		External		Internal		Mounting Pan					
Standard	X15 Orange	Height (A)	Width (B)	Depth (C)	Usable Depth (D)*	Height (E)	Width (F)				
NI03021/S	NI03021/SRO	300	200	150	125	250	150	4	1.2	3.9	1
NI03031/S	NI03031/SRO	300	300	150	125	250	250	4	1.2	5.3	1
NI03041/S	NI03041/SRO	300	400	150	125	250	350	4	1.2	6.8	1
NI04031/S	NI04031/SRO	400	300	150	125	350	250	4	1.5	6.7	1
NI04032/S■	NI04032/SRO■	400	300	200	175	350	250	4	1.5	9.0	1
NI03042/S	NI03042/SRO	300	400	200	175	250	350	4	1.2	9.0	1
NI04042/S■	NI04042/SRO■	400	400	200	175	350	350	4	1.5	11.0	1
NI05042/S■	NI05042/SRO■	500	400	200	175	450	350	4	1.5	14.0	1
NI06042/S■	NI06042/SRO■	600	400	200	175	550	350	4	1.5	16.0	2
NI05052/S■	NI05052/SRO■	500	500	200	175	450	450	4	1.5	16.0	1
NI04062/S■	NI04062/SRO■	400	600	200	175	350	550	4	1.5	16.0	1
NI06062/S■	NI06062/SRO■	600	600	200	175	550	550	4	1.5	22.0	2
NI08062/S■	NI08062/SRO■	800	600	200	175	750	550	6	1.5	29.0	2
NI10062/S■	NI10062/SRO■	1000	600	200	175	950	550	6	1.5	28.0	2
NI10082/S■	NI10082/SRO■	1000	800	200	175	950	750	4	1.5	45.0	2
NI04043/S■	NI04043/SRO■	400	400	300	275	350	350	4	1.5	19.0	1
NI06043/S■	NI06043/SRO■	600	400	300	275	550	350	4	1.5	19.0	2
NI04063/S■	NI04063/SRO■	400	600	300	275	350	550	4	1.5	19.0	1
NI06063/S■	NI06063/SRO■	600	600	300	275	550	550	4	1.5	25.0	2
NI08063/S■	NI08063/SRO■	800	600	300	275	750	550	6	1.5	32.0	2
NI10063/S■	NI10063/SRO■	1000	600	300	275	950	550	6	1.5	39.0	2
NI08083/S^	NI08083/SRO^	800	800	300	275	750	750	6	1.5	41.0	2
NI10083/S^	NI10083/SRO^	1000	800	300	275	950	750	6	1.5	49.0	2
NI12083/S^	NI12083/SRO^	1200	800	300	275	1150	750	8	1.5	58.0	2

\* Mounting pan to inside of door

■ Includes vertical door rails

^ Includes horizontal and vertical door rails

# Universal NI – 316 Stainless Steel


## General Purpose Enclosures

### ACCESSORIES

Product	Description	Part Number	Dimensions (mm)																												
			Height	Width	Depth	NI03021/S	NI03031/S	NI03041/S	NI04031/S	NI04032/S	NI03042/S	NI04042/S	NI05042/S	NI06042/S	NI04062/S	NI06062/S	NI08062/S	NI10062/S	NI10082/S	NI04043/S	NI06043/S	NI06063/S	NI08063/S	NI10063/S	NI08083/S	NI10083/S	NI12083/S				
Rainhoods	316 stainless steel	NIRH021/S	30	175.6	65	•																									
		NIRH031/S	30	275.6	65		•	•																							
		NIRH032/S	30	275.6	105				•																						
		NIRH041/S	30	375.6	65			•																							
		NIRH042/S	30	375.6	105					•	•	•	•																		
		NIRH043/S	30	375.6	220																	•	•								
		NIRH052/S	30	475.6	105											•															
		NIRH062/S	30	575.6	105												•	•	•	•											
		NIRH063/S	30	575.6	220																		•	•	•	•					
		NIRH082/S	30	775.6	105																										
NIRH083/S	30	775.6	220																								•	•	•		
External vent kits	316 stainless steel	IPVK/S	130	130	–	^	^	^	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•		
		IPVK16/S	260	260	–	^	^	^	^	^	^	^	^	^	^	^	^	^	^	^	^	^	^	^	^	^	^	^	^	^	
Wall mounting brackets – 316 stainless steel	Set of 4 (1Tonne SWL)	MEB/S	–	–	–	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•		
Mounting flange kits	316 stainless steel	MF2/S	75	200	–	•																									
		MF3/S	75	300	–		•	•	•																						
		MF4/S	75	400	–			•		•	•	•	•								•	•									
		MF5/S	75	500	–											•															
		MF6/S	75	600	–												•	•	•	•											
		MF8/S	75	800	–																							•	•	•	
Replacement Hinge	Kit	NI/H	–	–	–	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•			

^ Fits door only

### TECHNICAL DRAWINGS



**i** See Page 3 for a range of lock options available for the Universal NI range.

# Locks

To suit Forte FR and Universal NI enclosures



## Standard Locks



Enclosure	SH	SS
Universal NI	NI020 – chromed steel with 7mm square insert.	NI020/S – stainless steel lock with 7mm square stainless steel insert.

## Lock Options

There are a number of additional lock options available that are suitable for use on Forte FR and Universal NI enclosures. Contact your local B&R sales representative to discuss your requirements.

Product	Description	Part Number	Standard Lock/Insert	Alternative insert	Keys		
					Lockable handles	Plastic, 3-way	Aluminium, 4-way
Turnbuckle	chromed steel	NI020	7mm square – steel	See below		SKU	SKZ
	powdercoated	NI020/PS	7mm square – stainless steel	See below		SKU	SKZ
	stainless steel	NI020/S	7mm square – stainless steel	See below		SKU	SKZ
		NI028/S	8mm square slotted – stainless steel	See below			SK8
Wing knob	lockable	NI030	Key code 92268			SK3	
	non-lockable	NI111	–				
T-handle	lockable	NI040	Key code 92268			SK3	
L-handle	lockable	NI050	Key code 92268			SK3	
	padlockable – steel	NI052	–				
	padlockable – stainless steel	NI052/S	–				
Dust cap	plastic	NI020/DC	to suit NI020 lock				



## Lock Inserts for NI020 Locks

The NI020 locks are available with an optional lock insert. Contact your local B&R sales representative to discuss your requirements.

To suit lock style	Description	To suit lock	Standard Insert	3mm double bit pin		8mm square		8mm triangle	
				Steel	Stainless Steel	Steel	Stainless Steel	Stainless Steel	Steel
Turnbuckle	chromed steel	NI020	7mm square – steel	LKINS3P		LKINS8S		LKINS8SS/S	LKIN8T
	powdercoated with SS insert	NI020/PS	7mm square – stainless steel		LKINS3P/S		LKINS8S/S	LKINS8SS/S	LKINS8T/S
	stainless steel	NI020/S	7mm square – stainless steel		LKINS3P/S		LKINS8S/S	LKINS8SS/S	LKINS8T/S
Key required – aluminium			SKZ	SKZ	SK8	SK8	SK8	SKZ	SKZ
Key required – plastic			SKU	SKU	SKU			SKU	SKU

## AUSTRALIA

Sales  
T: 1300 Enclosures (1300 362 567)  
F: 1300 796 599  
E: sales@brenclosures.com.au  
brenclosures.com.au

**QUEENSLAND**  
Brisbane Manufacturing, Sales & Warehouse  
51 Stradbroke Street  
Heathwood QLD 4110  
(PO Box 1151)  
Browns Plains BC QLD 4118  
T: +61 7 3714 1111  
E: salesqld@brenclosures.com.au

**NORTH QUEENSLAND**  
Townsville Sales & Warehouse  
Unit 4 / 780 Ingham Road  
Mount Louisa QLD 4814  
(PO Box 7615)  
Garbutt QLD 4814  
T: +61 7 4727 1900  
E: salestvl@brenclosures.com.au

**NEW SOUTH WALES**  
NSW & ACT Sales & Warehouse  
Unit 12/100 Belmore Road North  
(PO Box 192)  
Riverwood NSW 2210  
T: +61 2 9915 9555  
E: salesnsw@brenclosures.com.au

**NEWCASTLE Distribution**  
109-111 Broadmeadow Road  
Broadmeadow NSW 2292  
T: +61 2 4961 4433  
F: +61 2 4961 2498

**VICTORIA**  
VIC & TAS Sales & Warehouse  
50-52 Sunmore Close  
Heatherton VIC 3202  
T: +61 3 9552 0552  
E: salesvic@brenclosures.com.au

**TASMANIA Distribution**  
W P Martin Pty Ltd  
85 Elizabeth Street  
Launceston TAS 7250  
T: +61 3 6331 5545  
F: +61 3 6331 4256

**SOUTH AUSTRALIA**  
SA & NT Manufacturing, Sales & Warehouse  
505 Grand Junction Road  
Wingfield SA 5013  
T: +61 8 8417 6222  
E: salessa@brenclosures.com.au

**NORTHERN TERRITORY Distribution**  
Cnr Hidden Valley & Beaton Roads  
Berrimah NT 0828  
T: +61 8 8947 0870  
F: +61 8 8947 0764

**WESTERN AUSTRALIA**  
**WA Sales Office & Warehouse**  
6 Montgomery Way  
Malaga WA 6090  
T: +61 8 6310 4777  
E: saleswa@brenclosures.com.au

## NEW ZEALAND

Sales  
B&R Enclosures Limited  
T: 0800 Enclosures (0800 362 567)  
E: sales@brenclosures.co.nz  
brenclosures.co.nz

**AUCKLAND Distribution**  
Unit 6/103 Cryers Road  
East Tamaki Auckland NZ 2013  
T: +64 9 265 2097  
F: +64 9 265 2437  
E: sales@brenclosures.co.nz

**CHRISTCHURCH Distribution**  
17 Washbournes Road  
Wigram Christchurch NZ 8042  
T: +64 3 348 0659  
F: +64 3 348 4043  
E: sales@brenclosures.co.nz

## CHINA

Sales  
B&R Enclosures (Suzhou) Co. Ltd  
E: sales@brenclosures.com.cn  
brenclosures.com.cn

**SUZHOU**  
**Suzhou Sales Office & Manufacturing**  
Building 45 Chuangtou Industrial Zone  
SIP, Suzhou 215122  
PEOPLE'S REPUBLIC OF CHINA  
T: +86 512 8718 2139  
F: +86 512 8718 2140  
E: sales@brenclosures.com.cn

## SOUTH EAST ASIA

Sales  
B&R Enclosures SDN BHD  
E: sales@brenclosures.com.au  
brenclosures.com.au

**MALAYSIA**  
**Malaysia Sales Office & Manufacturing**  
No.38-1, Puchong Gateway Square,  
Jalan Suria Puchong 4,  
Pusat Perniagaan Suria Puchong  
47110, Puchong, Selangor, Malaysia  
T: +603 8958 3923 or +603 8959 3923  
F: +603 8958 3223  
E: sales@brenclosures.com.au

## MIDDLE EAST

Sales  
B&R Gulf  
E: sales@brgulf.com.sa  
brenclosures.com.sa

**DAMMAM**  
**Dammam Sales Office & Manufacturing**  
Factory No. 119, Modon Buildings  
King Salman Road, Industrial Area 3  
Dammam, Kingdom of Saudi Arabia  
T +96 638 128 691 or +96 650 349 6592  
E: sales@brgulf.com.sa