

Professional Tool Sets

- Professional Quality Chrome Vanadium ratchets, sockets and screwdrivers
- · Limited Lifetime Guarantee
- · Quality Crescent Brand
- · Includes Metric and Imperial Sizes
- Meets A.N.S.I. load specs

Spanner Set





Material Number	Description mm/in	APN/UPC	Shelf Pack
CCSS18MP	18 Piece Spanner Set	■ 003555	6


- Metric/AF Spanner Set
- Drop Forged
- Sizes: Metric 8, 9, 10, 11, 12, 13, 14, 17, 19mm Imperial: 1/4", 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4"
- Chrome Vanadium Handy Carry Case

Tool/Socket Set









4003019253203

- Set Contains: Set Contains:

 1 x 1/2" Quick Release Ratcheting
 Drive, 72 tooth, with ergonomic
 cushion grip, CrV

 2 x 1/2" Extension 125mm and
- 250mm, CrV
- 1 x 1/2" Universal Joint, CrV
- 2 x 1/2" Spark Plug Sockets:16mm
- and 21mm with rubber lining, CrV
- 18 x SuperLock Sockets: Sizes: 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 27, 30 and 32mm, CrV
- x 1/2" Sliding T-Handle, CrV
- Case with 4c coloured sleeve

CTK45EU

45 Piece Tool Set

4003019253227

5





- 1 x 1/4" Quick Release Ratcheting Drive, 72 tooth, with ergonomic cushion grip, CrV 2 x 1/4" Extension 50mm and 100mm, CrV
- 1 x 1/4" Universal Joint, CrV
- 1 x 1/4" Flexible Extension Shaft 150mm, CrV 13 x SuperLock Sockets: 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14mm, CrV
- 2 x 1/4" Phillips® Bit Sockets: No. 1 & No.
- 2 x 1/4" Pozidriver® Bit Sockets: No. 1 & No. 2 3 x 1/4" Slotted Bit Sockets: 4, 5, & 7mm
- 4 x 1/4" Hex Bit Sockets: 3, 4, 5 & 6mm 6 x 1/4" Torx® Bit Sockets
- 8 x Hex Kevs: 1.5, 2, 2.5, 3, 4, 5, 5.5 and
- 1 x 1/4" Spinner Handle
- 1 x 1/4" Sliding T-Handle
- Case with 4c coloured sleeve

70 Piece Professional Tool Set





CTK70MP

70 Piece Tool Set

211101

3/8" DRIVF

- 1 x 72-Tooth Quick-release Ratchet Drive
- 1 x 3" Extension16 x 12-Point Sockets: 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 10mm, 11mm, 12mm, 13mm, 14mm, 15mm, , 19mm 1/4" DRIVE:
- 1 x 72-Tooth Quick-release Ratchet Drive 1 x 3" Extension
- 16 x 6-Point Sockets: 3/16", 7/32", 1/4",
- 9/32", 5/16", 11/32", 3/8", 7/16", 5mm, 6mm, 7mm, 8mm, 9mm, 10mm, 11mm,
- 1 x 3/8" (Female) to 1/4" (Male) Adapter
- 12 x Combination Wrenches: 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 10mm, 12mm, 1/2, 3/16, 5/8, 11/16, 10fffff, 12fffff, 13mm, 14mm, 15mm, 17mm

 8 x SAE Hex Keys with Holder

 1 x Dura-Driver™ MAGNETIC Bit Driver

 12 x 1" Driver Bits: Phillips®, slotted, Torx®, and how.

200525

148 Piece Tool Set



CTK148MP

148 Piece Tool Set

- 1/2" DRIVE:
 1 x 72-Tooth Quick-release Ratchet Drive
 1 x 5" Extension
- 10 x 6-Point Sockets: 1/2", 9/16", 5/8", 3/4", 7/8", 15mm, 17mm, 18mm, 19mm, 21mm 3/8" DRIVE:
- 1 x 72-Tooth Quick-release Ratchet Drive
 1 x 3" Extension
 1 x 6" Extension

- 1 x 6" Extension 1 x 3/8" (Female) to 1/4" (Male) Adapter 2 x Spark Plug Sockets: 5/8", 13/16" 16 x 12-Point Sockets: 5/16", 3/8", 7/16", 1/2", 9.16", 5/8", 11/16", 3/4", 9mm, 10mm, 12mm, 13mm, 14mm, 15mm, 17mm, 19mm 10 x 6-Point Deep Sockets: 7/16", 1/2", 9/16", 11/16", 3/4", 12mm, 13mm, 14mm, 16mm, 17mm 4" DRIVE-1/4" DRIVE:
- 1 x 72-Tooth Quick-release Ratchet Drive

- 1 x 3" Extension 20 x 6-Point Sockets: 3/16", 7/32", 1/4", 9/32", 5/16", 11/32", 3/8", 7/16", 1/2", 9/16", 4mm, 5mm, 6mm, 7mm, 8mm, 9mm, 10mm, 11mm, 12mm, 13mm
- 12 x Combination Wrenches: 5/16", 3/8", 7/16", 1/2", 9/16", 8mm, 10mm, 12mm, 13mm, 14mm,
- 2 x Pliers: 8" Long Nose Cutting and 6" Diagonal
- Cutting 4 x MAGNETIC Screwdrivers: 1/4" x 4" Slotted, 3/16" x 3" Slotted, #2 x 4" Phillips®, #1 x 3" Phillips®
- 1 x Dura-Driver™ MAGNETIC Bit Driver 44 x 1" Driver Bits with Holders: Phillips®, Slotted, Torx®, and Hex
- 18 x SAE Hex Keys with Holder 1 x Storage Case
- - **★ SHELF PACKS CANNOT BE BROKEN**

140 Piece Tool Set





CTK140CMP 140 Piece Tool Set

1/4" DRIVE 6 POINT SOCKETS:
• SAE: 5/32", 3/16", 7/32", 1/4", 9/32", 5/16", 11/32", 3/8", 7/16", 1/2", 9/16"

• Metric: 4, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14mm 3/8" DRIVE 12 POINT SOCKETS:

3/8" DRIVE 12 POINT SOCKETS:

• SAE: 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8"

• Metric: 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm

3/8" DRIVE 6 POINT DEEP SOCKETS:

• SAE: 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8"

• Metric: 9, 10, 11, 12, 13, 14, 15, 16, 17, 18 19mm

1/2" DRIVE 6PT SOCKETS:

• SAE: 3/8", 7/16", 7/16", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8"

1/2 Drive 6F1 SOCKETS.

• SAE: 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8"

• Metric: 9, 10, 11, 12, 13, 14, 15, 16, 17, 18mm

1/4" Dr. Ratchet Handle with Oval Head

20037103255161

3/8" Dr. Ratchet Handle with Oval Head 1/2" Dr. Ratchet Handle with Oval Head 1/4" Dr. Extension Bars: 3", 6"

3/8" Drive Extension Bars: 1 1/2", 3", 6" 1/2" Drive Extension Bars: 3", 6"

- 1/2" Drive Extension Bars: 3", 6"
 COMBINATION WRENCHES:
 SAE: 1/4", 5/16", 11/32", 3/8", 7/16", 1/2", 9/16", 5/8",
 11/16", 3/4"
 Metric: 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18. 19mm
 12 of 1/4" DRIVE BIT SOCKETS:
 Slotted: 7/32", 1/4" HEX, 3/16", 7/32", 1/4", 5/16", 3/8"
 Phillips: #1-#2 Star: T15, T20, T25
 10 of 3/8" DRIVE BIT SOCKET:
 Slotted: 7/32", 9/32", 3/8"
 Phillips: #1, -#2, -#3, -#4 Star: T30, T40, T45

APN/UPC Shelf

254078

254085

254092

3

3

3

ALL APN ■ AND UPC ● CODE NUMBERS SHOWN ARE PRECEDED BY THE MANUFACTURER APN OR UPC I.D. NUMBER ■ 9337103 & ● 037103.

Crescent® Brand Adjustable Wrenches

World famous Crescent® brand adjustable wrench. These wrenches are made of fine alloy steel to give extra strength and wear. Used by professional mechanics, industrial tradesmen and home mechanics. Dimensions are proportioned for greatest strength with minimum weight. A tension spring under knurl helps prevent jaw opening from changing adjustment. An open handle design permits easier knurl adjustment. Handle made of forged alloy steel and heat treated for toughness and durability. Plated or black oxide finishes are available as indicated.

- World famous Crescent® brand
- Wide capacity jaw (sizes 4"-24", 100-600mm) allows each tool to work with more fastener sizes
- · Tension spring stabilises jaw and knurl adjusts easily
- For professional, industrial or home use
- Wider handle (sizes 6"-12") provides more comfort and less stress on the hand
- · Alloy steel and heat treated

Description

			Number	mm/in	AFN/OFC	Pack
			Wide Handle,	Chrome Finish		
可	100 (Second) 10)	NEW PRODUCT	AC24VS	100/4	● 144584	3
	Plated finish resists rust and corrosion	NEW PRODUCT	AC26VS	150/6	● 253989	3
	Polished head and regular, satin finished handle Tapered, satin finished handle	NEW PRODUCT	AC28VS	200/8	● 253996	3
	for better two-hand grip and less weight (sizes 15 to 24)	NEW PRODUCT	AC210VS	250/10	• 254009	3
	Proportioned dimensions for greatest strength and minimum weight	NEW PRODUCT	AC212VS	300/12	● 254016	3
		NEW PRODUCT	AC215VS	380/15	● 254023	1
		NEW PRODUCT	AC218VS	460/18	● 254030	1
		NEW PRODUCT	AC224VS	610/24	● 254047	1
ET .	ar symmet 1		Cushion Grip,	, Chrome Finish		
	Polished head and red non-slip grip	NEW	AC24CVS	100/4	● 254146	3
	3.4	PRODUCT	AC26CVS	150/6	● 254153	3
		PRODUCT	AC28CVS	200/8	● 254160	3
		PRODUCT	AC210CVS	250/10	● 254177	3
		NEW PRODUCT	AC212CVS	300/12	● 254184	3
			Black Oxide F	inish		
4		PRODUCT	AT24VS	100/4	● 254054	3
		PRODUCT	AT26VS	150/6	● 254061	3

AT28VS

AT210VS

AT212VS

Material

Rapid Slide Wrench



Polished head and regular

· Black oxide finish resists

corrosion

AC6NKWMP	150/6 Jaw capacity 24mm	● 226761	6
AC8NKWMP	200/8 Jaw capacity 25mm	● 211453	6
AC10NKWMP	254/10 Jaw capacity 32mm	● 222060	6

- Slide button mechanism in handle for quick, fast adjustment
- Debris shield protects slide mechanism, and maintains a smooth operation Forged steel Chrome finish resists rust and corrosion
- · Polished head with mm/inch size indicator on jaw

200/8

250/10

300/12

Rapid Rench



Material Number	Description mm/in	APN/UPC	Shelf Pack
FR28SMP	200/8	● 229205	4

- · Works like a socket set, without all the sockets
- · Works on square bolts, hex bolts/screws, cup-hooks, wing nuts, thumbscrews and many more
- · Jaw capacity 4.8mm to 22.2mm
- 60-tooth ratcheting mechanism requires just a 6° swing to turn fasteners
- · Convenient adjustment dial controls jaw operation, providing quick and positive grip on fasteners

Pipe Wrench



- **CPW450** 450/18 ■ 002787 12
- CR.MO Jaw
- Cast iron handle

Snips



N047	Straight Cut Aviation Snip - Yellow Grip	● 062031	6
N048	Left Cut Aviation Snip - Red Grip	● 062048	6
N049	Right Cut Aviation Snip - Green Grip	• 062055	6

HK Porter® Multi Purpose Cutter





PWC9	Mini Bolt Cutter 216mm/8 1/2"	● 925756	10
------	-------------------------------	----------	----

- Centre cut blades
- Cuts mild steel to 5/32" diameter
- Cuts hard steel 3/32" diameter
 Never use any Crescent or HK Porter cutters on energized circuits, wire, or cable

Centre Cut Bolt Cutter



J14 :	350mm/14"	■ 999926	1
J18	450mm/18"	■ 999933	1
J24	600mm/24"	■ 999940	1
J30	750mm/30"	■ 999957	1
J36	900mm/36"	■ 999964	1
J24 (600mm/24" 750mm/30"	■ 999940 ■ 999957	1 1 1 1

Wiss® Ratcheting Pipe Cutters





Material Number	Description mm/in	Size mm/in	APN/UPC	Shelf Pack
WRPCSM	Ratcheting Pipe Cutter - Small Cuts Pipe 3mm to 13mm	121mm/ 4 3/4"	● 222428	3
WRPCMD	Ratcheting Pipe Cutter - Medium Cuts Pipe 6mm to 23mm	159mm/ 6 1/4"	● 222435	3
WRPCLG	Ratcheting Pipe Cutter - Large Cuts Pipe 8mm to 29mm	178mm/ 7"	● 222442	3

- Cuts brass, copper, aluminium, PVC and other thin walled conduit materials
- Adjustable ratcheting mechanism provides increased convenience and less effort
- 360° ratcheting design allows pipe cutting in tight and hard to reach places
- · Ideal for corners, floor/ceiling joists, crawl spaces and basements
- Durable metal cutting head and lightweight nylon/fibreglass handle
- Replaceable cutting wheel in handle (large & medium models only)
- Limited Lifetime Guarantee



Crescent™ Locking Pliers

Now you have a choice in quality locking pliers. The new line from Crescent offers performance which meets that of the leading competitor at a substantially lower cost. But don't take our word for it. Compare Crescent head-to-head against any other locking pliers and we guarantee the only difference you'll find is on the price tag. We have the most popular sizes and styles



of locking products, including sheet metal and welder's clamps, and even a range of cushion grip locking pliers.

and even a range or o	susmon grip lockir	ig pilers.
C7SV	C6NV	C11CCV C9W
C6CCSV	C8SMV	Cow
C20CH	Croscent	5SET







* Display racks available. Refer to your Apex Tool Group Sales Representative.

Material Number Description mm/in									
C7SV 175/7 34mm ● 206664 3 C10SV 250/10 45mm ● 206800 3 Curved Jaw with Wire Cutter C5CV 125/5 32mm ● 206817 3 C7CV 175/7 42mm ● 206695 3 C10CV 250/10 48mm ● 206701 3 Long Nose with Wire Cutter C6NV 150/6 58mm ● 206718 3 C9NV 230/9 73mm ● 206725 3 Locking C-Clamp (Reg Tips) C6CCV 150/6 51mm ● 206732 3 C11CCV 280/11 102mm ● 206756 5 Locking C-Clamp (Swivel Tips) C6CCSV 150/6 73mm ● 206749 3 C11CCSV 280/11 102mm ● 206763 5 Locking Sheet Metal Clamp C8MV 200/8 19mm ● 206770 3 Locking Chain Clamp C9W 230/9 38mm ● 206794 5 Locking Chain Clamp C100000		•		APN/UPC					
C10SV 250/10 45mm ● 206800 3 Curved Jaw with Wire Cutter C5CV 125/5 32mm ● 206817 3 C7CV 175/7 42mm ● 206695 3 C10CV 250/10 48mm ● 206701 3 Long Nose with Wire Cutter C6NV 150/6 58mm ● 206718 3 C9NV 230/9 73mm ● 206725 3 Locking C-Clamp (Reg Tips) C6CCV 150/6 51mm ● 206732 3 C11CCV 280/11 102mm ● 206756 5 Locking C-Clamp (Swivel Tips) C6CCSV 150/6 73mm ● 206749 3 C11CCSV 280/11 102mm ● 206763 5 Locking Sheet Metal Clamp C8SMV 200/8 19mm ● 206770 3 Locking Welding Clamp C9W 230/9 38mm ● 206787 5 Locking Chain - 460mm Circumference 2 Piece Curved Locking Piler Set CLP2SET 175/7 & 250/10 ● 202871 3 5 Piece Set CLP3SET 125/5, 175/7, 250/10 ● 202871 3 5 Piece Set CLP5SET 3 Curved, 2 Long Nose 125/5, 175/7, 250/10 150/6, 230/9 Locking Piler - Cushion Grip C7CVC Curved 250/10" 48mm ■ 000189 3 3 Piece Set - Cushion Grips C6LNVC Long Nose 150/6" 58mm ■ 000455 3 3 Piece Set - Cushion Grips CLP3SETC 3 Curved Jaw 125/5, 175/7, 250/10 58mm ■ 000455 3 3 Piece Set - Cushion Grips CLP3SETC 3 Curved Jaw 125/5, 175/7, 250/10 58mm ■ 000455 3	Straight Jaw	Straight Jaw							
Curved Jaw with Wire Cutter C5CV 125/5 32mm	C7SV	175/7	34mm	● 206664	3				
C5CV 125/5 32mm	C10SV	250/10	45mm	● 206800	3				
C7CV 175/7 42mm ● 206695 3 C10CV 250/10 48mm ● 206701 3 Long Nose with Wire Cutter C6NV 150/6 58mm ● 206718 3 C9NV 230/9 73mm ● 206725 3 Locking C-Clamp (Reg Tips) C6CCV 150/6 51mm ● 206732 3 C11CCV 280/11 102mm ● 206736 5 Locking C-Clamp (Swivel Tips) C6CCSV 150/6 73mm ● 206749 3 C11CCSV 280/11 102mm ● 206749 3 C11CCSV 280/11 102mm ● 206763 5 Locking Sheet Metal Clamp C8SMV 200/8 19mm ● 206770 3 Locking Welding Clamp C9W 230/9 38mm ● 206787 5 Locking Chain - 460mm Circumference 2 Piece Curved Locking Plier Set CLP2SET 175/7 & 250/10 ● 202864 3 3 Piece Curved Locking Plier Set CLP3SET 125/5, 175/7, 250/10 ● 202871 3 5 Piece Set CLP5SET 3 Curved, 2 Long Nose 125/5, 175/7, 250/10 150/6, 230/9 Locking Plier - Cushion Grip C7CVC Curved 250/10" 42mm ■ 000448 3 C10CVC Curved 250/10" 48mm ■ 000189 3 C6LNVC Long Nose 150/6" 58mm ■ 000455 3 3 Piece Set - Cushion Grips CLP3SETC 3 Curved Jaw 125/5, 175/7, 250/10 58mm ■ 000455 3	Curved Jaw w	rith Wire Cutter							
C10CV 250/10 48mm ● 206701 3 Long Nose with Wire Cutter C6NV 150/6 58mm ● 206718 3 C9NV 230/9 73mm ● 206725 3 Locking C-Clamp (Reg Tips) C6CCV 150/6 51mm ● 206732 3 C11CCV 280/11 102mm ● 206756 5 Locking C-Clamp (Swivel Tips) C6CCSV 150/6 73mm ● 206749 3 C11CCSV 280/11 102mm ● 206763 5 Locking Sheet Metal Clamp C8SMV 200/8 19mm ● 206770 3 Locking Welding Clamp C9W 230/9 38mm ● 206787 5 Locking Chain Clamp C20CH 230/9 38mm ● 206794 5 C1P2SET 175/7 & 250/10 ● 202864 3 3 Piece Curved Locking Plier Set CLP3SET 125/5, 175/7, 250/10 ● 202871 3 5 Piece Set CLP5SET 3 Curved, 2 Long Nose 125/5, 175/7, 250/10 150/6, 230/9 Locking Plier - Cushion Grip C7CVC Curved 250/10" 42mm ■ 000448 3 C10CVC Curved 250/10" 48mm ■ 000189 3 C6LNVC Long Nose 150/6" 58mm ■ 000455 3 3 Piece Set - Cushion Grips CLP3SETC 3 Curved Jaw 125/5, 175/7, 250/10 58mm ■ 000455 3	C5CV	125/5	32mm	● 206817	3				
Long Nose with Wire Cutter C6NV 150/6 58mm ● 206718 3 C9NV 230/9 73mm ● 206725 3 Locking C-Clamp (Reg Tips) C6CCV 150/6 51mm ● 206732 3 C11CCV 280/11 102mm ● 206756 5 Locking C-Clamp (Swivel Tips) C6CCSV 150/6 73mm ● 206749 3 C11CCSV 280/11 102mm ● 206763 5 Locking Sheet Metal Clamp C8SMV 200/8 19mm ● 206770 3 Locking Welding Clamp C9W 230/9 38mm ● 206787 5 Locking Chain Clamp C20CH 230/9 38mm ● 206787 5 Locking Chain - 460mm Circumference 2 Piece Curved Locking Plier Set CLP2SET 175/7 & 250/10 ● 202864 3 3 Piece Curved Locking Plier Set CLP3SET 125/5, 175/7, 250/10 ● 202871 3 5 Piece Set CLP5SET 3 Curved, 2 Long Nose 125/5, 175/7, 250/10 150/6, 230/9 Locking Plier - Cushion Grip C7CVC Curved 250/10" 48mm ■ 000189 3 C6LNVC Long Nose 150/6" 58mm ■ 000455 3 3 Piece Set - Cushion Grips CLP3SETC 3 Curved Jaw 125/5, 175/7, 250/10 58mm ■ 000455 3	C7CV	175/7	42mm	● 206695	3				
C6NV 150/6 58mm ● 206718 3 C9NV 230/9 73mm ● 206725 3 Locking C-Clamp (Reg Tips) C6CCV 150/6 51mm ● 206732 3 C11CCV 280/11 102mm ● 206756 5 Locking C-Clamp (Swivel Tips) C6CCSV 150/6 73mm ● 206749 3 C11CCSV 280/11 102mm ● 206763 5 Locking Sheet Metal Clamp C8SMV 200/8 19mm ● 206770 3 Locking Welding Clamp C9W 230/9 38mm ● 206787 5 Locking Chain Clamp C20CH 230/9 ● 230/9 Chain - 460mm Circumference 2 Piece Curved Locking Plier Set CLP2SET 175/7 & 250/10 ● 202864 3 3 Piece Curved Locking Plier Set CLP3SET 125/5, 175/7, 250/10 ● 202871 3 5 Piece Set CLP5SET 3 Curved, 2 Long Nose 125/5, 175/7, 250/10 150/6, 230/9 Locking Plier - Cushion Grip C7CVC Curved 250/10" 48mm ■ 000189 3 C6LNVC Long Nose 150/6" 58mm ■ 000455 3 3 Piece Set - Cushion Grips CLP3SETC 3 Curved Jaw 125/5, 175/7, 250/10 58mm ■ 000455 3	C10CV	250/10	48mm	● 206701	3				
C9NV 230/9 73mm ● 206725 3 Locking C-Clamp (Reg Tips) C6CCV 150/6 51mm ● 206732 3 C11CCV 280/11 102mm ● 206756 5 Locking C-Clamp (Swivel Tips) C6CCSV 150/6 73mm ● 206749 3 C11CCSV 280/11 102mm ● 206763 5 Locking Sheet Metal Clamp C8SMV 200/8 19mm ● 206770 3 Locking Welding Clamp C9W 230/9 38mm ● 206787 5 Locking Chain Clamp C20CH 230/9 Chain - 460mm Circumference 2 Piece Curved Locking Plier Set CLP2SET 175/7 & 250/10 ● 202864 3 3 Piece Curved Locking Plier Set CLP3SET 125/5, 175/7, 250/10 ● 202871 3 5 Piece Set CLP5SET 3 Curved, 2 Long Nose 125/5, 175/7, 250/10 ● 202895 3 Locking Plier - Cushion Grip C7CVC Curved 250/10" 42mm ■ 000448 3 C6LNVC Long Nose 150/6" 58mm ■ 000455 3 3 Piece Set - Cushion Grips CLP3SETC 3 Curved Jaw 125/5, 175/7, 250/10 ● 202888 3	Long Nose wi	th Wire Cutter							
Locking C-Clamp (Reg Tips) C6CCV	C6NV	150/6	58mm	● 206718	3				
C6CCV 150/6 51mm ● 206732 3 C11CCV 280/11 102mm ● 206756 5 Locking C-Clamp (Swivel Tips) C6CCSV 150/6 73mm ● 206749 3 C11CCSV 280/11 102mm ● 206763 5 Locking Sheet Metal Clamp C8SMV 200/8 19mm ● 206770 3 Locking Welding Clamp C9W 230/9 38mm ● 206787 5 Locking Chain Clamp C20CH 230/9 Chain - 460mm Circumference 2 Piece Curved Locking Plier Set CLP2SET 175/7 & 250/10 ● 202864 3 3 Piece Curved Locking Plier Set CLP3SET 125/5, 175/7, 250/10 ● 202871 3 5 Piece Set CLP5SET 3 Curved, 2 Long Nose 125/5, 175/7, 250/10 150/6, 230/9 Locking Plier - Cushion Grip C7CVC Curved 250/10" 42mm ■ 000448 3 C6LNVC Long Nose 150/6" 58mm ■ 000455 3 3 Piece Set - Cushion Grips CLP3SETC 3 Curved Jaw 125/5, 175/7, 250/10 ● 202888 3	C9NV	230/9	73mm	● 206725	3				
C11CCV 280/11 102mm ● 206756 5 Locking C-Clamp (Swivel Tips) C6CCSV 150/6 73mm ● 206749 3 C11CCSV 280/11 102mm ● 206763 5 Locking Sheet Metal Clamp C8SMV 200/8 19mm ● 206770 3 Locking Welding Clamp C9W 230/9 38mm ● 206787 5 Locking Chain Clamp C20CH 230/9 ● 206794 5 Chain - 460mm Circumference 2 2 Piece Curved Locking Plier Set CLP2SET 175/7 & 250/10 ● 202864 3 3 Piece Set CLP3SET 3 Curved, 2 Long Nose 125/5, 175/7, 250/10 150/6, 230/9 Locking Plier - Cushion Grip C7CVC Curved 175/7" 42mm ■ 000448 3 C10CVC Curved 250/10" 48mm ■ 000189 3 C6LNVC Long Nose 150/6" 58mm ■ 000455 3 3 Piece Set - Cushion Grips CLP3SETC 3 Curved Jaw 125/5, 175/7, 250/10 58mm ■ 000455 3 3 Piece Set - Cushion Grips CLP3SETC 3 Curved Jaw 125/5, 175/7, 250/10 58mm ■ 000455 3	Locking C-Cla	ımp (Reg Tips)							
Locking C-Clamp (Swivel Tips) C6CCSV 150/6 73mm ● 206749 3 C11CCSV 280/11 102mm ● 206763 5 Locking Sheet Metal Clamp C8SMV 200/8 19mm ● 206770 3 Locking Welding Clamp C9W 230/9 38mm ● 206787 5 Locking Chain Clamp C20CH 230/9 ● 206794 5 Chain - 460mm Circumference ● 206794 5 C1P2SET 175/7 & 250/10 ● 202864 3 3 Piece Curved Locking Plier Set CLP3SET 125/5, 175/7, 250/10 ● 202871 3 5 Piece Set CLP5SET 3 Curved, 2 Long Nose 125/5, 175/7, 250/10 150/6, 230/9 Locking Plier - Cushion Grip C7CVC Curved 175/7" 42mm ■ 000448 3 C10CVC Curved 250/10" 48mm ■ 000189 3 C6LNVC Long Nose 150/6" 58mm ■ 000455 3 3 Piece Set - Cushion Grips CLP3SETC 3 Curved Jaw 125/5, 175/7, 250/10 ● 202888 3	C6CCV	150/6	51mm	● 206732	3				
C6CCSV 150/6 73mm ● 206749 3 C11CCSV 280/11 102mm ● 206763 5 Locking Sheet Metal Clamp C8SMV 200/8 19mm ● 206770 3 Locking Welding Clamp C9W 230/9 38mm ● 206787 5 Locking Chain Clamp C20CH 230/9 ● 206794 5 Chain - 460mm Circumference 2 Piece Curved Locking Plier Set CLP2SET 175/7 & 250/10 ● 202864 3 3 Piece Curved Locking Plier Set CLP3SET 125/5, 175/7, 250/10 ● 202871 3 5 Piece Set CLP5SET 3 Curved, 2 Long Nose 125/5, 175/7, 250/10 150/6, 230/9 Locking Plier - Cushion Grip C7CVC Curved 175/7" 42mm ■ 000448 3 C10CVC Curved 250/10" 48mm ■ 000189 3 C6LNVC Long Nose 150/6" 58mm ■ 000455 3 3 Piece Set - Cushion Grips CLP3SETC 3 Curved Jaw 125/5, 175/7, 250/10 ● 202888 3	C11CCV	280/11	102mm	● 206756	5				
C11CCSV 280/11 102mm ● 206763 5 Locking Sheet Metal Clamp C8SMV 200/8 19mm ● 206770 3 Locking Welding Clamp C9W 230/9 38mm ● 206787 5 Locking Chain Clamp C20CH 230/9 ● 206794 5 Chain - 460mm Circumference ● 206794 5 C10CYC Curved 175/7* 250/10 150/6, 230/9 C10CVC Curved 250/10* 48mm ■ 000189 3 C1DCYC Curved 250/10* 58mm ■ 000455 3 3 Piece Set - Cushion Grips C6LNVC Long Nose 150/6* 58mm ■ 000455 3 3 Piece Set - Cushion Grips CLP3SETC 3 Curved Jaw 125/5, 175/7, 250/10 58mm ■ 000455 3	Locking C-Cla	mp (Swivel Tips)							
Locking Sheet Metal Clamp C8SMV 200/8 19mm ● 206770 3 Locking Welding Clamp C9W 230/9 38mm ● 206787 5 Locking Chain Clamp C20CH 230/9 ● 206794 5 Chain - 460mm Circumference 2 Piece Curved Locking Plier Set CLP2SET 175/7 & 250/10 ● 202864 3 3 Piece Curved Locking Plier Set CLP3SET 125/5, 175/7, 250/10 ● 202871 3 5 Piece Set CLP5SET 3 Curved, 2 Long Nose 125/5, 175/7, 250/10 150/6, 230/9 Locking Plier - Cushion Grip C7CVC Curved 175/7" 42mm ■ 000448 3 C10CVC Curved 250/10" 48mm ■ 000189 3 C6LNVC Long Nose 150/6" 58mm ■ 000455 3 3 Piece Set - Cushion Grips CLP3SETC 3 Curved Jaw 125/5, 175/7, 250/10 ● 202888 3	C6CCSV	150/6	73mm	● 206749	3				
C8SMV 200/8 19mm ● 206770 3 Locking Welding Clamp 38mm ● 206787 5 Locking Chain Clamp ● 200794 5 C20CH 230/9 Chain - 460mm Circumference ● 206794 5 2 Piece Curved Locking Plier Set CLP2SET 175/7 & 250/10 ● 202864 3 3 Piece Curved Locking Plier Set CLP3SET 125/5, 175/7, 250/10 ● 202871 3 5 Piece Set 3 Curved, 2 Long Nose 125/5, 175/7, 250/10 150/6, 230/9 ● 202895 3 Locking Plier - Cushion Grip CCVC Curved 250/10" 42mm ■ 000448 3 C10CVC Curved 250/10" 48mm ■ 000189 3 C6LNVC Long Nose 150/6" 58mm ■ 000455 3 3 Piece Set - Cushion Grips CLP3SETC 3 Curved Jaw 125/5, 175/7, 250/10 ● 202888 3	C11CCSV	280/11	102mm	● 206763	5				
Locking Welding Clamp 230/9 38mm ● 206787 5 Locking Chain Clamp 230/9 ● 206794 5 C20CH 230/9 Chain - 460mm Circumference ● 206794 5 2 Piece Curved Locking Plier Set CLP2SET 175/7 & 250/10 ● 202864 3 3 Piece Curved Locking Plier Set CLP3SET 125/5, 175/7, 250/10 ● 202871 3 5 Piece Set CLP5SET 3 Curved, 2 Long Nose 125/5, 175/7, 250/10 150/6, 230/9 ● 202895 3 Locking Plier - Cushion Grip C7CVC Curved 250/10" 42mm ■ 000448 3 C10CVC Curved 250/10" 48mm ■ 000189 3 C6LNVC Long Nose 150/6" 58mm ■ 000455 3 3 Piece Set - Cushion Grips CLP3SETC 3 Curved Jaw 125/5, 175/7, 250/10 ● 202888 3	Locking Shee	t Metal Clamp							
C9W 230/9 38mm ● 206787 5 Locking Chain Clamp C20CH 230/9	C8SMV	200/8	19mm	● 206770	3				
Locking Chain Clamp C20CH 230/9 Chain - 460mm Circumference ● 206794 5 2 Piece Curved Locking Plier Set CLP2SET 175/7 & 250/10 ● 202864 3 3 Piece Curved Locking Plier Set CLP3SET 125/5, 175/7, 250/10 ● 202871 3 5 Piece Set CLP5SET 3 Curved, 2 Long Nose 125/5, 175/7, 250/10 150/6, 230/9 ● 202895 3 Locking Plier - Cushion Grip C7CVC Curved 175/7" 42mm ■ 000448 3 C10CVC Curved 250/10" 48mm ■ 000189 3 C6LNVC Long Nose 150/6" 58mm ■ 000455 3 3 Piece Set - Cushion Grips CLP3SETC 3 Curved Jaw 125/5, 175/7, 250/10 ● 202888 3	Locking Weldi	ing Clamp							
C20CH 230/9 Chain - 460mm Circumference	C9W	230/9	38mm	● 206787	5				
Chain - 460mm Circumference 2 Piece Curved Locking Plier Set CLP2SET 175/7 & 250/10	Locking Chair	n Clamp							
CLP2SET 175/7 & 250/10 ● 202864 3 3 Piece Curved Locking Plier Set CLP3SET 125/5, 175/7, 250/10 ● 202871 3 5 Piece Set CLP5SET 3 Curved, 2 Long Nose 125/5, 175/7, 250/10 150/6, 230/9 ● 202895 3 Locking Plier - Cushion Grip C7CVC Curved 175/7" 42mm ■ 000448 3 C10CVC Curved 250/10" 48mm ■ 000189 3 C6LNVC Long Nose 150/6" 58mm ■ 000455 3 3 Piece Set - Cushion Grips CLP3SETC 3 Curved Jaw 125/5, 175/7, 250/10 ● 202888 3	C20CH		rence	● 206794	5				
3 Piece Curved Locking Plier Set CLP3SET 125/5, 175/7, 250/10	2 Piece Curve	d Locking Plier Set							
CLP3SET 125/5, 175/7, 250/10 ● 202871 3 5 Piece Set CLP5SET 3 Curved, 2 Long Nose 125/5, 175/7, 250/10 150/6, 230/9 ● 202895 3 Locking Plier - Cushion Grip C7CVC Curved 175/7" 42mm ■ 000448 3 C10CVC Curved 250/10" 48mm ■ 000189 3 C6LNVC Long Nose 150/6" 58mm ■ 000455 3 3 Piece Set - Cushion Grips CLP3SETC 3 Curved Jaw 125/5, 175/7, 250/10 ● 202888 3	CLP2SET	175/7 & 250/10		● 202864	3				
5 Piece Set CLP5SET 3 Curved, 2 Long Nose 125/5, 175/7, 250/10 150/6, 230/9 Locking Plier - Cushion Grip C7CVC Curved 175/7" 42mm ■ 000448 3 C10CVC Curved 250/10" 48mm ■ 000189 3 C6LNVC Long Nose 150/6" 58mm ■ 000455 3 3 Piece Set - Cushion Grips CLP3SETC 3 Curved Jaw 125/5, 175/7, 250/10 ● 202888 3	3 Piece Curve	d Locking Plier Set							
CLP5SET 3 Curved, 2 Long Nose 125/5, 175/7, 250/10 150/6, 230/9 ● 202895 3 Locking Plier - Cushion Grip C7CVC Curved 175/7" 42mm ■ 000448 3 C10CVC Curved 250/10" 48mm ■ 000189 3 C6LNVC Long Nose 150/6" 58mm ■ 000455 3 3 Piece Set - Cushion Grips CLP3SETC 3 Curved Jaw 125/5, 175/7, 250/10 ● 202888 3	CLP3SET	125/5, 175/7, 250/10		● 202871	3				
125/5, 175/7, 250/10 150/6, 230/9 Locking Plier - Cushion Grip C7CVC Curved 175/7" 42mm ■ 000448 3 C10CVC Curved 250/10" 48mm ■ 000189 3 C6LNVC Long Nose 150/6" 58mm ■ 000455 3 3 Piece Set - Cushion Grips CLP3SETC 3 Curved Jaw 125/5, 175/7, 250/10 ● 202888 3	5 Piece Set								
C7CVC Curved 175/7" 42mm ■ 000448 3 C10CVC Curved 250/10" 48mm ■ 000189 3 C6LNVC Long Nose 150/6" 58mm ■ 000455 3 3 Piece Set - Cushion Grips CLP3SETC 3 Curved Jaw 125/5, 175/7, 250/10 ● 202888 3	CLP5SET	125/5, 175/7, 250/10		● 202895	3				
175/7" 42mm ■ 000448 3 C10CVC Curved 250/10" 48mm ■ 000189 3 C6LNVC Long Nose 150/6" 58mm ■ 000455 3 3 Piece Set - Cushion Grips CLP3SETC 3 Curved Jaw 125/5, 175/7, 250/10 ● 202888 3	Locking Plier	- Cushion Grip							
250/10" 48mm ■ 000189 3 C6LNVC Long Nose 150/6" 58mm ■ 000455 3 3 Piece Set - Cushion Grips CLP3SETC 3 Curved Jaw 125/5, 175/7, 250/10 ● 202888 3	C7CVC		42mm	■ 000448	3				
150/6" 58mm ■ 000455 3 3 Piece Set - Cushion Grips CLP3SETC 3 Curved Jaw 125/5, 175/7, 250/10 ● 202888 3	C10CVC		48mm	■ 000189	3				
CLP3SETC 3 Curved Jaw 125/5, 175/7, 250/10 ● 202888 3	C6LNVC		58mm	■ 000455	3				
125/5, 175/7, 250/10 • 202888 3	3 Piece Set - C	Cushion Grips							
CLPR1 Rack - 5 Positions ■ 470845 1	CLP3SETC			● 202888	3				
	CLPR1	Rack - 5 Positions		■ 470845	1				

Features & Benefits

- Maximum jaw opening capacity per ASME specs
- Integral wire cutter on curved jaw and long nose
- Precisely machined ferrule for fine jaw adjustment
- Nickel-plated finish resists rust and corrosion
- Compound action for powerful non-slip locking grip
- Patented angled tooth pattern provides better grip

Crescent™ Pliers

Introducing the bigger and better Pliers Range from Crescent. New, Upgraded range, with three different

Range includes Ultimate, ProSeries and S-Series.



FEATURES & BENEFITS

- Premium quality forged alloy steel for toughness and durability
- Insulated grips
- · Precise jaw gap for wire work
- Cross hatch jaws for positive grip
 Serrated pipe grip (3800 models)

- Renowned for providing years of work and performance
 Extended and hardened cutting jaw for use with flat multicore cabling (3800 models)
- Built in crimper for use on 1.5mm² to 6mm² solderless connectors (3800 models)
- Australian Made



The features in detail:







Slim line jaw with precise jaw gap.

Extended and hardened cutting jaw for use with flat multi-core cabling.

Hardened crimping jaw built into handle for use with solderless connectors.

Pliers - Ultimate

	Material Number	Description mm/in	APN/UPC	Shelf Pack
3800CTV	3800CTV	Universal plier with crimper, 200mm	■ 466817	6
3800CTP	3800CTP	Universal plier with crimper in nylon pouch, 200mm	■ 473709	4
NEW PRODUCT	72-7CV	End cutting nippers with cushion grip, 180mm	■ 003166	6
72-7CV	72-8CV	End cutting nippers with cushion grip, 200mm	■ 463007	6
	72-9CV	End cutting nippers with cushion grip, 230mm	■ 467418	6
NEW PRODUCT	542-7CV	Diagonal cutting pliers with cushion grip, 180mm	■ 004149	6
542-7CV	542-8CV	Diagonal cutting pliers with cushion grip, 200mm	■ 464745	6
654-7CV	654-7CV	Long nose pliers with cushion grip, 180mm	■ 004156	6
Pliers - Ultimate High Voltage				
3800CHV	3800CHV	1000V Universal plier with crimper, 200mm	■ 473730	4
The second secon	5428HV	1000V Diagonal cutter, 200mm	■ 321512	4
5428HV	6547HV	1000V Long Nose Plier with side cutters, 180mm	■ 366216	4

6547HV





FEATURES & BENEFITS

- Heat treated forged alloy steel with hardened cutting edges
- Patented high leverage design gives up to 60% power gain (Compound Action Models only)
- Special heat-treated steel spring holds jaw comfortably open (Compound Action Models only)
- Tested to over 1,000,000 cycles
- Co-Moulded grip for increased comfort and control

Pliers - Pro Series




Material Number	Description mm/in	APN/UPC	Shelf Pack
PS20509C	Compound Action Universal pliers, 230mm/9"	■ 004156	3
PS5429C	Compound Action Diagonal cutting pliers, 230mm/9"	473730	3
PS6549C	Compound Action Long Nose pliers, 230mm/9"	■ 321512	3
728CMG	End Cutting Nipper, 200mm/8"	● 214775	3
508CMG	Universal pliers, 200mm/8"	● 214805	3
7427CMG	Diagonal cutting pliers, 180mm/7"	● 214812	3
6547CMG	Long Nose pliers, 180mm/7"	● 214720	3

FEATURES & BENEFITS

• Heat treated forged alloy steel with hardened cutting edges

- Non-slip cushion grip on most models (as per depictions)
- Proven, reliable tools from reputable trusted brand, Crescent

Pliers - S-Series



Pliers High Voltage - S-Series	A COLOR				
NEW PRODUCT		Material Number	Description mm/in	APN/UPC	Shelf Pack
NEW		CHV508	1000V HV, Universal Pliers, 200mm/8"	■ 004279	6
PRODUCT		CHV410	1000V HV, Multi-Grip Pliers, 250mm/10"	■ 004255	6
PRODUCT		CHV5428	1000V HV, Diagonal Cutting Pliers, 200mm	■ 004248	6
NEW PRODUCT		CHV6548	1000V HV, Long Nose Pliers, 200mm/8"	■ 004262	6

Multi-Grip Pliers - S-Series




R210CV	Multi-Grip Plier, Straight Jaw, 254mm/10"	● 463685	6
R212CV	Multi-Grip Plier, Straight Jaw, 300mm/12"	• 463739	6
R216CV	Multi-Grip Plier, Straight Jaw, 406mm/16"	• 469687	1
R410CV	Multi-Grip Plier, Curved Jaw, 254mm/10"	• 464705	6
R200SET3	Multi-Grip Pliers Set, 3 Piece, Straight Jaw, 7", 10", 12"	■ 205742	1

Rapid Grip Auto Adjustable Multi-Grip Pliers - S-Series



CMGP10	Multi-Grip Plier, Curved Jaw, 254mm - auto adjustable	■ 002985	5
CMGP12	Multi-Grip Plier, Curved Jaw, 300mm - auto adjustable	■ 002978	5

Fencing Tools - S-Series



T193610VN	Prong & Hammer Head fence tool, 254mm/10"	● 212955	6
193610CVSMN	Prong & Hammer Head fence tool, cushion grip, 254mm/10"	● 212948	3
10008VN	Button Pliers Fence Tool, 200mm/8"	● 213068	6
100010VN	Button Pliers Fence Tool, 254mm/10"	● 213051	6
100012VN	Button Pliers Fence Tool, 300mm/12"	● 213099	6

Dura Pliers - S-Series



Lightweight Laminated Construction

LB10	250/10	■ 138835	6
------	--------	----------------------------	---

- Lightweight Laminated/
- Riveted Construction
- Textured Air Cushioned Grips

Retaining Ring Pliers Kit - S-Series



- DR23H Retaining Ring Pliers Kit
- Cushion handle grips Kit contains one external ring plier, one
- Nit contains one external ring pilet, one internal ring pilet
 One pair each of .035, .047 and .070 tips
 Available in skin pack only
 Use retaining ring pilers for installing,

- 043127068102
- removing retaining ring clips
 Always use the largest tips that fit the holes in retaining ring clips
 Engage tips in holes as far as possible before squeezing plier handles



1000 Volt Insulated Screwdriver Set

Material

Number

SD8SET

Main Tester 140

CS7-1000V

7 Piece Insulated Screwdriver Set





'VDE' is the symbol of the electrician standardization organisation, which does random testing of electrician requirements



The 'GS' symbo by German TÜV (independent organisation for industrial certification) signifying 'Tested for Safety'

CAT. No.	SIZE	TYPE
613-030	3.0 x 100mm	Slotted
613-035	3.5 x 100mm	Slotted
613-040	4.0 x 100mm	Slotted
613-055	5.5 x 125mm	Slotted
614-102	#1 x 80mm	Phillips
614-203	#2 x 100mm	Phillips

1000 Volt Insulated

Description

mm/in



4003019117222

APN/UPC

■ 650704





6

Shelf

Pack



- 5 Narrow pinch grip for comfort and control.
 6 Wide ergonomically designed handle allows sustained high torque with minimal muscle fatigue.
 7 For added torque, a second screwdriver can be inserted through hang hole.
 8 Individually tested up to 1000V.

8 Piece Screwdriver Set

3 Anti-roll handle design. Specially treated black oxide blades eliminate light reflection, for precision fit. Thumb bolster allows added downward force. 1000V Insulated Screwdriver Set

1 Chrome molybdenum vanadium steel shaft provides durability






Consists of: Phillips® PH 1 x 100 / PH 2 x 100 Pozidrive PZ 1 x 100 / PZ 2 x 100 Slotted 2,5 x 80 / 4,0 x 100 / 6,5 x 150









Co-moulded handles for maximum comfort Blades made of 8660 steel

Ergonomically designed handles are

comfortable to use and increase torque

Specially treated black oxide tips eliminate light reflection and have a precise fit For added torque, a second screwdriver can be inserted through hang hole

Screwdriver Sets







PRODUCT

CSDSET10 10 Piece Screwdriver Set **002800** 12

Contents: Phillips No. 0 x 75mm/3", Phillips No. 1 x 100mm/4", Phillips No. 2 x 150mm/6", Phillips No. 3 x 150mm/6", Phillips No. 2 x 38mm/1.5" Stubby, Slotted 3 x 75mm/3", Slotted 100mm/4", Slotted 6 x 150mm/6", Slotted 8 x 150mm/6", Slotted 6 x 38mm/1.5" Stubby

44 Piece Screwdriver Set

Contents: 3 slotted, 3 Phillips, 1 insulated, 1 bit holder/driver and 2 precision screwdrivers. 30 x 25mm, 2 x 50mm and 2 x 75mm screwdriver bits.

- Ergonomic, anti slip grip, acetate handles Chrome Vanadium, high quality tempered
- Edges and flats are precision formed to prevent damage
- Magnetic tips on all screwdrivers

Screwdriver Sets - Pro Series Kits

The Crescent Screwdriver Kits include a range of the most popular screwdrivers for both trades and handyman use. A range of Regular Slotted and Phillips for the largest to the smallest use. The kits also include an Insulated Electrician's round. They are all packaged in a smart moulded carry case with snap-in screwdriver fittings. A great way to hold the kit together and to avoid losing screwdrivers on the job. Handy hang-up holes allow for safe storage in the workshop.





7	CSDIND10	10 Piece Industrial Set		
	CS13	13 Piece Kit - Standard	■ 650001	5
	CS31	31 Piece Kit - Standard	■ 650056	10

Sets contain:

CSDIND10 contains 5 Slotted Blades, 5 Phillips® Blades

CS13 contains 7 Slotted Blades, 1 Insulated Slotted Blade, 4 Phillips, 1 Pozidrive screwdriver

CS31 contains 6 Slotted Blades, 1 Insulated Slotted Blade, 4 Phillips, 1 Pozidrive screwdriver. 18 inserts



Screwdrivers - Individua	ls - Pro Series							
Features of a professional quality screwdriver.	PRO SERIES	Material Number		Blade w	vidth	Blade length mm/in	APN/UPC	Shelf Pack
The blades are made of alloy steel wifinish, with edges and flats precision f handles are moulded in Australia of to featuring chemical and U.V. resistance	ormed. Colour coded	Regular Round E	Blade	•				
assembled by Cooper Tools Australia quality control standards at all stages	and subject to rigorous	218R		3/ 1/8		50/2	■ 651084	6
		3532R	<u> </u>	4/ 5/32		75/3	■ 651206	6
The Crescent range of screwdrivers includes	Convenient	4316R		5/ 3/16		100/4	■ 651282	6
an extensive range of:	Hang-Sell Tag	6316R		5/ 3/16		150/6	■ 651329	6
Regular Slotted Phillips •	_ Precision	414R		6/ 1/4		100/4	■ 651466	6
Phillips • Pozidrive • •	formed working tip	614R	A	6/ 1/4		150/6	■ 651480	6
Torx O	to prevent damage.	814MR		6/ 1/4		200/8	■ 651527	6
	Chrome	8516MR		8/ 5/16		200/8	■ 651602	6
All screwdrivers are made	vanadium alloy steel	838MR		10/ 3/8		200/8	■ 651688	6
of the same materials to the highest standards of quality	for durability and rust	1038MR		10/ 3/8		254/10	■ 651701	6
with colour coded handles and reference number for easy identification.	resistance. Tempered	Regular Insulate			e =			
7	steel to prevent	4316IR		5/ 3/16		100/4	■ 651305	6
Moulded full	distortion.	6316IR		5/ 3/16		150/6	■ 651343	6
size handles. Resistant to oil, solvents and most	Ribbed recess for sure, non-slip grip.	Stubby Round E	Blade	•				
chemicals.	3 .	214R		6/ 1/4		40/ 1 1/2	■ 651442	6
Stubby		Square I	Blade					
Traver -	PRO SERIES	1238MS		10/ 3/8		305/12	■ 653101	6
Regular	PRO CERIES	Phillips	0					
- E16	THO SCHOOL	30P		3/ 1/8	PH0	75/3	■ 660024	6
	ODD OFFICE	41P		5/ 3/16	PH1	100/4	■ 660086	6
	PRU SERIES	61P		5/ 3/16	PH1	150/6	■ 660109	6
		42P		6/ 1/4	PH2	100/4	■ 660161	6
Regular Phillips		62P		6/ 1/4	PH2	150/6	■ 660185	6
Covered Process		63P		8/ 5/16	PH3	150/6	■ 660246	6
		Insulate	d 🗘					
		61IP		5/ 3/16	PH1	150/6	■ 660123	6
Regular Phillips	PRO SERIES	62IP		6/ 1/4	PH2	150/6	■ 660208	6
Insulated		Stubby Phillips	•					
		12P		6/ 1/4	PH2	40/ 1 1/2	■ 660147	6
Stubby Dhilling		Pozidriv	e ()					
Stubby - Phillips	PRO SERIES	31PZ	A	5/ 3/16	PH1	100/4	■ 668020	6
		52PZ	<u></u>		PH2	150/6	■ 668068	6
Pozidrive	PRO SERIES		(According to the same)					
Format 1971 Millionne				Refer		23 for a con		e of
					Cusnic	on Grip Screv	varivers.	



APN/UPC

256737

■ 003562

Shelf

Pack

1

1

6

12

1

6

ALL APN ■ AND UPC ● CODE NUMBERS SHOWN ARE PRECEDED BY THE MANUFACTURER APN OR UPC I.D. NUMBER ■ 9337103 & ● 037103.

Crescent® provides a comprehensive range and choice of Cushion Grip Screwdrivers, sold as individual and sets. With heat treated chrome vanadium blades, and comfortable, ergonomic co-moulded cushion grips delivering increased leverage and better grip, there is sure to be a driver in the range to suit virtually every application. All individual pieces and sets come in handy hang-sell packaging.

Cushion Grip Screwdrivers - Sets

PRODUCT

PRODUCT

PRODUCT



CSDS5



CSD4



CPSD7



CSD52MP

Material Number CMBD7P 7 in 1 Interchangeable Bit Screwdriver No. 1 Phillips x 5mm Slotted, No. 2 Phillips® x 7mm Slotted 1/4", 5/16", 7/16" Nutdrivers Round ergo high efficienty handle grip, cushion grip for added comfort and control, fully polished blade made from tool steel for strength & durability

CSD2	2 Piece Cushion Grip Screwdriver Set Phillips No. 2 c 100mm Round Blade Mechanics Round Slotted 6mm x 100mm Mechanics	● 256690
CSD4	Screwdriver Set 4 Piece PH1 x 100mm & PH2 x 100mm	■ 000783

	C3D4	PH1 x 100mm & PH2 x 100mm Slotted 5mm x 150mm, Slotted 6mm x 100mm	■ 000763
	CSDS5	Screwdriver Set Ratchet Stubby 5-in-1 3 Position Ratchet Function (clockwise, anticlockwise & lock) Bits: PH1, PH2, PH3, Slotted 5mm & 6mm	■ 001841
1	CSD6	6 Piece Dual Material Handle Screwdriver Set	● 256720

CSD6	6 Piece Dual Material Handle Screwdriver Set No. 1 x 100mm Round Blade Phillips Screwdriver, No. 2 x 100mm Round Blade Phillips Screwdriver, 6mm x 100mm Mechanics Round Slotted Screwdriver, 6mm x 150mm Mechanics Round Slotted Screwdriver, 5mm x 75mm Electricians Round Slotted Screwdriver, 5mm x 150mm Electricians Round Slotted Screwdriver

	Toomin Electriciane Flouria Cictica Coronalive.		
CPSD7	Precision Screwdriver Set 7 Piece 2.0 x 50mm, 2.5 x 50mm, 3.0 x 50mm, PH00 x 50mm, PH0 x 50mm, T6 x 50mm, T8 x 50mm	■ 000790	10
CSD10	10 Piece Dual Material Handle Screwdriver Set No. 1 x 100mm Round Blade Phillips Screwdriver, No. 2 x 100mm Round Blade Phillips Screwdriver, 6mm x	● 256744	1

100mm Mechanics Round Slotted Screwdriver, 6mm x
100mm Mechanics Round Slotted Screwdriver, 6mm x
150mm Mechanics Round Slotted Screwdriver, 5mm x
75mm Electricians Round Slotted Screwdriver, 5mm x
150mm Electricians Round Slotted Screwdriver, 6mm
x 32mm Mechanics Round Slotted Screwdriver, No. 2 x
32mm Round Blade Phillips Screwdriver, No. 0 x 50mm
Phillips Pocket Clip Screwdriver, 3mm x 50mm Slotted
Pocket Clip Screwdriver
52 Piece Screwdriver Set

SD52MP

52 Piece Screwdriver Set
Set contains: 5 x Slotted, 4 x Phillips, 7 x Precision, 16
x Driver Bits, 8 x Hex Driver Bits, 8 x Torx Driver Bits,
Magnetic Bit Holder, Bit Adaptor, Flexible Extension
Shaft, Telescopic Magnetic Pick Up Tool

Cushion Grip Screwdrivers - Individuals



	marviada	
	Slotted =	
PRODUCT	CSD33V	5mm x 75mm Electricians Round Blade
PRODUCT	CSD36V	5mm x 150mm Electricians Round Blade
PRODUCT	CSD30V	5mm x 250mm Electricians Round Blade
PRODUCT	CSD41V	6mm x 32mm Mechanics Round Blade
PRODUCT	CSD44V	6mm x 100mm Mechanics Round Blade
PRODUCT	CSD46V	6mm x 150mm Mechanics Round Blade
PRODUCT	CSD56V	8mm x 150mm Mechanics Round Blade
PRODUCT	CSD58V	9.5mm x 200mm Mechanics Round Blade
PRODUCT	CSDS44V	6mm x 100mm Square Blade
PRODUCT	CSDS56V	8mm x 150mm Square Blade
	Phillips 😯	
PRODUCT	CSDP34V	No. 1 x 100mm Round Blade
PRODUCT	CSDP41V	No. 2 x 32mm Round Blade
PRODUCT	CSDP44V	No. 2 x 100mm Round Blade
PRODUCT	CSDP46V	No. 2 x 150mm Round Blade
PRODUCT	CSDP48V	No. 2 x 200mm Round Blade
PRODUCT	CSDP56V	No. 3 x 150mm Round Blade
	Torx	
PRODUCT	CTD10V	T-10 Torx Screwdriver
PRODUCT	CTD15V	T-15 Torx Screwdriver
PRODUCT	CTD20V	T-20 Torx Screwdriver
PRODUCT	CTD25V	T-25 Torx Screwdriver
PRODUCT	CTD27V	T-27 Torx Screwdriver
PRODUCT	CTD30V	T-30 Torx Screwdriver
PRODUCT	CTD40V	T-40 Torx Screwdriver

Crimping Tools





Parallel mechanism for precise crimping

- Compound action requires 30-50% less pressure Plier releases once correct pressure is obtained
- 6 interchangeable jaws included Comfortable rubber handle

- Comfortable rubber handle Storage case included Insulated Terminals 0.5mm² 6mm² (22-10 AWG) Open Barrel Connectors N/I 0.5mm² 6mm² (22-10 AWG) Non Insulated Terminals 0.5mm² 10mm² (22-8 AWG) Coaxial Connectors RG58, RG59, RG62 Hex, 6.8mm, 5.41mm, 1.73mm Coaxial Connectors RG59, RG-6 Hex, 8.89mm, 8.13mm, 6.48mm Modular Connectors RJ45, CAT5e CAT6

Ratcheting Data Crimper and Stripper

CDC68 Ratcheting Data Crimper and Stripper	■ 004507	6
--	----------	---

- Crimps 6P & 8P connectors. No die changes
- Integrated cable cutter, length stopper & stripper Ratcheting system requires less force Precision CNC ground crimpting teeth SK5 steel on cutting blade

Non Insulated Terminals

Non insulated terminals				
ССТ8	22-8AWG (0.05-10mm ²)	471200	1	
Insulated Terminals				
CCT10	22-10AWG (0.05-6mm ²)	471217	1	

- Adjustment wheel for adjusting crimping pressure
- Multiple crimp sizes
- Co-moulded ergonomic handle for improved comfort and extra length
- for one or two handed operation CCT8 is suitable for Non-Insulated terminals 22-8AWG (0.05-10mm²) CCT10 is suitable for Insulated terminals 22-10AWG (0.05-6mm²)

Cable Cutters



Ratcheting Cable Cutter

CRCC1 340mm

- For clean and easy cutting of copper and aluminium cable with an outer diameter of up to 45mm diameter (not suitable for cutting steel wire, steel braided cable or hardened cable)
- Specially sharpened and hardened blades for clean cuts
- Ratcheting mechanisim with compact design allows easy one handed operation, requiring

471231

■ 003654

5

- minimal force to operate Locking blade with blade release allows blade to be opened in mid-cut (push handles apart and press blade release button)
- Quick adjustment allowed by pushing handles apart, press blade release button and adjust
- blade to required position
 Blade Lock Can be locked (red position) or
 unlocked (blue position)



Electrical Cable Cutter

0890CSJ 241/91/2

- · Special Alloy hardened blades
- Comfort grips
- · High-leverage jaws with shear-cut blades
- 911919 • Do NOT cut steel or ACSR
- NOT an insulated tool

Conduit Cutters



Conduit Cutter

CCC42 **471224** Cuts 3mm-42mm profile

- Heavy duty tool
- Heat treated cutting blade for cutting P.V.C. pipe and water hose up to 42mm diameter
- Cuts cleanly without the need for de-burring
- Heavy duty design and construction
- Bright red colour for easy standout in the tool box and workplace
- Jaw insert enables cutting of additional profiles, including square





Twist Conduit Pipe Cutters

CTPC20	Crescent Twist Pipe Cutter, 20mm	■ 004491	10
CTPC25	Crescent Twist Pipe Cutter, 25mm	■ 004484	10

- Auto tube cutters automatically tighten and cut as you turn it around the tube
- Each tool fits one size of pipe
- Cuts conduit cleanly with ease
- No protruding handle allows it to be used in confined spaces
- Convenient to store
- Convenient Display Pack of 10



Wire Strippers









Material	Description	APN/UPC	Shelf
Number	mm/in		Pack

5 in 1 Scissor Action Tool

WS19H 8" Crimper/Cutter 043127071751

- · Wire stripper, wire cutter, bolt cutter, plier and crimper
- Pliers nose permits wire pulling and looping
- Cleanly strips and cuts 10 22 AWG wire
- Cuts bolts through No. 10, leaving perfect lead thread
- Crimps isulated and non-insulated solderless terminals
- · Lifetime pivot bearing and red cushion handle grips

Wire Stripper

043127231506 WS15H 6" Stripper Cutter 6

- · Ideal for general purpose wire stripping and cutting
- Plier style nose permits pulling and looping of wire
- Strips and cuts 20 10 AWG and .5mm 5.3mm wire sizes
- Full 1/2", scissor cutting edge cuts and strips clean down to conductor
- Handle lock protects blades when not in use
- Lifetime pivot bearing and comfortable cushion handle grips
- Handle spring speeds scissor action

Self Adjusting Wire Stripper

Cuts and strips 24-10 AWG **471248**

- Used for stripping and cutting wire, crimping insulated and noninsulated terminals and crimping ignition terminals
- Cuts and strips 24-10 AWG (0.2-6mm²) copper or aluminium wire
- Crimps 22-10 AWG (0.5-6mm²) insulated & non-insulated terminals
- Crimps 7-8mm ignition terminals
- Fine adjustments can be made to strip wire insulation smaller than AWG24 (0.2mm²) without cutting into the wire
- Stopper for adjusting wire strip length (rotate stopper when stripper length is not required)

Electricians Pocket Stripper

CPS12 **Electricians Pocket Stripper** ■ 003715

- Lightweight and easy to use
- Strips regular cable 20-10AWG (0.5 6mm²)
- Strips RG59 and RG6 coaxial cable
- Strips low volt cable 8-13mm
- Slip resistant rubber grip

Fish Tape and Lubricant



Fish Tape Roll

CFT30 ■ 003746 30m x 6mm

3 strands for additional strength Made of POM plastic. Polyoxymethylene (POM) is an engineering thermoplastic used in precision parts that require low friction and excellent abrasion resistance Includes storage/dispensing tube

CL100 1 litre ■ 003708 12

- Wax based formula provides superior lubricating

- Applies easily and uniformly Clings to cable even through long pulls Temperature stable it does not liquefy No mixing required Does not dry out fast

Voltage Detector



CVS600V	12V-600V. 50-60Hz	■ 001872	10

- Voltage detection range 12-600V AC, 50-60Hz
- Adjustable sensitivity allows tracing or wires behind walls, at switches or receptables Features include Sensing Tip, 360° Visual Indicator and Sensitivity Adjustment

Electric Irons Soldering and Wood Burning



Material Number	Description mm/in	APN/UPC	Shelf Pack
Irons			
N25D	25 Watt / 240 Volt Electric Soldering Iron	■ 907006	6
N40D	40 WattT / 240 Volt Electric Soldering Iron	■ 907013	6
N80D	80 Watt / 240 Volt Electric Soldering Iron	■ 907020	6
NW30D	30 Watt / 240 Volt Wood Burning Iron. Ideal for the Hobbyist 6 x stamps included for wood burning	■ 921057	1

Magnetic Welders Clamp



CWC100	100/4	470593	12
0	100/1		. –

- Premium quality materials
 Product tested for maximum strength
 100mm
 45° / 90° / 135° angle

- · Applications include welding, soldering, assembly, marking off, pipe installation, or as a floater

Security Torx Set



Security Torx Set

СТКМ8	8 Piece Security Torx Key Wrench Set: T10, 15,	■ 667405	12
	20, 25, 30, 40, 45, 50		

Hex Key Sets



CHKLM8

CHKI9



CHKT8	Metric Key sizes: 2, 2.5, 3, 4, 5, 6, 8 & 10mm	■ 667863	10
CHKT81	Imperial Key sizes: 5/64", 3/32", 1/8", 5/32", 3/16", 1/4", 5/16", 3/8"	■ 667993	10

- Premium Quality
- T-Handle for improved Leverage and Grip
- Handy Hang-up Holes for Wall Mount
- Ball Point for Improved Access

Hex Key Wrench Sets

CHKLM8	8 Piece Long Ball Point Hex Key Wrench Set: 2, 2.5, 3, 4, 5, 6, 8, 10mm	■ 667832	10
CHKLI8	8 Piece Long Ball Point Hex Key Wrench Set: 5/64", 3/32", 1/8" 5/32", 3/16", 1/4", 5/16", 3/8"	■ 667825	10

Folding Hex Key Wrench Sets

СНКМ9	9 Piece Nylon Folding Hex Key Wrench Set: 1.5, 2, 2.5, 3, 3.5, 4, 5, 5.5, 6mm RED CASE	■ 667849	12
CHKI9	9 Piece Nylon Folding Hex Key Wrench Set: 1/16, 5/64, 3/32, 7/64, 1/8, 5/32, 3/16, 7/32, 1/4 inch BLUE CASE	■ 667856	12

Multi Handle Hex Key Sets

СНКМ8	Hex Key Set Multi Handle Metric 2mm - 10mm	■ 667818	12
CHKI8	Hex Key Set Multi Handle Imperial 5/64" - 3/8"	■ 667801	12

Sure Grip Nail Puller



56	457/18	462848	12

Stud Detector

СНКМ8



- LSD1 170mm x 20mm **■** 111359 12
- Multi sensor indicatorInstant sense & display
- Audible & visibleLow battery warning
- Digital micro chips2 x 1.5r Batteries included



Multi Tools







Material Number	Description mm/in	APN/UPC	Shelf Pack
TZ2V	Toolzall Pro (15 in 1)	● 127815	6

- · All stainless steel construction
- Phillips® Screwdriver
- Can/Bottle Opener
- · Serrated Blade
- Drop Point Blade
- · Wood File
- Metal File
- · Medium Slotted Screwdriver
- Lanyard
- Large Slotted Screwdriver
- · English Ruler
- Metric Ruler
- Regular Plier
- Needle Nose Plier
- · Wire Cutter
- · Locking Bar





CMT14 14-in-1 Multi Tool

- Stainless Steel 14 in 1 multi tool blue
- · Belt pouch included
- · Ideal for outdoor use
- · Made to ANSI specifications

• Tools include regular pliers, needle nose pliers, wire cutter, large, medium and small screwdrivers, Phillips screwdriver, single cut file, double cut file, bottle opener, can opener, saw, knife and serrated knife.

· Available in handy hang-sell packaging


• Durable steel construction with chrome

Staple Gun and Tacker









- 4 way staple gun and tacker Includes: 100 x 10mm staples, 100 x brad nails, 100 x 12mm cable staples
- For use with: Flat wire staples 6-14mm long
- Brad nails 10-14mm long Cable staples 6.2mm, 10-12mm long Pin nails 14mm long
- **004668** 10


002763

- finish • Heavy duty for multi purpose use
- Universal magazine
- Impact power adjustment

■ 004699







CSG4

- 4-in-1 heavy duty staple gun
 Includes: 200 x 12mm staples, 100 x 16mm nails, 100 x 12mm cable staples, 100 x 16mm pins
- For use with: Flat wire staples 8-14mm long Brad nails 16mm Cable staples 12-14mm Pins 16mm
- High impact resistanty moulded plastic

housing
• Streamlined body with ergonomically designed handle

12

- Durable metal magazineLow staple / refill window
- Bottom loading for easy loading and clearing jams
- Power adjustment control system
- Safety handle lock system









Replacement Staples

CT14	14mm Brad Nails	■ 004682	100
CS6	10.6mm x 6mm Flat Staple 1000 Pieces	■ 004675	100
CS10	10.6mm x 10mm Flat Staple 1000 Pieces	■ 004712	100
CS12	10.6mm x 12mm Flat Staple 1000 Pieces	■ 004651	100

4-in-1 Heavy Duty Staple Gun

- Replacement Nails & Staples for CSG3 & CSG4
 Also fits staples from Arrow, Craftman, Stanley, Powershot, Black & Decker, Rapid
 Equivalent to Arrow T50 range and Rapid 140 range

Caulking Guns



PRODUCT

NCG1	Caulking Gun ABS Skeleton 225mm/9"	■ 440510	24
CCG2	Caulking Gun Metal 225mm/9" Cylinder type	■ 002855	6

Hand Riveter



Material Number			Shelf Pack
CPSHR1B	Crescent Hand Riveter - Pro Series	■ 003579	6

- · Premium quality hand riveter, suitable for professional and trade applications
- · Heat treated for increased strength and durability
- · Powder coated surface
- · 3-Jaw system for increased durability
- 4 Nosepieces: 2.4mm, 3.2mm, 4.0mm, 4.8mm

CPR120	Pack of Rivets 120Pc	■ 001933	5

Glue Gun Kit





NGG60D	Glue Gun Kit 230V 60W (Includes Case & 6 Glue Sticks)	■ 921200	6
NGGS10	Glue Sticks Qty 10 (11mm x 100mm) Carded	■ 921217	50

Spade Drill Bit Set



CDBS6	Spade Drill Bit Set - 6 Pieces	■ 002084	6

- Bits are precision ground on all surfaces for extra precision and durability
- Bit sizes are 10, 13, 16, 19, 22 and 25mm
- 1/4" / 6.35mm quick change shank (DIN3126 ISO1173 Quick Change System)
- High carbon steel
- Applications include wood, plastic, aluminium, etc
- Packed in sturdy re-usable storage case

Multi-Purpose Drill Bit Set



CDB15MX 15 Piece Mixed Drill Bit Set Set contains Drill Bit sizes of 4, 5, 6, 8 and 10mm for each drill bit type	■ 002077	10
---	----------	----

• 15 Multi-purpose drill bits for cutting metal/plastic, masonry/concrete or wood

Saws



- **NDWS** Dry Wall Saw

■ 921187 12

- Super sharp cross-ground blade for fast and easy cutting action
- Extra thick tempered steel blade for long life
 Ideal for cutting gyprock, plywood, rope, shrubs & other general purpose
- applications
 Auger bit for clean holes and starting hole
- NJS2 Multi-Use Saw ■ 921170 12
- Multi-Use for cutting metal, plastic, wood, plasterboard and gardening work
 Comfort design for confined work areas
 Works with several blade sizes
- · Additional blade included



Premium Quality Wood Cutting Blades





Material Number	Description	Arbor	Outer Diameter	APN/UPC	Shelf Pack
NWB1624	24 teeth	20mm/16mm	160mm	■ 003869	1
NWB1640	40 teeth	20mm/16mm	160mm	■ 003838	1
NWB1824	24 teeth	20mm/16mm	184mm	■ 003807	1
NWB1840	40 teeth	20mm/16mm	184mm	■ 003883	1
NWB1860	60 teeth	20mm/16mm	184mm	■ 003852	1
NWB2124	24 teeth	25mm/16mm	210mm	■ 003821	1
NWB2324	24 teeth	35/25/16mm	235mm	■ 003791	1
NWB2340	40 teeth	35/25/16mm	235mm	■ 003876	1
NWB2524	24 teeth	25mm/16mm	254mm	■ 003845	1
NWB2540	40 teeth	25mm/16mm	254mm	■ 003814	1
NWB3030	30 teeth	30/25/16mm	305mm	■ 003784	1
NWB3060	60 teeth	30/25/16mm	305mm	■ 003890	1

FEATURES AND BENEFITS

- · Premium quality tungsten carbide tipped saw blades
- Tooth designed and shaped for faster cutting
- Diamond lapped tooth sharpening for longer lasting edge
- · Made from high carbon steel, blades are hardened, tempered and polished
- · Blades tensioned to run true

Metal Cutting Blades





Metal Cutting for Grinders

NMG4	20 teeth	5/8"/16mm	4" 102mm	■ 705046	1
NMG45	20 teeth	7/8"/22mm	4.5" 115mm	■ 705039	1
NMG5	20 teeth	7/8"/22mm	5" 125mm	■ 705053	1

FEATURES AND BENEFITS

- · High grade carbon steel body for durability & long life
- Hardened & tempered body, ground, polished and tensioned to prevent distortion to ensure the blade runs true
- Thin kerf for cleaner cuts requiring less power
- Tungsten carbide tips for faster cutting, sharper, longer lasting edge
- Alternate bevelled ground tips that can be sharpened or replaced
- Reputable brand with quality backup support and fully guaranteed

- Blade Care

 Extend blade life by securing both ends of the material to be cut, so vibration can be kept to a minimum
- Avoid plunge cutting
- Never use a spacer when using an angle grinder, use a guide to help reduce movement Tighten collars to avoid any slipping of the blade. Failure to do so will result in damage to the blade When cutting aluminium a lubricant must be used
- Always keep the blade moving through the material, allowing the blade to do the cutting. Forcing the blade will result in overheating

Holesaw Kit





NHSK9 ■ 811020 9 Piece Professional Holesaw Kit

Sizes: 16mm, 20mm, 25mm, 32mm, 40mm, 51mm 1 x 11mm Arbor and 1 x 10mm Arbor and adaptor, both with pilot drill

TIPS FOR HOLESAW USE

IMPORTANT: When using the Hex Pin Arbor, be sure the retractable pins are engaged in the holes in the top of the holesaw, only threading the holesaw onto the arbor is not sufficient.

LUBRICANT

Holesaws cut most ferrous metals faster and more efficiently with the use of a lubricant. Cast iron is cut dry, paraffin or beeswax is often used when cutting

FEEDS

A level, even pressure produces the most efficient cutting action; excessive pressure will dull and possibly break the teeth.

ALWAYS WEAR EYE PROTECTION

It is essential that the operator and others in the area wear protective eye equipment when using power tools.

CLEARING THE CHIPS

When cutting thick material, the saw should be removed at intervals to allow for chip clearance.

Handsaws




Material Number	Description mm/in	APN/UPC	Shelf Pack
NHS550	HANDSAW - 550mm length	■ 002091	1

- Laser hardened, triple ground teeth for long life and fast cutting action
- Aggressive 7 Teeth/8 Points Blade tooth design for superior, universal cutting
- Premium quality SK5 Japanese Steel
- Ergonomic handle for improved comfort and grip

Hacksaws







• Standard 90° for general use

- 45° angle for flush cuts
- Low profile position for tight spaces
- Jab saw configuration for a variety of inside cuts
- High tension for tightening the blade up to 30,000psi
 Cushion grip handle for better control and comfort
 Magnetic blade storage inside frame
















• High tension hacksaw with comfortable cushion grip

■ 001889

● 809759

- Industrial strength General Purpose blade
- 2-Way blade change





- NMHF6 Hacksaw Mini Pro Aluminium ■ 809584
- · Industrial strength
- Two way blade change
- Nicholson® general purpose blade

Hacksaw Blades



62826	300mm/12" Bi-Metal Steel 18 teeth per inch Carded pack of 2	● 628268	10
62832	300mm/12" Bi-Metal Steel 24 teeth per inch Carded pack of 2	● 628329	10
62839	300mm/12" Bi-Metal Steel 32 teeth per inch Carded pack of 2	● 628398	10

- Nicholson Bi-Metaloy® hacksaw blades feature hardened alloy teeth that cut 30% faster and stay sharp 10 times longer than those on standard blades
- Hardened tooth edges are continuous-welded to flexible steel backs for superior durability



Measuring Wheel



Material Number	Description mm/in	APN/UPC	Shelf Pack
NMW1	Measuring Wheel in Carry Bag -	■ 492120	1

- Compact measuring wheel, convenient for quick estimates
- Ideal for real estate, home owners, sporting events
- Starting-point indicator for easy measurements
- Adjustable length handle for convenient use and storage
- Large rubber wheel provides greater stability and

longer life

- Convenient folding stand
- Carry bag included
- Units of measure = 100mm/m
- Counter Limit = 9999.99mm
- Minimum Unit = 100mm • Tolerance of +/- 5mm per metre

Measuring Tapes



Short Tapes

	NL526ME	8m/26' x 25mm - Steel Tapeline	■ 490171	6
	NL526SI	8m x 25mm - Steel Tapeline	■ 901707	6
	NT35SI	5m x 19mm - Steel Tapeline	■ 004613	6
7	CP8SI	Crescent Pro-Grip Measuring Tape 8m x 25mm - Bulk Pack of 24 * ORDER QTY OF 72 to get store Display Merchandiser	■ 004125	★24

- Pro-Grip rubber co-moulded case improves comfort and grip. Durable case design and construction
- Locking mechanism provides effortless, secure locking of the blade without damaging the blade
- Precision, clear and durable markings ensure accuracy and easy measurement under all conditions. Covered by a clear coating for long life
- Reinforced stainless steel end hook provides increased durability and precision
- Belt clip secures tape measure when not in use, which can be removed if preferred



	CP8SIM	Magnetic End Hook - 8m x 25mm - Carded		8
/	CP8MEM	Magnetic End Hook - 8m/26' x 25mm - Carded		8
	NT410SI	10m x 25mm Metric Measuring Tape with Rubber Overmoulded Grip	■ 002411	★ 5
	Long Tapes			

N157AU	30m/100' x 13mm Fibreglass Tape - Open Frame	■ 901578	1
NS30ME	30m/100' x 10mm - Steel Tapeline	■ 901684	6

Crescent Cable Ties

Crescent Cable Ties are available in black and natural. Most popular sizes from 100mm to 550mm. The black cable ties are UV resistant, which prolongs useful life under sunshine/outdoor applications.

• All the packs have handy zip lock resealable closure.









Trimmer

Material Number	Description	Tensile Strength Kgs/lbs	Pack Qty	APN/UPC	Shelf Pack
100mm Lengt	h				
WB425	Black 100mm x 2.5mm	8.1/18	25	■ 485009	1600
WB4100	Black 100mm x 2.5mm	8.1/18	100	■ 485061	550
WB4500	Black 100mm x 2.5mm	8.1/18	500	■ 003944	140
WN425	Natural 100mm x 2.5mm	8.1/18	25	■ 485207	1600
WN4100	Natural 100mm x 2.5mm	8.1/18	100	■ 485269	550
150mm Lengt	h				
WB625	Black 150mm x 3.6mm	18.2/40	25	■ 485016	720
WB6100	Black 150mm x 3.6mm	18.2/40	100	485078	280
WB6500	Black 150mm x 3.6mm	18.2/40	500	■ 003951	60
WN625	Natural 150mm x 3.6mm	18.2/40	25	■ 485214	720
WN6100	Natural 150mm x 3.6mm	18.2/40	100	■ 485276	280
200mm Lengt	h				
WB825	Black 200mm x 4.8mm	22.2/50	25	■ 485023	560
WB8100	Black 200mm x 4.8mm	22.2/50	100	■ 485085	160
WB8500	Black 200mm x 4.8mm	22.2/50	500	■ 003968	32
WN825	Natural 200mm x 4.8mm	22.2/50	25	■ 485221	560
WN8100	Natural 200mm x 4.8mm	22.2/50	100	■ 485283	160
300mm Lengt	h				
WB1225	Black 300mm x 4.8mm	22.2/50	25	■ 485030	160
WB12100	Black 300mm x 4.8mm	22.2/50	100	■ 485092	110
WB12500	Black 300mm x 4.8mm	22.2/50	500	■ 003975	22
WN1225	Natural 300mm x 4.8mm	22.2/50	25	■ 485238	160
WN12100	Natural 300mm x 4.8mm	22.2/50	100	■ 485290	110
370mm Lengt	h				
WB1425	Black 370mm x 4.8mm	22.2/50	25	485047	280
WB14100	Black 370mm x 4.8mm	22.2/50	100	■ 485108	90
WN1425	Natural 370mm x 4.8mm	22.2/50	25	■ 485245	280
WN14100	Natural 370mm x 4.8mm	22.2/50	100	■ 485306	90
Heavy Duty					
WB1525	Black 370mm x 7.6mm HD	54.4/120	25	■ 485252	80
WB15100	Black 370mm x 7.6mm HD	54.4/120	100	■ 485313	40
WB5100HD	Black 120mm x 4.8mm HD	22.2/50	100	■ 485122	50
WB12100HD	Black 300mm x 7.6mm HD	54.4/120	100	485139	50
WB18100HD	Black 450mm x 7.6mm HD	54.4/120	100	485146	25
WB22100HD	Black 530mm x 7.6mm HD	54.4/120	100	■ 485153	20
Assorted Pac	k				
WA350	350 piece Cable Tie Assortment		350	■ 485405	18
Wiss® Tension	ning Tool				
WT1	Cable Tie Tensioning Tool/		1	● 240019	6



Tool Bag & Holster Range



Material Number	Description mm/length/width/height	APN/UPC	Shelf Pack
CWA20P	Tool Apron 20 Pocket 570/70/300	■ 001667	1
СТР8Р	Tool Bag - 8 Pocket & Belt 260/90/300	■ 001698	1
CET2P	Tool Bag - Electricians 11 Pocket plus Tape Holder & Tape Chain & Belt 260/90/300	■ 001735	1
CTC31P	Tool Carrier - 31 Pocket 490/210/340	■ 001742	1
CTB32P	Tool Bag - 32 Pocket 500/300/250	■ 001759	1
СЅРН	Holster - Plier/Snips 95/30/260	■ 001797	1
CCTB22P	Tool Bag with Folding Chair (Detachable) 420/280/400	■ 001810	1





- Industrial tough
 All tool bags, holsters and belts are made from durable 600 Denier material and are tear and weather resistant
- Rivets for extra strength and durability
 Tough Terylene stitching
 Fully tested and guaranteed

See Pages 62-65 for Leather Range.

Suspension Hangers

CTC31P

CTB32P





CSH₆₀ Suspension Hangers ■ 016203

Features:

- Increase Workplace Safety Suspension Hangers allow you to safely run cables and store items off the ground and out of the way thereby removing tripping hazards
- Neat and Tidy Use Suspension Hangers to lift and store away all types of workplace, leisure and gardening equipment such as bikes, paint cans,
- cables, etc

 Will hold just about anything Maximum working load 10kg
- · Individually barcoded

Folding LED Worklights



Material Number	Description mm/in	APN/UPC	Shelf Pack
LED130TA	Rechargeable Folding LED Worklight	■ 004170	2★

- 80 long-life LED Lights with durable Polycarbonate lenses
- Rechargeable AC and DC chargers included
- Up to 2 hour battery life on a full charge
- Nylon Swivel Hook
- Easy grip cushioned handle Convenient On/Off switch
- Reflective strips for increased visibility during roadside applications
- Integrated neodymium magnets which secure to most metals
- Friction Hinge and Power Charge indicator









★ SHELF PACKS CANNOT BE BROKEN











- 2 Super Bright LED lights 3-way ON/OFF Switch
- 3 Integrated Neodymium Magnets
- Hinge adjusts up to 270º
- Up to 4.5 hour battery life.
- Innovative bungee hooks: Ideal for attaching to joists, pipes, tree branches, fences, posts 3 x AA batteries included





Industrial Hand Cleaner With Grit







CHC75	Industrial Hand Cleaner with Grit - 750ml Bottle with resealable Nozzle	■ 004200	80
CHC500	Industrial Hand Cleaner with Grit 5l Pump Pack	■ 004217	4

- Ideal for really dirty hard-working hands anywhere
- Used by mechanics, painters, engineers, store-men etc. to remove stubborn grease, oil, carbon and general soiling
- · Contains grease cutting eucalyptus oil. Does not contain solvents
- Contains glycerol for moisturising, won't dry hands

Hanging Systems





The KwikWire™ from Crescent®, quick adjustable Hanging System takes the Strain out of Hanging with Chain!

Applications for the KwikWire™ Hanging System include:

- Light fixtures
 HVAC duct support
 Sway bracing
 Sign/banner supports
 Wire basket cable tray
 Bus duct
 Air handling equipment



The KwikWire $^{\text{TM}}$ Hanging System is a flexible replacement for jack chain and all threaded rod. The KwikWire™ System will slash your hanging time and the clamp can be easily adjusted by hand.

Key benefits of using the new KwikWire™ KwikAdjust System include:

- Installs up to 50% faster than threaded rod can quickly wrap around beams with no drilling or tools required
- Simple height adjustments are made by releasing the clamp's adjustment pin - no tools required
- Aesthetic appeal blends in with upper structural supports
- Compatibility with many fastener, anchor and hanger products
- Ideal for sloped ceiling applications will support loads at up to a 60° angle from vertical

KwikWire [™] Clamp Working Loads*			
Clamp Part No.	Wire Rope Dia.	Kg (Safety Factor 5)	
KC100	2.0mm	0-35	
KC150	3.0mm	10-75	
KC200	4.0mm	20-200	
KC200	4.8mm	20-290	























Material Number	Description	Kg (Safety Factor 5)	APN/UPC	Shelf Pack
CTT	Tensioning Tool		4 60020	1
KP1002	KwikPak contains 100 clamps and 165m of 2.0mm cable		■ 488000	1
KP1503	KwikPak contains 100 clamps and 165m of 3.0mm cable		■ 488017	1
KP2004	KwikPak contains 50 clamps and 100m of 4.0mm cable		■ 488024	1
KP20048	KwikPak contains 50 clamps and 100m of 4.8mm cable		■ 488031	1
KC100	KwikWire 100 Clamps for 2.0mm cable	0-35*	■ 488048	1
KC150	KwikWire 100 Clamps for 3.00mm cable	10-75*	■ 488055	1
KC200	KwikWire 50 Clamps for 4.00mm cable and 4.8mm cable	20-200 * 20-290 *	■ 488062	1
KW20	KwikWire Rope 165m 2.0mm wire rope		■ 488079	1
KW30	KwikWire Rope 165m 3.0mm wire rope		■ 488086	1
KW40	KwikWire Rope 100m 4.0mm wire rope		■ 488093	1
KW48	KwikWire Rope 100m 4.8mm wire rope		488109	1

^{*} Working Loads shown are for hanging vertically, see above.