



All Lufkin brand pocket tapes up to and including 10m, manufactured at the ISO 9001 certified Albury NSW plant, are 100% inspected for accuracy against a Bench Standard, calibrated and traceable to an approved National Standard. To meet the Lufkin Quality Standards, the tapes must pass a number of stringent tests including, Falling Sand Test, Drop Test, Blade Retraction Test, End Hook Test, Paint Adhesion Test, Chemical Solvent Rub Test & Salt Spray Environmental Test. This ensures that Lufkin measuring tapes will continue to perform in the most demanding work environments, day in and day out.



Pocket Tapes Selection Guide









ONLY

IMPERIAL

90° CASE SHAPE

CASE INCLUDED IN MEASUREMENT

		Metric	Metric Imperial	90° Case Shape	Left or Right Handed	Rubber	Case length included in measurement	Blade Colour	Tape Length (m)	Blade Width (mm)	Australian
	Material No.	M	ME	₹ 90°	Use	Grip		Yellow White	3 5 6 8 9 10	6 10 13 19 25 30	Made
	UW148VSI	•		•				•	•	•	•
¥	UW148VME		•	•				•	•	•	•
Ultimate"	UW138SI12	•		•				•	•	•	•
I ∰	UW148SI10	•		•				•	•	•	•
	UW138ME12		•	•				•	•	•	•
	UW148ME10		•	•				•	•	•	•
Ezy Read	ELW148VSI	•		•	•			•	•	•	•
LLy ricud	ELW148SI10	•		•	•			•	•	•	•
	MR46M	•		•	•		•	•	•	•	•
Multi Read	MR49M	•		•	•		•	•	•	•	•
wanti nead	MR46M10	•		•	•		•	•	•	•	•
	MR49M10	•		•	•		•	•	•	•	•
	FL48VSI	•		•				•	•	•	•
	FL48VME		•	•				•	•	•	•
¥	FL35SI12	•		•				•	•	•	•
ş	FL38SI12	•		•				•	•	•	•
Fluorolok"	100192 / FL48SI10	•		•				•	•	•	•
_	FL38ME12		•	•				•	•	•	•
	FL48ME10		•	•				•	•	•	•
	PS35	•			•	•		•	•	•	•
Ultra	PS48	•			•	•		•	•	•	•
	PS410	•			•	•		•	•	•	•
	Y3SI	•		•				•	•	•	•
	Y835SI	•		•				•	•	•	•
	Y838SI	•		•				•	•	•	•
	Y848SI	•		•				•	•	•	•
	Y3ME		•	•				•	•	•	•
	Y835ME		•	•				•	•	•	•
	Y838ME		•	•				•	•	•	•
	Y848ME		•	•				•	•	•	•
Unilok	Y3SI12	•		•				•	•	•	•
5	Y833SI	•		•				•	•	•	•
	Y835SI25	•		•				•	•	•	•
	Y838SIBLK	•		•				•	•	•	•
	Y848SI18	•		•				•	•	•	•
	Y3ME12			•				•	•	•	•
			•	•				•	•	•	•
	Y835MEBLK							•		•	
	Y838MEBLK		•	•				•	•	•	•
	Y848MEBLK	•		-		•		•	•	•	•
Je.	XL410MAU	•									
Power	XL410ME	•	•	•		•		•	•	•	•
봊	XL410M8 XL410ME8	<u> </u>		•		•		•	•	•	•
				_		٠.					_
Autolock	AL825M	•				-		•	•	•	
BigBoss	LBB830	•				<u> </u>				•	
Artisan	C106PM	•						*YC	6.5	•	
Executive	W606PM	_						<u> </u>	2	•	
Artisan Tree Tape	C106TPM	•						*YC	•	•	
	Y613ME		•					•	•	•	
YC: Yellow	Clad and Chrome Cla	ıd [®]		•							•

APN/LIPC Shelf

261399

93291392

6

10★

Motorial Description mm/in

Ultimate Tapes



Number	Length/Width	AI WOI O	Pack
Carded			
UW148VSI	8m x 25mm	■ 261467	4
UW148VME	8m/26' x 25mm	■ 261405	4
Bulk Display F	Packs		
UW138SI12	8m x 19mm	■ 261337	12★
UW148SI10	8m x 25mm	■ 261450	10★
UW138ME12	8m/26' x 19mm	■ 261276	12★





- Accurate Measurement complies with AS 1290-4 1995. In an easy to read black and red print on an all new white tapeline.
- Strong A.B.S. plastic case, built-in shock absorber bumper & removable belt clip. Sliding end hook automatically adjusts for inside and outside measurements.

UW148ME10 8m/26' x 25mm

Positive non-slip blade lock
Bright, distinctive colours, yellow, green or orange.





Ezy-Read Tapes












Odraca			
ELW148VSI	8m x 25mm	■ 270001	6
Bulk Display I	Pack		
ELW148SI10	8m x 25mm	93533812	10★

Features

- Ezy-Read Tapeline. Each numeral on the tape is totally distinct from other numbers. This enables excellent definition and makes it difficult to misread the measurement. Perfect for measuring applications where the tape is directly away from the operator, such as vertical measurements or measuring long objects or items. Compatible with either left or right handed operation. World leading printing technology giving even greater accuracy.







Multiread Tapes









Carded

WITTSW	JIII X ZJIIIIII	= 270307	U
Bulk Display I	Packs		
MR46M10	6m x 25mm	93264303	10★
MR49M10	9m x 25mm	■ 270568	10★

Features

- Centre scale includes the tape case, for inside measuring. Fits precisely between work edges
- Left or Right Handed Tape using separate outer scales, synchronised on one face of the tapeline. Sure toggle lock button and overcentre lock-shoe

6m x 25mm

9m v 25mm


- Small 3 inch compact tape case in two 6 metre versions
 Extended tape mouth White Blade, Hi-viz case
 Available in 6 metre or 9 metre Metric, all with 25mm/1" wide blade and informative,

interactive packaging











★ THESE PACKS CANNOT BE BROKEN

Fluorolok




Material Number	Description Length/Width	APN/UPC	Shelf Pack
Carded			
FL48VSI	8m x 25mm	■ 316952	4
FL48VME	8m/26' x 25mm	■ 316907	4

Bulk Display Pack



FL35SI12	5m x 19mm	■ 001728	12★
FL38SI12	8m x 19mm	■ 001827	12★
100192	8m x 25mm (FL48SI10)	93533799	10★
FL38ME12	8m/26' x 19mm	■ 001803	12★
FL48ME10	8m/26' x 25mm	93533805	10★

- · Sure toggle lock button and over centre lock-shoe
- · Extended tape mouth, Hi-Viz case
- Yellow blade graduated in mm on both edges
- · Bright coloured case that stands out in the tool box
- · Removable belt clip
- Manufactured in Australia to comply with Australians standards AS 1290-4-1995



★ THESE PACKS CANNOT BE BROKEN

ME Social Services

Ultra Tapes














PS35	5m x 19mm	■ 003081	4★
PS48	8m x 25mm	■ 003098	4★
PS410	10m x 25mm	■ 003104	4★

- ULTRA-Grip™ absorbs impact & improve grip
- ULTRA-Compact[™] size designed to fit comfortably in your hand
- ULTRA-Lock™ non slip toggle lock removes blade creep ensuring accurate measurements
- ULTRA-Hook™ Patented 4 rivet end hook lasts 10 times longer than ordinary end hooks
- ULTRA-Read™ graphics are easy to use and read in vertical or horizontal applications, and compatible with either left or right hand operation. The ULTRA-Read™ easy to read print layout features white blade, deep blue font colour, and Red font graduations every 100mm, providing the ultimate in "easy read" graphics for both indoor and outdoor applications.



★ THESE PACKS CANNOT BE BROKEN

Unilok Tapes



Material Number	Description Length/Width	APN/UPC	Shelf Pack
Carded			
Y3SI	3m x 13mm	▲ 93290999	6
Y835SI	5m x 19mm	▲ 93290951	6
Y838SI	8m x 19mm	▲ 93290937	6
Y848SI	8m x 25mm	▲ 93290913	6
Y3ME	3m/10' x 13mm	▲ 93290982	6
Y835ME	5m/16' x 19mm	▲ 93290944	6
Y838ME	8m/26' x 19mm	▲ 93290920	6
Y848ME	8m/26' x 25mm	▲ 93290906	4

Bulk Display Pack

ALL APN ■ AND UPC ● CODE NUMBERS SHOWN ARE PRECEDED BY THE MANUFACTURER APN OR UPC I.D. NUMBER ■ 9337103 & ● 037103.

Y3SI12	3m x 13mm	▲ 93291101	24★
Y833SI	3m x 19mm	▲ 93291088	25★
Y835SI25	5m x 19mm	▲ 93291064	25★
Y838SIBLK	8m x 19mm	▲ 93291057	25★
Y848SI18	8m x 25mm	▲ 93291033	18★
Y3ME12	3m/10' x 13mm	▲ 93291095	24★
Y835MEBLK	5m/16' x 19mm	▲ 93291343	25★
Y838MEBLK	8m/26' x 19mm	▲ 93291040	25★
Y848MEBLK	8m/26' x 25mm	▲ 93291026	18★

- High Impact Resistant Black case with yellow blade
 Built in shock absorbing bumper
 Graduated in mm on both edges, red markings every 100mm
 Removable belt clip

 Montforted in Augustia Language 11 to 100mm
- Manufactured in Australia to comply with Australian standards AS 1290-4-1995





★ THESE PACKS CANNOT BE BROKEN

XL Power Tapes

M ME 50°









Carded

XL410MAU	10m x 25mm	▲ 93291385	2
XL410ME	10m/33' x 25mm	▲ 93291378	2

Bulk Display Pack

XL410M8	10m x 25mm	93533829	8★
XL410ME8	10m/33' x 25mm	93533836	8★

- High impact resistant, bright orange case
 White blade graduated in mm on both edges, red markings every 100mm
 Built in shock absorbing bumper
 Removable belt clip
 Manufactured in Australia to comply with Australian standards AS 1290-4-1995



★ THESE PACKS CANNOT BE BROKEN



AutoLock Tape Measure



Material Number	Description	APN/UPC	Shelf Pack
Carded, in Bu	lk Display Pack		
AL825M	Tape Measure - AutoLock 8m x 25mm	■ 270254	8★

- Non-slip Co-Moulded Rubber Grip
 Tough Hi-Viz® Orange ABS Plastic Body
 Perfect for layout work and any other situations where a yardstick style tape measure is preferred
 The blade stays extended automatically until you squeeze the release to retract it with maximum control
 Retraction is easier to control than on tapes with a standard slide button blade lock
- Blade Lock on the AutoLock is recessed so there's no chance of an accidental, and possibly dangerous, uncontrolled tape retraction Clear coat Blade Protection for more durable markings Steel-Reinforced End Hook for longer blade life

20 30 40 50 60 70 80 90 1000 10

★ SHELF PACKS CANNOT BE BROKEN

Big Boss Tape Measure



Carded, in Bulk Display Pack

LBB830 ■ 001582 Tape Measure - Metric only 8+ 8m x 30mm

- · Big Boss heavy duty wide blade tape measure
- Bright Hi-Viz Orange and Black colour tape case fits firmly in the hand
- Tape Blade 8m x 30mm metric only Dura Blade (nylon) coated blade
- Heavy duty 4 rivet end hookHeavy duty belt clip
- Hang sell blister card and packed in attractive counter box qty of 8
- Nylon coated blade

900 10 20 30 40 50 60 70 80 90 1000 10

SHELF PACKS CANNOT BE BROKEN

Lufkin Merchandiser Display Unit





100018AU

■ 002404

BENEFITS:

- Eye catching display to encourage impulse purchases. Provides a neat and tidy display of all your Lufkin tapes, carpenters pencils and other Bulk Display Packs of Apex Tool Group Products.
- Increase the exposure of Lufkin tapes to customers.
- Compact design for counter top placement.

Contact your Apex Tool Group Sales Representative for more details.

Long Tapes - Speedwinder Steel Tape



Carded

HTY30MM	30m x 10mm	454906	1
HYT50CM	50m x 10mm	■ 454722	1
(Yellow Clad) with Metric/English Blades			
HTY30MME	30m/100' x 10mm	454593	1
HYT50MME	50m/164' x 10mm	454944	1

- Impact resistant, attractive, self-standing case
 Heavy duty yellow clad blade protected by an abrasion resistant coating; 0.008"/2mm thick
 New design extends, measures and rewinds in less time than conventional long steel blades
 Easy-to-read bold black markings
 Surveyors' tapes of heavy gauge steel have a standard tension of 75N (10lbs. for English up to
 100ft. long and 20lbs. for English over 100ft. long)

Universal Steel Tape - Hi Viz Orange Case





Carded

HYF30M	30m x 10mm	455613	4
HYF30ME	30m/100' x 10mm	455453	4

- High impact case; available in Hi-Viz® orange Yellow clad blade .005"/0.13mm thick easy-to-read black and red markings
- Easy wind nylon drum
 Hook ring is retained neatly in the contoured mouth of the case, 2-sided end hook for use with either scale
- Removable belt clin
- All tapes are carded All tapes are carded Surveyors' tapes of heavy gauge steel have a standard tension of 75N (10lbs. for English up to 100ft. long and 20lbs. for English over 100ft. long)



Long Tapes - Fibreglass Tape





Material Number	Description Length/Width	APN/UPC	Shelf Pack
FM030CME	30m/100' x 13mm/1/2" Hi-Viz® Orange Fibreglass Tape, Metric/Imperial	● 224156	6
FM060CME	60m/200' x 13mm/1/2" Hi-Viz® Orange Fibreglass Tape, Metric/Imperial	● 224194	2
FM100CME	100m/330' x 13mm/1/2" Hi-Viz® Orange Fibreglass Tape, Metric/Imperial	● 224187	2

- 2 sided blade for clear and easy reading. Metric

ALL APN ■ AND UPC ● CODE NUMBERS SHOWN ARE PRECEDED BY THE MANUFACTURER APN OR UPC I.D. NUMBER ■ 9337103 & ● 037103.

- on one side, Imperial on the other Open four-arm frame design protects blade, does not trap dirt in case
- Lightweight but strong case is easy to handle and rewind
- Two-material grip is comfortable to use
- Hi-Viz® orange case is easy to find on the job site
 Folding end hook for true-zero measurements
 Yellow clad fibreglass blade impervious to
- moisture
- Feet and inches to 8ths; metric to millimetres, numbered in centimetres

Long Tapes - Professional Series



PSFM030CME	ProSeries fibreglass long tape 30m/100' x 20mm	● 233981	2
PSFM060CME	ProSeries fibreglass long tape 60m/200' x 20mm	● 233998	2
PSFM100CME	ProSeries fibreglass long tape 100mm/330' x 10mm	● 234001	2


- Includes 3 interchangeable end hooks and stake
- Ring end hook snaps onto stake for 1-person measurements Standard folding end hook for general measuring needs
- Appraiser's hook attaches to oversized objects such as downspouts
- 3-to-1 rewind for fast blade retraction

- 20mm blade is more durable, large numbers are easy to read 2-sided blade, metric on one side, imperial on the other 62 fiberglass strands and double PVC coating for durability and strength
- Cushion grips on handle and frame arms for comfort

Calibrated Measuring Tapes







The uncompromised quality for which Lufkin is renowned is further exemplified through their certified measuring tapes. These tapes have been thoroughly checked against a traceable national standard, quoting

variations from nominal readings.
Each tape is serial numbered and is cross referenced on the certificate of calibration.

Artisan Diameter Tape



Chrome Clad, Diameter to mm

C106PM ● 0602731 6.5m x 10mm

- Rugged, vinyl-covered steel case .008" thick blade
- Large easy winding drum and friction washers

Executive Diameter Tape





- **W606PM** 2m x 6mm
- Designed for measuring diameters of pipe, cable, tyre or any circular object
 Zero falls in the same place on each
- side of the blade; conversion from diameter to circumference is made
- simply by turning the blade Yellow clad blade
- Easy-to-read bold graduations on yellow background
 Spring action returns blade to case

458537

060266

6

Artisan Tree Tape



Chrome Diameter. Tape Metric

C106TPM 6m x 10mm

One side of tape shows length, distance around object. Other side of tape shows diameters of object

- Rugged, vinyl-covered steel case .008" thick blade
- Large easy winding drum and friction washers

Pee-Wee





(Yellow Clad, Carded) with Metric/English Blades

Y613ME	3m/10' x 6mm/1/4"	● 454676	6

- Pocket size ideal for the office
- High strength case

measured

Power retraction operation

Measuring Wheels

Lufkin measuring wheels are calibrated to the digital indicator for accuracy. Their flexibility makes them useful on horizontal, vertical, even curved surfaces. Moulded rubber tyres resist corrosion while the tough plastic wheels withstand heavy use for a long service life. Telescoping handle height is comfortable for most users.

PSMW10M







- The Lufkin Measuring Wheel PSMW10M allows
 Telescopic faster measurement than a tape measure
- · Soft comfort rubber grip handle
- Compact measuring wheel with telescopic handle adjustment. Handle extends to 980mm, and folds down to 480mm for easy storage
- · Heavy duty ABS counter housing
- 6 digit counter measures 999.99 metres without resetting
- · Rubber tyre tread provides excellent surface grip
- · Magnified counter display, for easier reading
- · Specifications:

Wheel Diameter: 100mm Measures to: 999.99m Extendable size: 980mm Folded size: 480mm Weight: 0.520kg






Pro Series PSMW16M







- Wheel is calibrated to counter accurate for estimated measurements
- · Compact and foldable measuring wheel, convenient for quick measurements
- · Rubber moulded handle for comfortable
- measurements
- · Magnified counter display, for easier reading
- · Counter reset and Trigger brake
- · Wheel brake and reset at handle for convenient multiple measurements
- · Includes carry bag
- · Specifications:

Wheel Diameter: 160mm Measures to: 9999.99 Extendable size: 1040mm Folded size: 430mm Weight: 1.1kg








Pro Series PSMW32M











- Convenient reset triggers in both handle and counter
- · Collapsible handle for storage
- Solid rubber tyre for improved traction and accuracy
- 5 digit counter measures 9999.9 metres without resetting
- · Built in kick stand supports wheel
- · Large 318mm wheel diameter provides more accurate measurement on uneven terrain
- Specifications: Wheel Diameter: 318mm Measures to: 9999 9m Weight: 1.5kg







Classique **Professional** MW1000







- 1 Metre circumference wheel for accuracy (ground to size)
- 318mm diameter wheel.
- Folds easily in half and snaps open to full size.
- Debris removing tyre scraper for finer measurement.
- Kick down stand.
- Tested accuracy over 30 metres 10mm = 99.96% accurate.
- Confirmed independent accuracy tests done in UK
- Trigger brake.
 2.10kg total weight.
- Carry handle when folded.



Material Number	Description mm/in	APN/UPC	Shelf Pack
PSMW10M	Measuring Wheel Dia. 100mm Measures up to 1000m	■ 002862	1
PSMW16M	Measuring Wheel Dia. 160mm Measures to 9999.9m	■ 002824	1
PSMW32M	Measuring Wheel Dia. 318mm Measures to 9999.9m without resetting	■ 002817	1
MW1000	Classique Pro Dia. 318mm Measures up to	• 032029	1



Combination Square




Material Number	Description mm/in	APN/UPC	Shelf Pack
LCS6	Stainless Steel 150mm/6"	■ 031886	6
LCS12	Stainless Steel 300mm/12"	■ 031862	6

• Brass Knurl Nut and Scriber Head.

ALL APN ■ AND UPC ● CODE NUMBERS SHOWN ARE PRECEDED BY THE MANUFACTURER APN OR UPC I.D. NUMBER ■ 9337103 & ● 037103.

- Sturdy zinc sock.
- Metric inch graduations.

Rafter Framing and Carpenters Squares



N062	Carpenters Square 200mm x 300mm on one side 8" x 12" on other side	● 062185	24
NRS24	Carpenters Square 600mm x 400mm	■ 901950	1

LRS24	Rafter Square 600mm x 400mm	■ 031879	1

- Made of high grade, tempered steel.
- Thermo bonded graduations on yellow background.
- Made in U.S.A.

Folding Rules



LFSME	1m/39" 4 - fold Yellow (Square)	■ 032104	8
LFSSI	1m 4 - fold Yellow (Square)	■ 032111	8
LFBME	1m/39" White (Bevelled)	■ 103217	8
LFBSI	1m White (Bevelled)	■ 032135	8

Stainless Steel Rules

LSR300



LSR150	150mm/6" x 15mm x 1mm	■ 103224	10
LSR300	300mm/12" x 23mm x 1mm	■ 322663	20
LSR600	600mm/24" x 28mm x 1mm	■ 322779	10
LSR1000	1000mm/40" x 35mm x 1mm	■ 322885	10

LSR600



- Rustless Steel, deeply etched for easy reading Upper edge subdivided mm and 1/2mm;
- lower edge subdivided 1/8", 1/32" and 1/64"

Aluminium Metre Stick

LAR1000 1000mm x 35mm x 2mm - Yellow ■ 032517

• Made in USA

Digital Calipers



- LDC6 150mm/6" ■ 031923 10
- Premium Quality
- · Large, Clearly Visible Display
- Measures Internal, External, Depth & Step
- · Converts Metric to Inches with the Press of a Button
- Zero Setting at any position
- Hardened to Ensure Accuracy is Maintained
 Reading to 0.01mm & 0.001"

Spirit Levels



Material Number	Description	Vial	APN/UPC	Shelf Pack
Lufkin Pro Se	ries Range			
L60V60	60cm - Level	3	■ 110024	1
L60V80	80cm - Level	3	■ 110048	1
L60V120	120cm - Level with hand grips/holes	3	4003019285983	1
L60V200	200cm - Level with hand grips/holes	3	■ 110123	1
LLBO	120cm Orange Bag		■ 111007	1
Lufkin Level V	Vith Carry Bag			
L60V120S	120cm Ribbed Box Section Level with hand grips/holes and orange carry bag	3	■ 110079	10
Magnetic Torpedo Level				
PTM520	90mm x 250mm	3	■ 003258	5
. 01/:-! !!:	taliaal aual 45 daanaa			

- 3 Vial Horizontal, verical and 45 degree
- Magnetic measuring surface
- Multi-purpose level for everyday use
- Plastic (ABS) construction
- Lifetime guarantee against leakage or fading of vial

Lufkin Big Boss Spirit Levels

PTM520



2000 Lufkin

LBBL60	600mm with protective carry bag	3	■ 004569	20
LBBL120	1200mm with protective carry bag	3	■ 004576	10
LBBL200	2000mm with protective carry bag	3	■ 004552	6

- Over-size centre bubble ensures clear and easy reading Dual line on bubble for 1° slope feature. Great for setting/measuring run off
- Double milled surface ensures accuracy
- 3 Vials 1 x 180° and 2 x 90°
- Highly accurate with 0.5mm/m accuracy
- The hanging hole has a "no slide" feature which protects the face of the level and prevents sliding
- Dual colour rubber grips for control and comfort
- Rubber end caps protect the level against damage from bumps and drops
- Includes nylon carry bag to protect the level

SOLA® Inclinometer Levels



NAM13	Inclinometer to fit into Magnetic Level 13cm x 13cm	1	9002719001089	1
NAM50	Inclinometer (NAM13) On Magnetic Level - 50cm	1	9002719001102	1

Bricklayer's Line



LBL50W	White 50m x No. 8	■ 031824	▲12
LBL50P	Pink 50m x No. 8	■ 031817	▲12
LBL50L	Lime 50m x No. 8	■ 103187	▲12
LBL100W	White 100m x No. 8	■ 031855	▲12
LBL100P	Pink 100m x No. 8	■ 131845	▲12
LBL100L	Lime 100m x No. 8	■ 031831	▲12

▲ Shelf Pack of 12 not mandatory, however, order 12 to receive display carton.



Carpenters Pencils



Material Number	Description mm/in	APN/UPC	Shelf Pack
CP1	Medium Bulk (Red Pencil)	■ 134820	72 ★
CP2H	Hard Bulk (Green Pencil)	■ 031626	72★
LP1SX4	Medium (Red) - 4 Pack plus sharpener	■ 004736	12
LP1X8	Medium (Red) - 8 Pack	■ 004729	6



HOUSE BRANDING AVAILABLE. ASK YOUR APEX TOOL GROUP REPRESENTATIVE FOR DETAILS.

★ SHELF PACKS CANNOT BE BROKEN

■ 031190

Barricade/Caution/Warning Tapes



BARRICADE / CAUTION TAPES

ALL APN ■ AND UPC ● CODE NUMBERS SHOWN ARE PRECEDED BY THE MANUFACTURER APN OR UPC I.D. NUMBER ■ 9337103 & ● 037103.

BC100	Yellow CAUTION 100m x 75mm	■ 126070	24
BRW100	Barricade 100m x 75mm - Red and White	■ 126056	24
BYB100	Barricade 100m x 75mm - Yellow and Black	■ 003722	6

Flagging Tape

BYB100



FT100HV	100m Glo-Orange x 25mm	■ 031756	12
FT100HP	100m Glo-Pink x 25mm	■ 031732	12
FT100HR	100m Glo-Red x 25mm	■ 031749	12
FT100HG	100m Glo-Lime x 25mm	■ 103170	12
FT100Y	100m Yellow x 25mm	■ 101794	12
FT100B	100m Blue x 25mm	■ 031701	12
FT100W	100m White x 25mm	■ 131784	12

Safety Vest



- **■** 122010 1 SV01 Hi-Viz Safety Vest
- Durable & washable light weight nylon.
- Bright orange HI-Viz colour for high visibility in daytime applications.
 Reflective strips for high visibility in low light situations.

Chalk Reel, Aluminium, 30m

- Easy to use velcro fasteners.
- One size fits most.

Chalk Reels & Chalks

LCR30



Chalk Reels LCR30

Contractors GraEasy fill refill.Use as a plumb	de marks perfect line every time bob.	Э.		
LCRC30	Chalk & Reel Combo, Alur 30m line, 112gm chalk	minium	■ 031220	6
 30m contractor g Perfect chalk line applications 	grade reel. e everytime with hundreds of		fill reel. as a plumb bob.	



LCR30M	Chalk & Reel Combo, ABS with rubber surround/grip. Reel 30m	■ 003579	6
--------	---	----------	---

- Chalk & reel combo, with 30m Chalk line.
- Durable ABS construction with rubber surround/comfort grip.
 3:1 Retrieve Ratio.


• 3.1 hetileve hat	10.		
LCRD112	Chalk Powder 112g Red	■ 031282	10
LCBL112	Chalk Powder 112g Blue	■ 031114	10
LCRD224	Chalk Powder 224g Red	■ 031299	10
LCBL224	Chalk Powder 224g Blue	■ 031176	10
LCWT224	Chalk Powder 224g White	■ 031107	10





Construction Aprons





conditions.

· All are reinforced with Nickel rivets and clips



• Made of Full Grain Black Leather, and has 2 hammer loops, a square holster, 50mm webbing belt with quick release buckle

PA103AM

American Style Nail & Tool Apron

9313413000200

Shelf

Pack

• Four Nail/Fastener Pockets, Two hammer Loops (Right or Left Hand), Chisel Pouch, Square Pouch, Tape Clip, Two Nail Punch/Pencil Pouches (One with Slot for a Screwdriver), Heavy Duty 50mm Webbing Belt with Adjustable Side Release Buckle

Made from Premium Quality. Gold Suede Leather.



PNB1254

Construction Apron - 4 Pocket

9313413000125

• Four Nail/Fastener Pockets, Two Hammer Loops (Right or Left Hand), Solid Hide Tape Holster (Fits up to 8m/26ft Tape), Chisel Pouch, Square Pouch, Four Nail Punch/Pencil Pouches (Two with Slot for a Screwdriver), Heavy Duty 50mm Webbing Belt with Adjustable Side Release Buckle.

• Made from Premium Quality, Gold Suede Leather.



PCA1234

Construction Apron - 4 Pocket

9313413012340

· Four Nail/Fastener Pockets, Hammer Loops, Square Holster, Solid Hide Tape Holster (Fits up to 8m/26ft Tape), Chisel Pouch, Four Nail Punch, Pencil Pouches (Two with Slot for a Screwdriver).

• Heavy Duty 50mm Webbing Belt with Adjustable Side Release Buckle.

Made from Premium Quality Gold Suede Leather



TTA0282

D.I.Y. Nail & Tool Apron

9313413000316

· Three Nail/Fastener Pockets, Hammer Loop, Square Holster, Tape Clip, Three Pouches for Chisel/Pencil/Knife/Nail Punch etc.

• 50mm Webbing Belt with Adjustable Side Release Buckle.

· Made from Heavy Duty Suede Leather.



Nail & Tool Bags



PNB1298

Nail & Tool Bag - 10 Pocket

9313413000156 1

· All of the new bags & holsters are made of heavy duty, top quality materials, and are conditions.

Australian Made to withstand tough Australian

- · All are reinforced with Nickel rivets and clips
- · Made of Premium Gold Suede leather, and has 10 pockets and 2 hammer loops
- · Belt not included.

PNB1252

Nail & Tool Bag - 2 Pocket

9313413000149

• Two Nail/Fastener Pockets, Tape Clip, Square Pouch, Two Nail Punch/Pencil Pouches (One with Slot for a Screwdriver) and includes Hammer Holster and Belt



· Made from Premium Quality, Gold Suede Leather.

PNB0994

Professional Nail Bag - 4 Pocket

9313413000217

· Two Large and Two Smaller Nail/ Fastener Pockets, Reinforced Reversed End Gussets, Heavy Duty 50mm Webbing Belt with Adjustable Side Release Buckle



· Made from Premium Quality, Gold Suede Leather.



PNB0992

Professional Nail Bag - 2 Pocket

9313413000095

· Two Nail/Fastener Pockets, Reinforced Reversed End Gussets, Heavy Duty 50mm Webbing Belt with Adjustable Side Release Buckle.



Made from Premium Quality, Gold Suede Leather.

Nail Bags









- Three Nail/Fastener Pockets, Reinforced Reversed End Gussets.
- 50mm Webbing Belt with Adjustable Side Release Buckle.
- Made from Heavy Duty Suede Leather.



TNB0972	Nail Bag - 2 Pocket	9313413000071	1
	_		

- Two Nail/Fastener Pockets, Reinforced Reversed End Gussets.
- 50mm Webbing Belt with Adjustable Side Release Buckle.
- Made from Heavy Duty Suede Leather.



TNB1002	Nail Bag (Rounded Bottom) -	9313413000118	1
	2 Pocket		

- Two Nail/Fastener Pockets. Fully Gusseted with Rounded Bottom Corners.
- 50mm Webbing Belt with Adjustable Side Release Buckle.
- Made from Heavy Duty Suede Leather.



Double Saw Cover



PDSC113 **Double Saw Cover**

9313413000255

- Two Pockets for Rip, Hand or Panel Saws, Inserts to Protect Saw Teeth, Adjustable Buckle & Leather Strap.
- Made from Heavy Duty, Non Corroding, Premium Gold Suede Leather.
- Length: 680mm.



Chisel Roll - 9 Pocket



PCR1149

Chisel Roll - 9 Pocket

9313413000262

- · Nine Pockets to fit 3mm to 50mm Chisels, Adjustable Buckle & Leather Strap for Fastening Roll.
- · Made from Heavy Duty, Non Corroding, Vegetable Tanned Leather.



Electricians Tool Pouch



IELC127

Electricians Tool Pouch

9313413000286 1

- · Six Pockets for Tools, Four Screwdriver Loops, Wire Swing Holder for Insulation Tape, Heavy Duty.
- 50mm Webbing Belt with Adjustable Side Release Buckle.
- · Made from Full Grain Solid Hide Black Leather.



Complete Scaffold Belt - Heavy Duty



PSBHD

Complete Scaffold Belt - Heavy Duty

- · Heavy duty premium grade leather.
- Riveted to ensure toughness and quality.
- Designed and manufactured in Australia to suit Australian conditions.
- Trade quality, manufactured by an ISO 9001 Certified Company.



Rigger's Belt



Material Number	Description mm/in	APN/UPC	Shelf Pack
IRST200	Rigger's Belt	9313413000293	1

- Safety Holsters for Podger Spanner, Tape, Torpedo Level and Shifting Spanner, Cast Iron Plated Buckle.
- Made from Full Grain Solid Black Hide Leather.



Hammer Holsters





TUUAAA

PHHS111 Swing Loop Hammer Holster

9313413000019

1

 Wire Swing Loop holds Hammer Vertical when Holster is Tilted, 60mm Belt Slots.

• Made from Solid Hide Leather.

THH111L High Hang Hammer Holster

9313413004079

1

• Wire Fixed Loop sits High on Belt.

- 60mm Belt Slots.
- Made from Solid Hide Leather.



Tape Holsters



PTH0010



PTH0011

PTH0010	Tape Measure Holster, for 5-8m Tapes	9313413000101	1
PTH0011	Tape Measure Holster, for 8-10m Tapes	9313413000996	1

- All are reinforced with Nickel rivets an clips.
- Made of Black belting leather and have added feature of a tape retention strap. PTH011 is deeper, to accommodate larger tapes.



Moulded Plier Holster



PPH0307

Moulded Plier Holster

9313413000057

1

- Moulded Front fits up to 260mm Combination Pliers.
- 60mm Belt Slots.
- Made from Solid Hide Leather.



Chisel Holster



PCH0109

Chisel Holster

9313413000026

1

- Fits up to a 50mm Chisel.
- 60mm Belt Slots.
- Made from Solid Hide Leather.



Spanner Holsters





IRST123

IRST120

Shifting Spanner Holster

Podger Spanner Holster

9313413001238

9313413001207

1

- Leather Strap with Press Stud.
 Gomm Wide Balt Lean.
- 60mm Wide Belt Loop.
- Made from Solid Hide Leather.



• Leather Strap with Press Stud.

- 60mm Wide Belt Loop.
- Made from Solid Hide Leather.





Leather Belt



Material Number	Description mm/in	APN/UPC	Shelf Pack
IRST124	50mm Leather Belt	9313413001245	1

• Adjustable up to 1.17m/46", Cast Iron Plated Buckle.

ALL APN ■ AND UPC ● CODE NUMBERS SHOWN ARE PRECEDED BY THE MANUFACTURER APN OR UPC I.D. NUMBER ■ 9337103 & ● 037103.

• Made from Solid Hide Leather.



Webbing Belt



PWB0050 50mm Webbing Belt 9313413004031

- Adjustable up to 1.17m/46", Side Release Buckle.
- Fits all Parker Holster and Pouches.
- Made from Heavy Duty Polyester Webbing.



Side Release Buckle



PSR0050 50mm Side Release Buckle 9313413004123

• Fits all Parker 50mm Webbing Belts.



Axe Head Cover



TAHC133 Axe Head Cover 9313413004147 1

- Fits all Axe and Hatchet Heads, Leather Insert to Protect Cutting Edge, Adjustable Buckle & Leather Strap.
- Made from Solid Hide Leather.



Knee Protectors





- **LKPF** Orange/Hi-Viz 9319929225755 1
- Designed for all Trades, Home & Garden.
- Acid, Oil and Heat resistant face.Easy to adjust straps.
- Removable inserts.
- Clam shell packaging.





LKPN Navy/Blue 9319929227773

- Designed for all Trades, Home & Garden.Acid, Oil and Heat resistant face.
- Easy to adjust straps.
- Removable inserts.
- Clam shell packaging.
- · Clairi Sheli packaging.






- LPPB Professional
- Black/Blue Strap.
- Single strap.
- Lightweight.
- Non-marking.
- Upper shin protection.
- Clam shell packaging.





- **LPHD** Pro 2 Black/Maroon Strap 9319929330022
- Extra Heavy Duty. Slip resistant.
- Single strap. Non marking. Lightweight.
- Upper shin protection.





Auto Levels







Material Number	Description mm/in	APN/UPC
LAL20XKT	Automatic Level Kit, X20	■ 111816

- Kit includes: Auto Level (20X), survey rod, dome head tripod, hard carry case, safety vest
 General surveying up to 200m, sited slab preparation, determining water drainage, kitchen cupboards, wall and floor tiling
 Dampened compensator
- Compensator lock protects instrument during transport
- The lock can also be used as a compensator checking In lock can also be used as a compensator check tool
 Top-mounted optical peep-sight for quick reference
 Large, easy to use focusing knob
 Levelling screws
 Weather sealed housing
 5/8" x 11 tpi thread to fit standard tripods
 Settle manufacture quicklibility on building sites.

Shelf

Pack

1

- Safety orange for easy visibility on building sites
- **■** 111748 LAL20X Automatic Level, X20 1
- Includes Auto level and hard carry case
 LAL20X = 20x magnification

LAL24X Automatic Level, X24 **■** 111755

Includes Auto level and hard carry case
LAL24X = 24x magnification

Laser Distance Measurer







LLM45 Laser Distance Measurer

- Includes: Laser distance measurer with integrated spirit
- level Indoor and outdoor applications
- Indoor and outdoor applications
 Virtually any dry measuring application where an object can be measured to between 0.3m and 40m from unit
 The Lufkin Laser Range-Master 40 Laser Distance
 Measurer provides point precise measuring and allows exact measurement over great distances
 Highly visible laser spot
 Simple height measurement for outer walls with the Pythagoras function: This value is calculated automatically at the press of a button
 Simple assessment of room perimeter with the Addition

004903

and Subtraction functions

• Area and Volume functions permit the measurement of room sizes

• Measurement units can be selected in metres or feet

• Measurement point can be selected from front or rear of

5

3

- nousing
 Integrated bubble spirit-level permits precise alignment
 of the device, especially important when measuring
 large distances
 Recall memory for the last 10 measured values
 Illuminated LCD display
 IP 54 rated water and dust protection

■ 002060

Cross Line Laser Level





LCL3 Cross Line Laser Level Kit Self Levelling

- · Includes: Cross Line Laser, tripod with mounting base, hard shell carry case, batteries
- Cross line, horizontal and vertical lines for multiple applications including plumbing, panelling, door hanging, wall papering, cabinet installation, dado panelling, curtain track levelling, two tone painting lines, wall and floor tiling, picture hanging, window framing, switch and fitting placement
- · Ideal for indoor use
- Wide beam angle for maximum coverage
- · High intensity, high visibility laser lines cross line, horizontal and vertical line
- Auto levelling with out-of- level warning
 Estimated battery life of 30 hours, 4 of AA(LR6) / 1.5V
- batteries included

Laser Square







Square Laser Ruler

- Includes: Square Laser, bag, target, 2 x AA batteries
- The ideal instrument for all projects including building and flooring layouts, floor & wall tiling and any project where 90° angles are required 2 x Inbuilt bubble levels
- Laser wave length: 635 nm

- · Laser class: Class II
- Square accuracy: ±0.4 mm/m
- Size: 155 x 155 x 50 mm. Weight: 0.25 kg

Multi-Line Laser Level





PRODUCT

LCL4 Multi Line Laser Level

- · Includes: Laser, bracket, square and padded carry
- Electrical: Level electrical outlets, transfer lighting
- layout from floor to ceiling using plumb beam
 Carpentry: Level and set cabinets and counter tops and install trim
- Stair Layout: Level and plumb decks, plumb framing and partition walls, plumb windows and door frames

 • Concrete: Set forms and footings
- Plumbing: Layout piping, sewer lines, drainage and supply lines, transfer sprinkler system layout from floor to ceiling using plumb beam
- . Interior Decorating: Picture hanging, wall or floor tiling, wallpapering

000936

- Cross line and plumb spot beam
- Suitable for indoor and outdoor applications Wide beam angle for maximum coverage
- · High intensity, high visibility laser line
- Auto levelling with out-of-level warning
- · Weather resistant housing
- Magnetic universal mount
- Auto-off feature
- · Pulse mode use with optional detector for outdoor applications
- Fits standard tripod with 5/8" thread and stand has a 1/4" thread, can be used with 1/4" threaded tripods

Rotary Laser Level, Manual levelling





LR500

Rotary Laser Level, Manual levelling

- Includes: Laser, 4 x AA alkaline batteries, glasses, tripod, case
- · Projects 3 beams: Vertical, horizontal plane laser beam, upward plumb beam
- Changeable rotating speed
- · Green LED illumination of bubble vial
- Easy wall-hanging and tripod mount (5/8" centre screw thread)
- Laser wavelength: 650nm
- Laser class: Class II/III

Accuracy: ±3mm/10m

- Working range: By eye: >30m (indoors), By detector: >240m
- Size: 120x120x150mm Weight: 0.55kg



Dual Beam Rotary Laser & Detector



Material Number	Description mm/in	APN/UPC	Shelf Pack
LR502	Dual Beam Rotary Laser & Detector	■ 111809	1

- Includes: Laser, detector, DC adaptor input and
- padded carry case
 Designed for builders, plasterers and contractors and can be use and can be used for levelling, vertical alignment, plumbing and squaring

ALL APN ■ AND UPC ● CODE NUMBERS SHOWN ARE PRECEDED BY THE MANUFACTURER APN OR UPC I.D. NUMBER ■ 9337103 & ● 037103.

- Cabinets & shelves doors and windows carpentry, sliding door installation, marking elevation, remodelling, masonry, foundations, floors, aligning 90°, joint and edges, landscaping, drainage work, plumbing, walls and partitions, fencing
- Manual levelling in both horizontal and vertical modes
- Variable speed 360° rotation, 0 to 150rpm
 Plumb beam up for vertical alignment projects
 DC adaptor input and low battery level
- Two scan modes (short and long) to create a visible laser line (indoor applications)
 Safety orange for easy visibility on building
- sites
- Rain and dust proof.Fits standard tripod with 5/8" thread

Self Levelling Rotary Laser and Detector



LR510 Self Levelling Rotary Laser and Detector

- Includes: Laser, detector, with range of 250m,
- remote with range of 50m, and carry case
 Innovative good quality economically priced, suitable for and simplifies all contractor grade work loads
- Applications include all horizontal and vertical alignment work, general surveying, slab preparation, determining water drainage, site preparation, indoor and outdoor tiling and carpentry applications
- Power: Ni-MH AA Cell rechargeable battery

1

- pack, life of 6 hours
 Laser wavelengthL 635nm
 Laser class: Class II/III

- Accuracy: ±3mm/10m
 Self levelling: ±3.5°
 Working Temperature: -10°C to +45°C
 Working range: 250m (with detector)
 Size: 166x132x185mm Weight: 4kg

Auto Levelling Rotary Laser and Detector



LR600 Auto Levelling Rotary Laser and Detector

- Includes: Laser, detector, remote, bracket, case, batteries, charger

 • Electronic levelling, laser flashing and audible

- warning when beyond self-levelling range
 Able to project rotary laser horizontal plane and
 laser plumb beam
 Slope scanning at selective different grade angle
- Adjustable rotating speed of the laser beam Accuracy calibration available
- Rainproof and dustproofTimed power-off function

- Detector and remote control are available for remote-controlled long distance operating in bright light

- bright light

 Laser Wavelength: 635nm

 Laser Class: Class II / Class III

 Accuracy: ±1mm/10m

 Auto-levelling Range: ±5°

 Working range: 600m in radius by detector

 Power Supply: 4 x C alkaline batteries or 4.8V

 Ni.MH rep
- Ni-MH rechargeable batter-pack
 Size: 188x150x207mm Weight: 2.1kg

■ 002558

Accessories and Detectors





- LLTP1 Laser Tilt Plate
- Precision tilt plate with micrometer • Turns most laser levels into gradient levels
- Coarse graduations in 5° and fine adjustment down to 1/10 of 1°

LS6	Laser Detector with Clamp	■ 111823	1

- For use with LR502, LSL160,LSL250, LDAL310S. Also compatible with other Rotary Laser Levels
- Range 150m
- Includes Clamp















LS6BRACKET	Bracket to suit LS6 Detector	■ 003906	1
LRD120	Detector for Rotary Lasers		1
LPD50	Detector for Pulse Lasers		1




SV01	Hi-Viz Safety Vest	■ 122010	1

Vest:

- · Durable, washable, light weight nylon
- Bright orange Hi-Viz colour
- · Easy to use velcro fasteners
- · With reflective stripes on front and back

SV01

Accessories and Detectors



Highly Recommended ●● Suitable ●	LAL20x & 24x	LLM45	rcr3	TLS5	LCL4	LR500	LR502	LR510	LR600
Application/Task		_		_	ے		_	_	_
General surveying, up to house lot size	••				•	•	•	••	••
Levels for Slab preparation	••				•	•	•	••	••
Determining water drainage	•				•	•	•	••	••
Site preparation	••				•	•	•	••	••
Kitchen cupboards	•		•		•	•	•	•	
Placement of paving				•	•	•	•	•	•
Wall and floor tiling			•	••	••				
Hanging pictures and posters correctly			•		••	•	•	•	•
Placing wall friezes			•		••	•	•	•	•
Two tone painting lines			•		••	•	•	•	•
Curtain track levels			•		••	•	•	•	•
Placing picture rails			•		••	•	•	•	•
Window and door frames			•		••	•	•	•	•
General Surveying, areas up to 50m	••				•	•	•	••	••
General Surveying, areas up to 200m	•							••	••
Adjustable for both X & Y Grades						•	•		•
Automatic setup, place and switch on			•		••			••	••
Fitted with Scan Mode for indoor use							•		
Measurement of Distances		••							
Operation only requires 1 person		••	••	••	••	•	••	••	••
Detectors/Tripods/Tilt Plate									
LSP1 - Pole			•		••	•	•	•	
LS6 Detector						•	•	•	•
LRD120 Detector						•	•	•	•
LPD50 Detector					••				
TRIFH Tripod	•				•	•	•	•	•
TRIDH Tripod	•						•		•
TRIS130 Tripod			•		•	•			
LLTP1 Tilt Plate					•	•	••	•	••