

## 12.5 CATENARY WIRE AND ACCESSORIES

### 12.5.3 100M CATENARY WIRE

#### Features

- Heavily galvanised catenary wire on metal drum
- Zinc coated
- Approved to Australian Standard AS1394
- Composed of centric layers of wires
- Used for electrical applications like earthing and transmission
- Corrosion resistant

#### Specifications

<b>Part No:</b>	WATCW7125D
<b>Construction:</b>	7/1.25mm
<b>Overall Diameter:</b>	3.5mm
<b>Max Breaking Force:</b>	3.1kN
<b>Length:</b>	100m
<b>Weight:</b>	7.1kg



### 12.5.4 180M CATENARY WIRE

#### Features

- Heavily galvanised catenary wire in a roll
- Zinc coated
- Approved to Australian Standard AS1394
- Composed of centric layers of wires
- Used for electrical applications like earthing and transmission
- Corrosion resistant

#### Specifications

<b>Part No:</b>	WATCW180
<b>Construction:</b>	7/0.90mm
<b>Overall Diameter:</b>	2.7mm
<b>Max Breaking Force:</b>	1.6kN
<b>Length:</b>	180m
<b>Weight:</b>	6.6kg



### 12.5.5 180M CATENARY WIRE

#### Features

- Heavily galvanised catenary wire on plastic drum
- Zinc coated
- Approved to Australian Standard AS1394
- Composed of centric layers of wires
- Used for electrical applications like earthing and transmission
- Corrosion resistant

#### Specifications

<b>Part No:</b>	WATCW180D
<b>Construction:</b>	7/0.90mm
<b>Overall Diameter:</b>	2.7mm
<b>Max Breaking Force:</b>	1.6kN
<b>Length:</b>	180m
<b>Weight:</b>	6.3kg

