

# Horizon V Series Galvabond Steel



## INDEX

[Leaflet  
Catalogue Information](#)

## WEB LINKS

[Horizon V Series – Galvabond Steel Information Page](#)  
[Ask a question / Send us an enquiry](#)  
[Information about B&R](#)  
[Local Sales Team Phone Numbers](#)

## Features

- Protection rating – IP23
- For single or multi-phase installations
- RotaDIN® – rotating / removable DIN section
- Insulated escutcheon®
- Safety double fold edges
- Earth and neutral link number identification
- CL001 fuse lock protection
- Easy to use gravity catch
- Easy lift off “remove & replace” bevel edge door
- Padlockable
- UV protected mains location label



### OVERVIEW

Providing safety, quality and performance, the Horizon ‘V’ series of enclosures are suitable for domestic and light commercial metering installations. Complying with the VIC supply authority rules and regulations, the ‘V’ series is designed for both single and multi phase installations.

### MATERIALS

- Body – Galvabond Z275
- Body thickness – 1.0mm
- Hinges – steel
- Surface finish – Powdercoated RAL7035

### APPLICATION

Suitable for use in domestic and light commercial metering applications and single and multi-phase installations.



# Horizon V Series

## SELECTION GUIDE – HORIZON SERIES

Catalogue No.	DIN space	Inclusions			Dimensions (mm)			Panel (mm)			
		RCCB	Service fuse	Busbar	Height	Width	Depth	Height	Width	Depth	Thick
V10	24-pole	•	•	•	688	485	278	480	461	75	6
V11 <sup>▲</sup>					688	485	278	480	461	75	6
V11/2 <sup>▲</sup>			•		688	485	278	480	461	75	6
V12	48-pole	•	•	•	855	485	278	480	461	75	6
V30	24-pole	•	•	•	855	485	278	590	400	75	6

▲ For remote load centre applications

## SELECTION GUIDE – COMBINED SERVICES / FTTH

Catalogue No.	Enclosures		Inclusions				Dimensions (mm)			Panel (mm)			
	V10	HZN/COM1	DIN	RCCB	Service fuse	Busbar	Height	Width	Depth	Height	Width	Depth	Thick
V82	•	•	24-pole	•	100A	•	1218	485	278	480	461	75	6
CSV022101			21-pole	•	100A	•	1106	482	278	480	461	75	6
CSV022102*			21-pole	•	100A	•	520	485	278	480	461	75	6

\* To be discontinued. Contact your B&R sales engineer to discuss your requirements  
For details on the V10 refer to table above.

## ACCESSORIES

A range of accessories to suit Victorian Horizon V and Combined Services / FTTH enclosures.

Product	Description	Catalogue No.	V10	V11	V11/2	V12	V82	CSV002101
Builder's pole	Underground	U/GBP	•			•		
	32mm PVC conduit, enclosures in steel pipe	UCE32	•	•	•	•	•	•
Underground cable entry	40mm PVC conduit, enclosures in steel pipe	UCE40	•	•	•	•	•	•
	50mm PVC conduit, enclosures in steel pipe	UCE50	•	•	•	•	•	•
Pole support	Temporary, head only	U/GBPS	•	•	•	•	•	•
Temporary pole	Pole & U-bolt kit	U/GBPA	•	•	•	•	•	•
Flush kit	–	HZN/FK8	•					
Bolt kit	For combining HZN/COM cabinet	HZN/JK2	•					



U/GBP



HZN/FK8



U/GBPS

Queensland P +61 7 3714 1000  
Townsville P +61 7 4727 1900  
Sydney P +61 2 9915 9555  
Newcastle P +61 2 4961 4433  
Victoria P +61 3 9552 0552  
South Australia P +61 8 8417 6222

Western Australia P +61 8 6310 4777  
Tasmania P +61 3 6331 5545  
Northern Territory P +61 8 8947 0870  
sales@brenclosures.com.au  
brenclosures.com.au

