# Catalogue No: **DSR140DEL**

### ELR TOROID CLOSED CORE 4 WIRE 140mm min 300mA

Power Distribution and Protection > Earth Leakage Protection > Earth Leakage Relays > IME Earth Leakage Relays and Toroids > 4 Wire Toroid > DSR Series Closed Core Toroid





Earth Leakage Toroid 4 wire to suit DSRM Mining relay. 140mm internal diameter

- Suits DSRM Mining Earth Leakage Relays
- Internal diameter 35-150 mm
- · Closed core and split core models

Representative Photo Only (actual product may vary based on configuration selections)

SPECIFICATIONS		
Component Type Power Distribution & Protection	Toroid	
Component Type Transformer	Closed-core Transformer	
Details, Transformer	Suits DSR range of earth leakage relays	
le, Rated Operational Current, nom	250 A,nom	
le, Rated Operational Current, max	1500 A,max	
I∆n, Leakage Current, Min	300 mA	
Ith, Thermal Current, Short Time, 1s	20 kA	
ldyn, Current, Dynamic	40kA/ 0.05s	
Diameter, Internal	140 mm	
Ui, Rated Insulation Voltage	720 V (rms)	
Mounting	Screw Fixing	
Material, Body / Housing	ABS Self extinguishing material	
Terminal Type	Screw Terminal(s)	
Operating Temperature, Min	-10 °C min	
Operating Temperature, Max	55 °C max	
Storage Temperature, Min	-40 °C min	
Storage Temperature, Max	70 °C max	
Details, Primary Circuit	Supply conductors to be protected pass through toroid hole	
le, Rated Operational Current, nom	250 A,nom	
Humidity Type	Short-Term Condensation	
Standards Compliance	EN 60947-2 IEC 60947-2	
Sealable	Yes	
Width	200 mm	
Height	234 mm	
Depth	56 mm	
Weight	0.7 kg	




# Catalogue No: **DSR140DEL**


### ELR TOROID CLOSED CORE 4 WIRE 140mm min 300mA

Power Distribution and Protection > Earth Leakage Protection > Earth Leakage Relays > IME Earth Leakage Relays and Toroids > 4 Wire Toroid > DSR Series Closed Core Toroid



REFERENCES	
IECEx Certificate	-
Supplier Declaration of Conformity:	-
Installation Guide:	-
User Manual:	-
Manufacturer Datasheet:	-
Manufacturer Catalogue & Product Selection:	-





Overall Dimensions			Catalogue No.
Α	В	С	
113	92	56	DSR 35 DEL
160	125	56	DSR 80 DEL
198	165	56	DSR 110 DEL
234	200	56	DSR 140 DEL
323	290	64	DSR 210 DEL

**Dimension Diagram** 



# Catalogue No: **DSR140DEL**

### ELR TOROID CLOSED CORE 4 WIRE 140mm min 300mA

Power Distribution and Protection > Earth Leakage Protection > Earth Leakage Relays > IME Earth Leakage Relays and Toroids > 4 Wire Toroid > DSR Series Closed Core Toroid



