

Catalogue No: **EREV4-5PB-240VAC**

STARTER COMPACT REVERSING START/STOP 2.2kW 240V AC CONTROL

Motor Control and Drives > Motor Starting and Protection > Assembled Motor Starters > Sprecher + Schuh Motor Starters > Reversing Motor Starters > EREV4 Streamline Reversing Motor Starters 2.2 to 4kW



Reversing Starter 2.2KW, IP66 Polycarbonate Enclosure, Control Voltage 240V AC, Forward, Reverse And Stop/Reset Pushbuttons, No Overload

- Wide range of NHP motor starting method versions available, allowing for correct selection of a motor starter to suit the application load condition requirements during starting
- Available in a number of IP ratings and enclosure type, to allow selection to meet the different installation environments
- **Consult NHP for complete offering**

Representative Photo Only
(actual product may vary based on configuration selections)

SPECIFICATIONS

Product Series	Streamline Enclosed Motor Starters
kW Rating, AC-3, 415V	2.2 kW @415V
kW Rating, AC-3, 415V, Max	2.6 kW @415V max
Component Type Motor Control and Drives	Reversing Starter
Motor FLC, Max	5.3 A, max
IP Rating	IP66
Motor Connection	3 wire
Enclosure Type	Insulated polycarbonate enclosed (IP 66)
Control Voltage, AC, Nom	240 V AC
Button Arrangement	Forward / Reverse / Stop Reset


REFERENCES

IECEX Certificate	-
Supplier Declaration of Conformity:	-
Installation Guide:	-
User Manual:	-
Manufacturer Datasheet:	-
Manufacturer Catalogue & Product Selection:	-

Catalogue No: **EREV4-5PB-240VAC**

STARTER COMPACT REVERSING START/STOP 2.2kW 240V AC CONTROL

Motor Control and Drives > Motor Starting and Protection > Assembled Motor Starters > Sprecher + Schuh Motor Starters > Reversing Motor Starters > EREV4 Streamline Reversing Motor Starters 2.2 to 4kW




Dimension Diagram

Catalogue No: **EREV4-5PB-240VAC**

STARTER COMPACT REVERSING START/STOP 2.2kW 240V AC CONTROL

Motor Control and Drives > Motor Starting and Protection > Assembled Motor Starters > Sprecher + Schuh Motor Starters > Reversing Motor Starters > EREV4 Streamline Reversing Motor Starters 2.2 to 4kW



Technical Diagram