## **Product Characteristics**

Part Number: CBL0.75FIG8RDBK500

CABLE FLEX FIG8 250V 0.75MM 24/020 2C 500M RED/BLACK



## **Description:**

Figure 8 cable comprises of 2 individually insulated cables joined by a small segment of the outer sheath. It is called figure 8 because of its cross sectional appearance. The cables can be easily separated where required. Typically one core has a coloured tracer painted along its length to aid identification and polarisation. Figure 8 cable has a wide range of applications including audio, security and mains.

Attribute Name	Attribute Value
Cable width approx.	5.9 mm
Nominal cross section conductor	$0.75 \text{ mm}^2$
Core identification	Colour
Length	500 m
Colour outer sheath	Red/Black
Conductor material	Copper
Cable height approx.	2.9 mm
Nominal voltage U0	250 V
Material outer sheath	PVC
Number of cores	2
Conductor category	Class $5 = Flexible$

Classifications	
ETIM	EC000057
UNSPSC	26121629

Create Date:

## Disclaimer

For use on datasheets that are created by Rexel

The information in this document is intended to provide a brief summary of our knowledge of this product. It has been compiled from sources we believed at the time of compilation to be reliable and accurate. It is not meant to be an exhaustive and complete document about the product. Rexel does not warrant that it is accurate, complete or up to date.

Each user of this information needs to verify (including by its own risk analysis, evaluation and testing) the product's characteristics and features in light of its particular intended use for the product. Each user should, before purchasing this product and before use, obtain the latest relevant information from the manufacturer, details of which can be provided by the Rexel Australia group.

The Rexel Australia group excludes all warranties or guarantees implied by law, and all liability for any error, inaccuracy, loss or damage resulting from the use of this information. No rights to reproduce this document are granted by the publication of this document. This publication may be changed at any time.