

ZCY54

limit switch lever ZCY - steel square rod lever 3 mm,
L = 125 mm



Main

| | |
|----------------------------|---|
| Range of product | OsiSense XC |
| Series name | Standard format |
| Product or component type | Limit switch lever |
| Device short name | ZCY |
| Product compatibility | XCKD XCKP XCKT XCMD |
| Associated head | ZCE01 ZCE05 |
| Movement of operating head | Rotary |
| Type of operator | Rod lever spring return metal (square rod 3 mm, L = 125 mm) |
| Tracks | No track |
| Type of approach | Lateral approach |

Complementary

| | |
|------------------|--------------------|
| Switch actuation | By any moving part |
| Positive opening | Without |

Environment

| | |
|---------------------------------------|----------------------|
| ambient air temperature for operation | -25...70 °C |
| ambient air temperature for storage | -40...70 °C |
| environmental characteristic | Standard environment |

Offer Sustainability

| | |
|----------------------------------|---|
| Sustainable offer status | Green Premium product |
| RoHS (date code: YYWW) | Compliant - since 0851 - Schneider Electric declaration of conformity |
| REACH | Reference not containing SVHC above the threshold |
| Product environmental profile | Available |
| Product end of life instructions | Need no specific recycling operations |

The information provided in this documentation contains general descriptions and/or technical characteristics of the performance of the products contained herein. This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications. It is the duty of any such user or integrator to perform the appropriate and complete risk analysis, evaluation and testing of the products with respect to the relevant specific application or use thereof. Neither Schneider Electric Industries SAS nor any of its affiliates or subsidiaries shall be responsible or liable for misuse of the information contained herein.