

## GV2G354

Linergy FT - Comb busbar - 63 A - 3 tap-offs - 54 mm pitch



### Main

|   |  |
|---|--|
| Range                                       | Linergy  |
| Product name                                | FT   |
| Device short name                           | GV2G   |
| Product or component type                   | Comb busbar  |
| Accessory / separate part category          | Connection accessory                               |
| Poles description                           | 3P   |
| Range compatibility                         | TeSys - GV2<br>TeSys - U<br>TeSys - D<br>TeSys - K |
| Number of tap-offs                          | 3  |
| [Ith] conventional free air thermal current | 63 A   |
| Connection pitch                            | 54 mm  |

### Complementary

|                               |             |
|-------------------------------|-------------|
| Mounting location             | On terminal |
| [Ui] rated insulation voltage | 690 V       |
| Length                        | 162 mm      |
| Product weight                | 0.06 kg     |

### Environment

#### Offer Sustainability

|                                  |   |
|----------------------------------|---|
| Sustainable offer status         | Green Premium product   |
| RoHS (date code: YYWW)           | Compliant - since 0640 - Schneider Electric declaration of conformity |
| REACH                            | Reference not containing SVHC above the threshold                     |
| Product environmental profile    | Available   |
| Product end of life instructions | Need no specific recycling operations                                 |

The information provided in this documentation contains general descriptions and/or technical characteristics of the products contained herein. This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications. It is the duty of any such user or integrator to perform the appropriate and complete risk analysis, evaluation and testing of the products with respect to the relevant specific application or use thereof. Neither Schneider Electric Industries SAS nor any of its affiliates or subsidiaries shall be responsible or liable for misuse of the information contained herein.