

Product Characteristics

Part Number: MLY24.20.AE.G

JUNCTION BOX CIRCULAR 4 WAY 20MM



Description:

The 240 series junction boxes are available in standard and tangential formats (20 and 25mm only), as well as in shallow and deep configurations. Features: ? 4 way entry ? All cover fixing screws are 3/16 inch B.S.W. ? Certificate of Suitability No. CS/187/S Marley conduit fittings are manufactured from selected premium resin and impact modifiers. All conduit fittings are manufactured in accordance with New Zealand and Australian Standard AS/NZS 2053 for medium duty conduit and exhibit the impact performance of heavy duty conduit.

Attribute Name	Attribute Value
Colour	Grey
Material	PVC
Cover attachment	Screwed
For nominal tube diameter	20 mm
Shape	Round
Mounting method	Surface mount
Type of cover	Full Cover Plate Screw On
Diameter	67 mm
Depth	38 mm
With cover	Yes
Number of conduit outlets	4

Classifications	
ETIM	EC002922
UNSPSC	39131708

Create Date: 10/10/2019

Disclaimer

For use on datasheets that are created by Rexel

The information in this document is intended to provide a brief summary of our knowledge of this product. It has been compiled from sources we believed at the time of compilation to be reliable and accurate. It is not meant to be an exhaustive and complete document about the product. Rexel does not warrant that it is accurate, complete or up to date.

Each user of this information needs to verify (including by its own risk analysis, evaluation and testing) the product's characteristics and features in light of its particular intended use for the product. Each user should, before purchasing this product and before use, obtain the latest relevant information from the manufacturer, details of which can be provided by the Rexel Australia group.

The Rexel Australia group excludes all warranties or guarantees implied by law, and all liability for any error, inaccuracy, loss or damage resulting from the use of this information. No rights to reproduce this document are granted by the publication of this document. This publication may be changed at any time.