

Catalogue No: 1606-XLP30B

POWER SUPPLY COMPACT 1PH 100-240VAC TO 10-12VDC 30W 3A

Power Distribution and Protection > Power Supplies and Transformers > Switched Mode Power Supplies > Allen-Bradley Switched Mode Power Supplies > Bulletin 1606-XLP Compact Series > 1606-XLP Compact Series, 1-Phase Input



Representative Photo Only
(actual product may vary based on configuration selections)

Power supply, 30 W, 10-12 V DC, 3 A

- Efficient power supplies which minimise heat output and reduce associated running costs
- Redundancy module options allow for backup power in critical applications
- The compact footprint maximises usable space with the panel

SPECIFICATIONS

Product Series	Bul. 1606-XLP
Component Type Power Distribution & Protection	Switched Mode Power Supply
Input Type	AC: 1-Phase
Input Frequency, Nom	50 / 60 Hz
Input Frequency, Min	47 Hz
Input Frequency, Max	63 Hz
Input Voltage, AC, Min	100 V AC min
Input Voltage, AC, Max	240 V AC max
Input Voltage, DC, Min	85 V DC min
Input Voltage, DC, Max	375 V DC max
In, Nominal Current	0.25 A
Inrush Current, Max	18 A
Un, Nominal Voltage, AC, L-L	230 V AC
Indicator Type	LED
Output Voltage, DC, Min	10 V DC min
Output Voltage, DC, Max	12 V DC max
Output Current, Rated (rms)	2.5 A
Output Current, 10V DC	3 A @10V DC
Output Current, 12V DC	2.5 A @12V DC
Pout, Real, Rated W	30 W
Ripple Voltage, P-P, Max	10 mVpp
Hold-Up Time, Min	18 ms
MTBF, Mean Time Before Failure, Min	650000 hours
Efficiency, Electrical, Min	84 %
Mounting	DIN-35 Rail Mount
IP Rating	IP20
Operating Temperature, Min	-10 °C min
Operating Temperature, Max	70 °C max

Catalogue No: **1606-XLP30B**

POWER SUPPLY COMPACT 1PH 100-240VAC TO 10-12VDC 30W 3A

Power Distribution and Protection > Power Supplies and Transformers > Switched Mode Power Supplies > Allen-Bradley Switched Mode Power Supplies > Bulletin 1606-XLP Compact Series > 1606-XLP Compact Series, 1-Phase Input



Storage Temperature, Min	-10 °C min
Storage Temperature, Max	70 °C max
Height	75 mm
Width	45 mm
Depth	91 mm
Weight	0.25 kg
Standards Compliance	UL 508 IEC 60950 EN 60950 EN 50178
Certifications	CE

REFERENCES

IECEX Certificate	-
Supplier Declaration of Conformity:	-
Installation Guide:	-
User Manual:	-
Manufacturer Datasheet:	-
Manufacturer Catalogue & Product Selection:	-