


# Catalogue No: 1606-XLSDNET8

## POWER SUPPLY DEVICENET HP 1PH 100-240VAC TO 24VDC 190W 8A

Power Distribution and Protection > Power Supplies and Transformers > Switched Mode Power Supplies > Allen-Bradley Switched Mode Power Supplies > Bulletin 1606-XLS Performance Series > 1606-XLS Performance Specialty Modules



Power supply, 192 W, 8 A

- Efficient power supplies which minimise heat output and reduce associated running costs
- Redundancy module options allow for backup power in critical applications
- The compact footprint maximises usable space with the panel

Representative Photo Only  
(actual product may vary based on configuration selections)

### SPECIFICATIONS

Product Series	Bul. 1606-XLS
Component Type Power Distribution & Protection	Switched Mode Power Supply
Input Type	AC: 1-Phase
Input Frequency, Nom	50 / 60 Hz
Input Frequency, Min	47 Hz
Input Frequency, Max	63 Hz
In, Nominal Current	1 A
Inrush Current, Max	7.6 A
Un, Nominal Voltage, AC, L-L	230 V AC
Indicator Type	LED
Output Voltage, DC, Nom	24 V DC
Output Current, Rated (rms)	8 A
Pout, Real, Rated W	192 W
Ripple Voltage, P-P, Max	50 mVpp
Hold-Up Time, Min	38 ms
MTBF, Mean Time Before Failure, Min	831000 hours
Mounting	DIN-35 Rail Mount
IP Rating	IP20
Height	124 mm
Width	60 mm
Depth	117 mm
Weight	0.9 kg
Standards Compliance	UL 508 IEC 60950 EN 60950 EN 50178
Certifications	CE

# Catalogue No: **1606-XLSDNET8**

## POWER SUPPLY DEVICENET HP 1PH 100-240VAC TO 24VDC 190W 8A

Power Distribution and Protection > Power Supplies and Transformers > Switched Mode Power Supplies > Allen-Bradley Switched Mode Power Supplies > Bulletin 1606-XLS Performance Series > 1606-XLS Performance Specialty Modules



### REFERENCES

IECEX Certificate -

Supplier Declaration of  
Conformity: -

Installation Guide: -

User Manual: -

Manufacturer Datasheet: -

Manufacturer Catalogue  
& Product Selection: -