Catalogue No: 802T-AP1

SPR-RTN-LVR IP67 1NO/1NC CW/CCW 0.29NM 13DEG NO BASE

Field Switching and Sensing > Limit Switches > Limit Switches > Allen-Bradley Limit Switches > Bulletin 802T General Purpose Limit Switches > Lever Type Switches





Representative Photo Only (actual product may vary based on configuration selections)

Limit Switch, NEMA Type 4 and 13 Oiltight Construction, Plug-In, Lever Type, Spring Return, Standard Operating Torque, 2-Circuit, CW and CCW operation

- Factory sealed versions for demanding industrial environments
- Complete range of IEC style solutions for both safety and standard sensing applications
- Wide range of operating voltages and current ratings
- Extensive range of different housing styles and mounting options
- Wide variety of operating heads and levers

SPECIFICATIONS	
Product Series	802T Low-Energy
Component Type Field Switching & Sensing	Limit Switch Head
Contact Action	Snap Action action
Actuator Action	Spring Return action
Safety Application Suitable	No
Operating Temperature, Max	110 °C max
Operating Temperature, Min	-18 °C min
IP Rating	IP67
REFERENCES IECEx Certificate -	
Supplier Declaration of Conformity:	
Installation Guide: -	
User Manual: -	
Manufacturer Datasheet: -	
Manufacturer Catalogue & Product Selection:	

