

Catalogue No: 1734-IR2

POINT I/O 2AI RTD 0-600 OHM MODULE

Automation Systems > Distributed I/O and Signal Converters > Fieldbus I/O Systems > Allen-Bradley Point I/O™ > POINT I/O™ Modules > POINT I/O™ Analogue I/O Modules



Point I/O 2 Channel RTD Input Module, 24 V DC



- Up to 8 single-ended inputs or outputs per module
- Thermocouple and RTD modules available
- Individually configurable channels
- On-board scaling
- Selectable input filters
- Over-range and under-range detection

Representative Photo Only
(actual product may vary based on configuration selections)

SPECIFICATIONS

Product Series	Point I/O (Bul. 1734)
Component Type Fieldbus I/O	I/O - Analogue Input Module
Number of Analogue Inputs	2 qty
Analogue Input Type(s)	RTD / Resistance
Analogue Input Range(s)	0 ... 600Ω 100Ω Pt 385 100Ω Pt 392 200Ω Pt 385 200Ω Pt 392 10Ω Cu 427 100Ω Ni 618 120Ω Ni 618 120Ω Ni 672
Analogue Resolution, Input	16 bit (signed)
Power Supply	24V DC
Operating Temperature, Max	55 °C max
Operating Temperature, Min	-20 °C min
Storage Temperature, Max	85 °C max
Storage Temperature, Min	-40 °C min
Relative Humidity, Max	95 %RH
Humidity Type	Non-condensing

Catalogue No: **1734-IR2**

POINT I/O 2AI RTD 0-600 OHM MODULE

Automation Systems > Distributed I/O and Signal Converters > Fieldbus I/O Systems > Allen-Bradley Point I/O™ > POINT I/O™ Modules > POINT I/O™ Analogue I/O Modules



REFERENCES

IECEX Certificate -

Supplier Declaration of
Conformity: -

Installation Guide: -

User Manual: -

Manufacturer Datasheet: -

Manufacturer Catalogue
& Product Selection: -