

# T8 Luxline Plus Special Length Tri-Phosphor

T8 Fluorescent

The T8 Luxline Plus Special Length Tri-Phosphor is a T8 fluorescent lamp with high colour rendering and excellent lumen maintenance, along with high luminous efficacy. Operating on conventional and electronic ballasts the range meets the lighting requirements as specified in the European Standard EN 12464-1 for workplaces and AS/NZS 4782.1/4782.2-2004/Amdt 2006.



- T8 Luxline Plus Special Length Tri-Phosphor
- High luminous efficacy
- Operates on conventional and electronic ballasts



80  
CRI




1 Years  
Warranty



360°  
Beam Angle

CODE	LAMP POWER	EXIT LUMEN	CCT	DIMENSIONS
201070	30W	2230lm	6500K	L895 x W26 x H26 mm
201080	30W	2400lm	4000K	L895 x W26 x H26 mm

## Line Drawings



	A	B	B	C	D
	max	min	max	max	nom
15W	437.4	442.1	444.5	451.6	26
25W 28*	691.4	696.1	698.5	705.6	26
25W 30*	742.2	746.9	749.3	756.4	26
25W 33*	818.4	823.1	825.5	832.6	26
30W	894.6	899.3	901.7	908.8	26
36W	970.0	974.1	977.1	984.2	26
38W	1050.0	1051.7	1054.1	1061.2	26
70W	1763.8	1768.5	1770.9	1778.0	26

\*Rated LED design life where stated is based upon application of Pierlite's operating and maintenance guidelines; see pierlite.com.au. Actual product life may vary dependent upon frequency of maintenance and product application. Due to continual product improvement, information is subject to change without notification. Pierlite standard Terms and Conditions apply.