

# PL-S 2 Pin

## PL-S 9W/840/2P 1CT/25

[Where to Buy](#)

[Add to MyProjects >](#)



### Product information



[Where to Buy](#)



### Downloads



[Leaflet](#)

Size:209.9 kB

[See all downloads >](#)



## Specifications

### General Information

Cap base	G23 [ G23]
----------	------------

Life to 50% failures (nom.)	8000 h
-----------------------------	--------

### Light Technical

Lamp Luminous Flux 25°C EL (Nom)	600 lm
----------------------------------	--------

Colour Designation	Cool White (CW)
Lumen maintenance 2,000 hours (nom.)	90 %
Lumen maintenance 5,000 hours (nom.)	85 %
Chromaticity coordinate X (nom.)	380
Chromaticity coordinate Y (nom.)	380
Colour Temperature, horizontal (Nom)	4100 K
Lamp Luminous Efficacy EM (Nom)	67 lm/W
Colour Rendering Index,horiz (Nom)	82

#### Operating and Electrical

Power (Rated) (Nom)	8.6 W
Lamp current (nom.)	0.170 A
Voltage (Nom)	60 V

#### Controls and Dimming

Dimmable	no
----------	----

#### Mechanical and Housing

Cap base information	2P
----------------------	----

#### Approval and Application

Energy efficiency label (EEL)	B
Mercury (Hg) content (nom.)	1.4 mg

#### Product Data

Full product code	871150070680500
Order product name	PL-S 9W/840/2P 1CT/25
EAN/UPC – product	8711500706805
Order code	927901708465
Local Code	PLS9W8402P
Numerator – quantity per pack	1
Numerator – packs per outer box	25
Material no. (12NC)	927901708465
Net weight (piece)	0.032 kg



## Eco passport - Our environmental product specifications overview



Philips cares about the environment and society at large, and strongly supports eco-design of products.



[View the complete Eco passport](#)

## Installation Diagrams



**G23/GX23, 2P**

## Photometrics



# Recently Viewed



## PL-S 2 Pin

PL-S 11W/840/2P 1CT/25

[More information >](#)





## PL-S 2 Pin

PL-S 11W/827/2P 1CT/25

[More information >](#)



## TL-D Standard Colours

TL-D 10W/33-640 1SL/25

[More information >](#)

---

©2016 Philips Lighting Holding B.V.. All rights reserved.