



# The new classic light bulb

## EcoClassic A-shape

Philips EcoClassic light bulbs offer the classical shapes you are used to, but with better energy efficiency. This new 'classic' gives high-quality light, is dimmable and starts immediately.

### Benefits

- Identical look and feel to standard lamp, with bright, sparkling halogen light
- Fully dimmable, from 0 to 100%, to meet different brightness requirements
- Double the lifetime of a standard bulb
- Immediate light when switching on

### Features

- Superior quality of light with excellent color rendering (Ra=100)
- Mains-voltage lamp, no transformer needed
- Universal burning position
- Instant start

### Application

- Accent and general lighting applications in homes, offices, shops, hotels and restaurants. Replacement for traditional bulb in classical luminaires

## Related products



28W/42W/53W, E27, A60, Clear



28W/42W/53W, B22, A60, Clear



28W/42W/53W, B22, A55, Clear



70W/105W/140W, B22, A55, Clear



28W/42W/53W, E27, A55, Clear



70W/105W/140W, E27, A55, Clear




E27, E50, White, 120V



70W, E27, A55, Clear, 120V/127V



B22, A55, Frosted





E27, A55, Frosted

## Related products



E27, G95, Clear

## Dimensional drawing




## E27, E50, 120V

Product	C (Max)	D (Max)
EcoCl30 28W E27 120V E50 WH	91	51
EcoCl30 42W E27 120V E50 WH	91	51
EcoCl30 70W E27 120V E50 WH	91	51

## 28W/42W/53W, E27, A55

Product	C (Max)	D (Max)
EcoCl30 28W E27 230V A55 CL	97	56
EcoCl30 28W E27 230V A55 CL	97	56
EcoCl30 42W E27 230V A55 CL	97	56
EcoCl30 28W E27 127V A55 CL	97	56
EcoCl30 28W E27 230V A55 CL	97	56
EcoCl30 28W E27 230V A55 CL	97	56
EcoCl30 28W E27 230V A55 CL	97	56
EcoCl30 28W E27 230V A55 CL	97	56
EcoCl30 28W E27 230V A55 CL	97	56
EcoCl30 28W E27 230V A55 CL	97	56
EcoCl30 28W E27 240V A55 CL	97	56
EcoCl30 28W E27 240V A55 CL	97	56
EcoCl30 42W E27 127V A55 CL	97	56
EcoCl30 42W E27 120V A55 CL	97	56
EcoCl30 42W E27 230V A55 CL	97	56
EcoCl30 42W E27 230V A55 CL	97	56
EcoCl30 42W E27 230V A55 CL	97	56
EcoCl30 42W E27 230V A55 CL	97	56
EcoCl30 42W E27 230V A55 CL	97	56
EcoCl30 42W E27 230V A55 CL	97	56

## Dimensional drawing




EcoCl30 42W E27 240V A55 CL	97	56
EcoCl30 53W E27 120V A55 CL	97	56
EcoCl30 53W E27 230V A55 CL	97	56
EcoCl30 53W E27 230V A55 CL	97	56
EcoCl30 53W E27 230V A55 CL	97	56
EcoCl30 53W E27 230V A55 CL	97	56
EcoCl30 53W E27 240V A55 CL	97	56
EcoCl30 53W E27 240V A55 CL	97	56
EcoCl30 53W E27 240V A55 CL	97	56
EcoCl30 28W E27 240V A55 FR	97	56
EcoCl30 42W E27 230V A55 FR	97	56
EcoCl30 42W E27 240V A55 FR	97	56
EcoCl30 42W E27 240V A55 FR	97	56
EcoCl30 53W E27 240V A55 FR	97	56
EcoCl30 53W E27 240V A55 FR	97	56
EcoCl30 53W E27 240V A55 FR	97	56
EcoCl30 53W E27 230V A55 CL	97	56


**28W/42W/53W, B22, A55**

Product	C (Max)	D (Max)
EcoCl30 42W B22 230V A55 CL	99.5	56
EcoCl30 28W B22 230V A55 CL	95.5	56
EcoCl30 28W B22 230V A55 CL	95.5	56
EcoCl30 28W B22 230V A55 CL	95.5	56
EcoCl30 28W B22 240V A55 CL	95.5	56
EcoCl30 28W B22 240V A55 CL	95.5	56
EcoCl30 42W B22 230V A55 CL	95.5	56
EcoCl30 42W B22 230V A55 CL	95.5	56
EcoCl30 42W B22 230V A55 CL	95.5	56
EcoCl30 42W B22 240V A55 CL	95.5	56
EcoCl30 42W B22 240V A55 CL	95.5	56
EcoCl30 53W B22 230V A55 CL	95.5	56
EcoCl30 53W B22 230V A55 CL	95.5	56
EcoCl30 53W B22 240V A55 CL	95.5	56
EcoCl30 53W B22 240V A55 CL	95.5	56
EcoCl30 53W B22 240V A55 CL	95.5	56
EcoCl30 28W B22 240V A55 FR	95.5	56
EcoCl30 42W B22 240V A55 FR	95.5	56
EcoCl30 42W B22 240V A55 FR	95.5	56
EcoCl30 53W B22 240V A55 FR	95.5	56
EcoCl30 53W B22 240V A55 FR	95.5	56
EcoCl30 53W B22 230V A55 CL	95.5	56


## Dimensional drawing

**E27, A55, 120V/127V**

Product	C (Max)	D (Max)
EcoCl30 70W E27 127V A55 CL	97	56
EcoCl30 70W E27 120V A55 CL	97	56


**70W/105W/140W, E27, A55**

Product	C (Max)	D (Max)
EcoCl30 70W E27 230V A55 CL	97	56
EcoCl30 70W E27 230V A55 CL	97	56
EcoCl30 70W E27 230V A55 CL	97	56
EcoCl30 70W E27 230V A55 CL	97	56
EcoCl30 70W E27 240V A55 CL	97	56
EcoCl30 70W E27 240V A55 CL	97	56
EcoCl30 70W E27 240V A55 CL	97	56
EcoCl30 70W E27 240V A55 CL	97	56
EcoCl30 70W E27 240V A55 FR	97	56
EcoCl30 70W E27 240V A55 FR	97	56
EcoCl30 105W E27 230V A55 CL	97	56
EcoCl30 105W E27 230V A55 CL	97	56
EcoCl30 105W E27 230V A55 CL	97	56
EcoCl30 105W E27 230V A55 CL	97	56
EcoCl30 105W E27 240V A55 CL	97	56
EcoCl30 105W E27 240V A55 CL	97	56
EcoCl30 105W E27 230V A55 FR	97	56
EcoCl30 140W E27 230V A55 CL	97	56

**E27, G95**

Product	C (Max)	D (Max)
EcoCl30 42W E27 230V G95 CL	148	96

## Dimensional drawing



## 70W/105W/140W, B22, A55

Product	C (Max)	D (Max)
EcoCl30 70W B22 230V A55 CL	95.5	56
EcoCl30 70W B22 230V A55 CL	95.5	56
EcoCl30 70W B22 230V A55 CL	95.5	56
EcoCl30 70W B22 230V A55 CL	95.5	56
EcoCl30 70W B22 240V A55 CL	95.5	56
EcoCl30 70W B22 240V A55 CL	95.5	56
EcoCl30 70W B22 240V A55 CL	95.5	56
EcoCl30 70W B22 240V A55 CL	95.5	56
EcoCl30 70W B22 240V A55 FR	95.5	56
EcoCl30 70W B22 240V A55 FR	95.5	56
EcoCl30 70W B22 240V A55 FR	95.5	56
EcoCl30 105W B22 230V A55 CL	95.5	56
EcoCl30 105W B22 230V A55 CL	95.5	56
EcoCl30 105W B22 230V A55 CL	95.5	56
EcoCl30 105W B22 240V A55 CL	95.5	56
EcoCl30 105W B22 240V A55 FR	95.5	56
EcoCl30 105W B22 240V A55 FR	95.5	56
EcoCl30 140W B22 240V A55 FR	95.5	56

## General Characteristics


Order code	Full product name	Bulb	Bulb Finish	Cap-Base	Operating Position	Average Lifetime	Life to 50% failures	Rated Life-time (hours)	Rated Life-time (years)
-	-	A60	Clear	E27	any	-	2000	2000	2
-	-	A60	Clear	B22	any	-	2000	2000	2
925692844219	EcoClassic 42W B22 230V A55 CL 2BC	A55	Clear	B22	any	1500	1500	1500	1.5
925693244201	EcoClassic 28W B22 230V A55 CL 1CT	A55	Clear	B22	any	-	-	2000	2
925693244202	EcoClassic 28W B22 230V A55 CL 1BC	A55	Clear	B22	any	-	-	2000	2
925693244204	EcoClassic 28W B22 230V A55 CL 2BC	A55	Clear	B22	any	-	-	2000	2
925693245501	EcoClassic 28W B22 240V A55 CL 1CT	A55	Clear	B22	any	-	-	2000	2
925693245502	EcoClassic 28W B22 240V A55 CL 1CT	A55	Clear	B22	any	-	-	2000	2
925693344201	EcoClassic 42W B22 230V A55 CL 1CT	A55	Clear	B22	any	-	-	2000	2
925693344202	EcoClassic 42W B22 230V A55 CL 1BC	A55	Clear	B22	any	-	-	2000	2
925693344203	EcoClassic 42W B22 230V A55 CL 2BC	A55	Clear	B22	any	-	-	2000	2
925693345504	EcoClassic 42W B22 240V A55 CL 2CT	A55	Clear	B22	any	-	-	2000	2
925693345505	EcoClassic 42W B22 240V A55 CL 1CT	A55	Clear	B22	any	-	-	2000	2
925693444201	EcoClassic 53W B22 230V A55 CL 1CT	A55	Clear	B22	any	-	-	2000	2
925693444202	EcoClassic 53W B22 230V A55 CL 1BC	A55	Clear	B22	any	-	-	2000	2
925693444204	EcoClassic 53W B22 230V A55 CL 2BC	A55	Clear	B22	any	-	-	2000	2
925693445501	EcoClassic 53W B22 240V A55 CL 1CT	A55	Clear	B22	any	-	-	2000	2
925693445502	EcoClassic 53W B22 240V A55 CL 2CT	A55	Clear	B22	any	-	-	2000	2
925693445504	EcoClassic 53W B22 240V A55 CL 1CT	A55	Clear	B22	any	-	-	2000	2
925694544219	EcoClassic 53W B22 230V A55 CL 2BC	A55	Clear	B22	any	1500	1500	1500	1.5
925700844201	EcoClassic 70W B22 230V A55 CL 1CT	A55	Clear	B22	any	-	-	2000	2
925700844202	EcoClassic 70W B22 230V A55 CL 1BC	A55	Clear	B22	any	-	-	2000	2
925700844203	EcoClassic 70W B22 230V A55 CL 2BC	A55	Clear	B22	any	-	-	2000	2

Order code	Full product name	Bulb	Bulb Finish	Cap-Base	Operating Position	Average Lifetime	Life to 50% failures	Rated Life-time (hours)	Rated Life-time (years)
925700844208	EcoClassic 70W B22 230V A55 CL 1BC	A55	Clear	B22	any	-	-	2000	2
925700845501	EcoClassic 70W B22 240V A55 CL 1CT	A55	Clear	B22	any	-	-	2000	2
925700845502	EcoClassic 70W B22 240V A55 CL 2CT	A55	Clear	B22	any	-	-	2000	2
925700845504	EcoClassic 70W B22 240V A55 CL 1CT	A55	Clear	B22	any	-	-	2000	2
925700845516	EcoClassic 70W B22 240V A55 CL 1CT	A55	Clear	B22	any	-	-	2000	2
925701244201	EcoClassic 105W B22 230V A55 CL 1CT	A55	Clear	B22	any	-	-	2000	2
925701244202	EcoClassic 105W B22 230V A55 CL 1BC	A55	Clear	B22	any	-	-	2000	2
925701244204	EcoClassic 105W B22 230V A55 CL 2BC	A55	Clear	B22	any	-	-	2000	2
925701244208	EcoClassic 105W B22 230V A55 CL 1BC	A55	Clear	B22	any	-	-	2000	2
925701245501	EcoClassic 105W B22 240V A55 CL 1CT	A55	Clear	B22	any	-	-	2000	2
925649444212	EcoClassic 1500h 28W E27 230V A55 CL 3F	A55	Clear	E27	any	-	-	1500	1.5
925649444215	EcoClassic 1500h 28W E27 230V A55 CL 2BC	A55	Clear	E27	any	-	-	1500	1.5
925649544219	EcoClassic 42W E27 230V A55 CL 2BC	A55	Clear	E27	any	-	-	1500	1.5
925692935801	EcoClassic 28W E27 127V A55 CL 1CT	A55	Clear	E27	any	-	1500	-	-
925692944201	EcoClassic 28W E27 230V A55 CL 1CT	A55	Clear	E27	any	-	-	2000	2
925692944202	EcoClassic 28W E27 230V A55 CL 1BC	A55	Clear	E27	any	-	-	2000	2
925692944204	EcoClassic 28W E27 230V A55 CL 1CT	A55	Clear	E27	any	-	-	2000	2
925692944206	EcoClassic 28W E27 230V A55 CL 2BC	A55	Clear	E27	any	-	-	2000	2
925692944208	EcoClassic 28W E27 230V A55 CL 1BC	A55	Clear	E27	any	-	-	2000	2
925692945501	EcoClassic 28W E27 240V A55 CL 1CT	A55	Clear	E27	any	-	-	2000	2
925692945502	EcoClassic 28W E27 240V A55 CL 1CT	A55	Clear	E27	any	-	-	2000	2
925693035801	EcoClassic 42W E27 127V A55 CL 1CT	A55	Clear	E27	any	-	1500	-	-
925693036301	EcoClassic 42W E27 120V A55 CL 1CT	A55	Clear	E27	any	-	2000	-	-
925693044201	EcoClassic 42W E27 230V A55 CL 1CT	A55	Clear	E27	any	-	-	2000	2
925693044202	EcoClassic 42W E27 230V A55 CL 1BC	A55	Clear	E27	any	-	-	2000	2
925693044204	EcoClassic 42W E27 230V A55 CL 2BC	A55	Clear	E27	any	-	-	2000	2
925693044208	EcoClassic 42W E27 230V A55 CL 1BC	A55	Clear	E27	any	-	-	2000	2
925693044213	EcoClassic 42W E27 230V A55 CL 3F	A55	Clear	E27	any	-	-	2000	2
925693045504	EcoClassic 42W E27 240V A55 CL 1CT	A55	Clear	E27	any	-	-	2000	2
925693136301	EcoClassic 53W E27 120V A55 CL 1CT	A55	Clear	E27	any	-	2000	-	-
925693144201	EcoClassic 53W E27 230V A55 CL 1CT	A55	Clear	E27	any	-	-	2000	2
925693144202	EcoClassic 53W E27 230V A55 CL 1BC	A55	Clear	E27	any	-	-	2000	2
925693144206	EcoClassic 53W E27 230V A55 CL 2BC	A55	Clear	E27	any	-	-	2000	2
925693144208	EcoClassic 53W E27 230V A55 CL 1BC	A55	Clear	E27	any	-	-	2000	2
925693145501	EcoClassic 53W E27 240V A55 CL 1CT	A55	Clear	E27	any	-	-	2000	2
925693145502	EcoClassic 53W E27 240V A55 CL 2CT	A55	Clear	E27	any	-	-	2000	2
925693145504	EcoClassic 53W E27 240V A55 CL 1CT	A55	Clear	E27	any	-	-	2000	2
925694444219	EcoClassic 53W E27 230V A55 CL 2BC	A55	Clear	E27	any	-	-	1500	1.5
925699244201	EcoClassic 70W E27 230V A55 CL 1CT	A55	Clear	E27	any	-	-	2000	2
925699244202	EcoClassic 70W E27 230V A55 CL 1BC	A55	Clear	E27	any	-	-	2000	2
925699244204	EcoClassic 70W E27 230V A55 CL 2BC	A55	Clear	E27	any	-	-	2000	2
925699244208	EcoClassic 70W E27 230V A55 CL 1BC	A55	Clear	E27	any	-	-	2000	2
925699245501	EcoClassic 70W E27 240V A55 CL 1CT	A55	Clear	E27	any	-	-	2000	2
925699245502	EcoClassic 70W E27 240V A55 CL 1CT	A55	Clear	E27	any	-	-	2000	2
925699245516	EcoClassic 70W E27 240V A55 CL 1CT	A55	Clear	E27	any	-	-	2000	2
925701044201	EcoClassic 105W E27 230V A55 CL 1CT	A55	Clear	E27	any	-	-	2000	2
925701044202	EcoClassic 105W E27 230V A55 CL 1BC	A55	Clear	E27	any	-	-	2000	2
925701044204	EcoClassic 105W E27 230V A55 CL 2BC	A55	Clear	E27	any	-	-	2000	2


Order code	Full product name	Bulb	Bulb Finish	Cap-Base	Operating Position	Average Lifetime	Life to 50% failures	Rated Life-time (hours)	Rated Life-time (years)
925701044208	EcoClassic 105W E27 230V A55 CL 1BC	A55	Clear	E27	any	-	-	2000	2
925701045501	EcoClassic 105W E27 240V A55 CL 1CT	A55	Clear	E27	any	-	-	2000	2
925701344201	EcoClassic 140W E27 230V A55 CL 1CT	A55	Clear	E27	any	-	-	2000	2
925699336301	EcoClassic 28W E27 120V E50 White 1CT	E50	White	E27	any	-	2000	2000	2
925699436301	EcoClassic 42W E27 120V E50 White 1CT	E50	White	E27	any	-	2000	2000	2
925699536301	EcoClassic 70W E27 120V E50 White 1CT	E50	White	E27	any	-	2000	2000	2
925699235801	EcoClassic 70W E27 127V A55 CL 1CT	A55	Clear	E27	any	-	1500	-	-
925699236301	EcoClassic 70W E27 120V A55 CL 1CT	A55	Clear	E27	any	-	2000	-	-
925694145502	EcoClassic 28W B22 240V A55 FR 1CT	A55	Frosted	B22	any	-	2000	2000	2
925694245502	EcoClassic 42W B22 240V A55 FR 2CT	A55	Frosted	B22	any	-	2000	2000	2
925694245504	EcoClassic 42W B22 240V A55 FR 1CT	A55	Frosted	B22	any	-	2000	2000	2
925694345502	EcoClassic 53W B22 240V A55 FR 2CT	A55	Frosted	B22	any	-	2000	2000	2
925694345504	EcoClassic 53W B22 240V A55 FR 1CT	A55	Frosted	B22	any	-	2000	2000	2
925700945502	EcoClassic 70W B22 240V A55 FR 2CT	A55	Frosted	B22	any	-	2000	2000	2
925700945503	EcoClassic 70W B22 240V A55 FR 1CT	A55	Frosted	B22	any	-	2000	2000	2
925700945504	EcoClassic 70W B22 240V A55 FR 1CT	A55	Frosted	B22	any	-	2000	2000	2
925702745503	EcoClassic 105W B22 240V A55 FR 1CT	A55	Frosted	B22	any	2000	2000	2000	2
925702845503	EcoClassic 140W B22 240V A55 FR 1CT	A55	Frosted	B22	any	2000	2000	2000	2
925693845502	EcoClassic 28W E27 240V A55 FR 1CT	A55	Frosted	E27	any	-	2000	2000	2
925693944201	EcoClassic 42W E27 230V A55 FR 1CT	A55	Frosted	E27	any	-	-	2000	2
925693945501	EcoClassic 42W E27 240V A55 FR 1CT	A55	Frosted	E27	any	-	2000	2000	2
925693945502	EcoClassic 42W E27 240V A55 FR 1CT	A55	Frosted	E27	any	-	2000	2000	2
925694045501	EcoClassic 53W E27 240V A55 FR 1CT	A55	Frosted	E27	any	-	2000	2000	2
925694045502	EcoClassic 53W E27 240V A55 FR 2CT	A55	Frosted	E27	any	-	2000	2000	2
925694045504	EcoClassic 53W E27 240V A55 FR 1CT	A55	Frosted	E27	any	-	2000	2000	2
925700745502	EcoClassic 70W E27 240V A55 FR 1CT	A55	Frosted	E27	any	-	2000	2000	2
925700745503	EcoClassic 70W E27 240V A55 FR 1CT	A55	Frosted	E27	any	-	2000	2000	2
925701144201	EcoClassic 105W E27 230V A55 FR 1CT	A55	Frosted	E27	any	-	2000	2000	2
925700044201	EcoClassic 42W E27 230V G95 CL 1CT	G95	Clear	E27	any	-	-	2000	2




## Installation diagrams



E27



B22



any

## Light Technical Characteristics

Order code	Full product name	Luminous flux lamp	Color Rendering Index	Luminous Efficacy Lamp	Color Temperature	Rated Luminous Flux	LLMF - end nominal lifetime
-	-	630	100	15.0	2800	630	80 (min)
-	-	630	100	15.0	2800	630	80 (min)
925692844219	EcoClassic 42W B22 230V A55 CL 2BC	630	100	15.0	2800	630	80 (min)
925693244201	EcoClassic 28W B22 230V A55 CL 1CT	346	100	12.4	2800	346	80 (min)
925693244202	EcoClassic 28W B22 230V A55 CL 1BC	346	100	12.4	2800	346	80 (min)
925693244204	EcoClassic 28W B22 230V A55 CL 2BC	346	100	12.4	2800	346	80 (min)
925693245501	EcoClassic 28W B22 240V A55 CL 1CT	346	100	12.4	2800	346	80 (min)
925693245502	EcoClassic 28W B22 240V A55 CL 1CT	346	100	12.4	2800	346	80 (min)
925693344201	EcoClassic 42W B22 230V A55 CL 1CT	630	100	15.0	2800	630	80 (min)
925693344202	EcoClassic 42W B22 230V A55 CL 1BC	630	100	15.0	2800	630	80 (min)
925693344203	EcoClassic 42W B22 230V A55 CL 2BC	630	100	15.0	2800	630	80 (min)
925693345504	EcoClassic 42W B22 240V A55 CL 2CT	630	100	15.0	2800	630	80 (min)
925693345505	EcoClassic 42W B22 240V A55 CL 1CT	630	100	15.0	2800	630	80 (min)

Order code	Full product name	Luminous flux lamp	Color Rendering Index	Luminous Efficacy Lamp	Color Temperature	Rated Luminous Flux	LLMF - end nominal lifetime
925693444201	EcoClassic 53W B22 230V A55 CL 1CT	850	100	16.0	2800	850	80 (min)
925693444202	EcoClassic 53W B22 230V A55 CL 1BC	850	100	16.0	2800	850	80 (min)
925693444204	EcoClassic 53W B22 230V A55 CL 2BC	850	100	16.0	2800	850	80 (min)
925693445501	EcoClassic 53W B22 240V A55 CL 1CT	850	100	16.0	2800	850	80 (min)
925693445502	EcoClassic 53W B22 240V A55 CL 2CT	850	100	16.0	2800	850	80 (min)
925693445504	EcoClassic 53W B22 240V A55 CL 1CT	850	100	16.0	2800	850	80 (min)
925694544219	EcoClassic 53W B22 230V A55 CL 2BC	850	100	16.0	2800	850	80 (min)
925700844201	EcoClassic 70W B22 230V A55 CL 1CT	1200	100	17.1	2800	1200	80 (min)
925700844202	EcoClassic 70W B22 230V A55 CL 1BC	1200	100	17.1	2800	1200	80 (min)
925700844203	EcoClassic 70W B22 230V A55 CL 2BC	1200	100	17.1	2800	1200	80 (min)
925700844208	EcoClassic 70W B22 230V A55 CL 1BC	1200	100	17.1	2800	1200	80 (min)
925700845501	EcoClassic 70W B22 240V A55 CL 1CT	1200	100	17.1	2800	1200	80 (min)
925700845502	EcoClassic 70W B22 240V A55 CL 2CT	1200	100	17.1	2800	1200	80 (min)
925700845504	EcoClassic 70W B22 240V A55 CL 1CT	1200	100	17.1	2800	1200	80 (min)
925700845516	EcoClassic 70W B22 240V A55 CL 1CT	1200	100	17.1	2800	1200	80 (min)
925701244201	EcoClassic 105W B22 230V A55 CL 1CT	1980	100	18.9	2800	1980	80 (min)
925701244202	EcoClassic 105W B22 230V A55 CL 1BC	1980	100	18.9	2800	1980	80 (min)
925701244204	EcoClassic 105W B22 230V A55 CL 2BC	1980	100	18.9	2800	1980	80 (min)
925701244208	EcoClassic 105W B22 230V A55 CL 1BC	1980	100	18.9	2800	1980	80 (min)
925701245501	EcoClassic 105W B22 240V A55 CL 1CT	1980	100	18.9	2800	1980	80 (min)
925649444212	EcoClassic 1500h 28W E27 230V A55 CL 3F	346	100	12.4	2800	346	80 (min)
925649444215	EcoClassic 1500h 28W E27 230V A55 CL 2BC	346	100	12.4	2800	346	80 (min)
925649544219	EcoClassic 42W E27 230V A55 CL 2BC	630	100	15.0	2800	630	80 (min)
925692935801	EcoClassic 28W E27 127V A55 CL 1CT	400	-	-	-	-	-
925692944201	EcoClassic 28W E27 230V A55 CL 1CT	346	100	12.4	2800	346	80 (min)
925692944202	EcoClassic 28W E27 230V A55 CL 1BC	346	100	12.4	2800	346	80 (min)
925692944204	EcoClassic 28W E27 230V A55 CL 1CT	346	100	12.4	2800	346	80 (min)
925692944206	EcoClassic 28W E27 230V A55 CL 2BC	346	100	12.4	2800	346	80 (min)
925692944208	EcoClassic 28W E27 230V A55 CL 1BC	346	100	12.4	2800	346	80 (min)
925692945501	EcoClassic 28W E27 240V A55 CL 1CT	346	100	12.4	2800	346	80 (min)
925692945502	EcoClassic 28W E27 240V A55 CL 1CT	346	100	12.4	2800	346	80 (min)
925693035801	EcoClassic 42W E27 127V A55 CL 1CT	730	-	-	-	-	-
925693036301	EcoClassic 42W E27 120V A55 CL 1CT	730	-	-	-	-	-
925693044201	EcoClassic 42W E27 230V A55 CL 1CT	630	100	15.0	2800	630	80 (min)
925693044202	EcoClassic 42W E27 230V A55 CL 1BC	630	100	15.0	2800	630	80 (min)
925693044204	EcoClassic 42W E27 230V A55 CL 2BC	630	100	15.0	2800	630	80 (min)
925693044208	EcoClassic 42W E27 230V A55 CL 1BC	630	100	15.0	2800	630	80 (min)
925693044213	EcoClassic 42W E27 230V A55 CL 3F	630	100	15.0	2800	630	80 (min)
925693045504	EcoClassic 42W E27 240V A55 CL 1CT	630	100	15.0	2800	630	80 (min)
925693136301	EcoClassic 53W E27 120V A55 CL 1CT	1000	-	-	-	-	-
925693144201	EcoClassic 53W E27 230V A55 CL 1CT	850	100	16.0	2800	850	80 (min)
925693144202	EcoClassic 53W E27 230V A55 CL 1BC	850	100	16.0	2800	850	80 (min)
925693144206	EcoClassic 53W E27 230V A55 CL 2BC	850	100	16.0	2800	850	80 (min)
925693144208	EcoClassic 53W E27 230V A55 CL 1BC	850	100	16.0	2800	850	80 (min)
925693145501	EcoClassic 53W E27 240V A55 CL 1CT	850	100	16.0	2800	850	80 (min)
925693145502	EcoClassic 53W E27 240V A55 CL 2CT	850	100	16.0	2800	850	80 (min)
925693145504	EcoClassic 53W E27 240V A55 CL 1CT	850	100	16.0	2800	850	80 (min)
925694444219	EcoClassic 53W E27 230V A55 CL 2BC	850	100	16.0	2800	850	80 (min)

Order code	Full product name	Luminous flux lamp	Color Rendering Index	Luminous Efficacy Lamp	Color Temperature	Rated Luminous Flux	LLMF - end nominal lifetime
925699244201	EcoClassic 70W E27 230V A55 CL 1CT	1200	100	17.1	2800	1200	80 (min)
925699244202	EcoClassic 70W E27 230V A55 CL 1BC	1200	100	17.1	2800	1200	80 (min)
925699244204	EcoClassic 70W E27 230V A55 CL 2BC	1200	100	17.1	2800	1200	80 (min)
925699244208	EcoClassic 70W E27 230V A55 CL 1BC	1200	100	17.1	2800	1200	80 (min)
925699245501	EcoClassic 70W E27 240V A55 CL 1CT	1200	100	17.1	2800	1200	80 (min)
925699245502	EcoClassic 70W E27 240V A55 CL 1CT	1200	100	17.1	2800	1200	80 (min)
925699245516	EcoClassic 70W E27 240V A55 CL 1CT	1200	100	17.1	2800	1200	80 (min)
925701044201	EcoClassic 105W E27 230V A55 CL 1CT	1980	100	18.9	2800	1980	80 (min)
925701044202	EcoClassic 105W E27 230V A55 CL 1BC	1980	100	18.9	2800	1980	80 (min)
925701044204	EcoClassic 105W E27 230V A55 CL 2BC	1980	100	18.9	2800	1980	80 (min)
925701044208	EcoClassic 105W E27 230V A55 CL 1BC	1980	100	18.9	2800	1980	80 (min)
925701045501	EcoClassic 105W E27 240V A55 CL 1CT	1980	100	18.9	2800	1980	80 (min)
925701344201	EcoClassic 140W E27 230V A55 CL 1CT	2840	100	20.3	2800	2840	80 (min)
925699336301	EcoClassic 28W E27 120V E50 White 1CT	350	100	-	2800	-	-
925699436301	EcoClassic 42W E27 120V E50 White 1CT	640	100	-	2800	-	-
925699536301	EcoClassic 70W E27 120V E50 White 1CT	1180	100	-	2800	-	-
925699235801	EcoClassic 70W E27 127V A55 CL 1CT	1350	-	-	-	-	-
925699236301	EcoClassic 70W E27 120V A55 CL 1CT	1350	-	-	-	-	-
925694145502	EcoClassic 28W B22 240V A55 FR 1CT	346	100	12.4	2800	346	80 (min)
925694245502	EcoClassic 42W B22 240V A55 FR 2CT	630	100	15.0	2800	630	80 (min)
925694245504	EcoClassic 42W B22 240V A55 FR 1CT	630	100	15.0	2800	630	80 (min)
925694345502	EcoClassic 53W B22 240V A55 FR 2CT	850	100	16.0	2800	850	80 (min)
925694345504	EcoClassic 53W B22 240V A55 FR 1CT	850	100	16.0	2800	850	80 (min)
925700945502	EcoClassic 70W B22 240V A55 FR 2CT	1200	100	17.1	2800	1200	80 (min)
925700945503	EcoClassic 70W B22 240V A55 FR 1CT	1200	100	17.1	2800	1200	80 (min)
925700945504	EcoClassic 70W B22 240V A55 FR 1CT	1200	100	17.1	2800	1200	80 (min)
925702745503	EcoClassic 105W B22 240V A55 FR 1CT	1980	100	18.9	2800	1980	80 (min)
925702845503	EcoClassic 140W B22 240V A55 FR 1CT	2840	100	20.3	2800	2840	80 (min)
925693845502	EcoClassic 28W E27 240V A55 FR 1CT	346	100	12.4	2800	346	80 (min)
925693944201	EcoClassic 42W E27 230V A55 FR 1CT	630	100	15.0	2800	630	80 (min)
925693945501	EcoClassic 42W E27 240V A55 FR 1CT	630	100	15.0	2800	630	80 (min)
925693945502	EcoClassic 42W E27 240V A55 FR 1CT	630	100	15.0	2800	630	80 (min)
925694045501	EcoClassic 53W E27 240V A55 FR 1CT	850	100	16.0	2800	850	80 (min)
925694045502	EcoClassic 53W E27 240V A55 FR 2CT	850	100	16.0	2800	850	80 (min)
925694045504	EcoClassic 53W E27 240V A55 FR 1CT	850	100	16.0	2800	850	80 (min)
925700745502	EcoClassic 70W E27 240V A55 FR 1CT	1200	100	17.1	2800	1200	80 (min)
925700745503	EcoClassic 70W E27 240V A55 FR 1CT	1200	100	17.1	2800	1200	80 (min)
925701144201	EcoClassic 105W E27 230V A55 FR 1CT	1980	100	18.9	2800	1980	80 (min)
925700044201	EcoClassic 42W E27 230V G95 CL 1CT	630	100	15.0	2800	630	80 (min)

## Electrical Characteristics

Order code	Full product name	Voltage	Lamp Wattage	Lamp Current	Dimmable	Wattage Equivalent	Rated Wattage	Starting Time	Warm-up Time to 60% Light Outp
-	-	240	42	0.18	Yes	55	42	0.1 (max)	instant full light
-	-	240	42	0.18	Yes	55	42	0.01 (max)	instant full light

Order code	Full product name	Voltage	Lamp Wattage	Lamp Current	Dimmable	Wattage Equivalent	Rated Wattage	Starting Time	Warm-up Time to 60% Light Outp
925692844219	EcoClassic 42W B22 230V A55 CL 2BC	230	42	0.18	Yes	55	42	0.01 (max)	instant full light
925693244201	EcoClassic 28W B22 230V A55 CL 1CT	230	28	0.12	Yes	35	28	0.01 (max)	instant full light
925693244202	EcoClassic 28W B22 230V A55 CL 1BC	230	28	0.12	Yes	35	28	0.01 (max)	instant full light
925693244204	EcoClassic 28W B22 230V A55 CL 2BC	230	28	0.12	Yes	35	28	0.01 (max)	instant full light
925693245501	EcoClassic 28W B22 240V A55 CL 1CT	240	28	0.12	Yes	35	28	0.01 (max)	instant full light
925693245502	EcoClassic 28W B22 240V A55 CL 1CT	240	28	0.12	Yes	35	28	0.01 (max)	instant full light
925693344201	EcoClassic 42W B22 230V A55 CL 1CT	230	42	0.18	Yes	55	42	0.01 (max)	instant full light
925693344202	EcoClassic 42W B22 230V A55 CL 1BC	230	42	0.18	Yes	55	42	0.01 (max)	instant full light
925693344203	EcoClassic 42W B22 230V A55 CL 2BC	230	42	0.18	Yes	55	42	0.01 (max)	instant full light
925693345504	EcoClassic 42W B22 240V A55 CL 2CT	240	42	0.18	Yes	55	42	0.01 (max)	instant full light
925693345505	EcoClassic 42W B22 240V A55 CL 1CT	240	42	0.18	Yes	55	42	0.01 (max)	instant full light
925693444201	EcoClassic 53W B22 230V A55 CL 1CT	230	53	0.23	Yes	70	53	0.01 (max)	instant full light
925693444202	EcoClassic 53W B22 230V A55 CL 1BC	230	53	0.23	Yes	70	53	0.01 (max)	instant full light
925693444204	EcoClassic 53W B22 230V A55 CL 2BC	230	53	0.23	Yes	70	53	0.01 (max)	instant full light
925693445501	EcoClassic 53W B22 240V A55 CL 1CT	240	53	0.22	Yes	70	53	0.01 (max)	instant full light
925693445502	EcoClassic 53W B22 240V A55 CL 2CT	240	53	0.22	Yes	70	53	0.01 (max)	instant full light
925693445504	EcoClassic 53W B22 240V A55 CL 1CT	240	53	0.22	Yes	70	53	0.01 (max)	instant full light
925694544219	EcoClassic 53W B22 230V A55 CL 2BC	230	53	0.23	Yes	70	53	0.01 (max)	instant full light
925700844201	EcoClassic 70W B22 230V A55 CL 1CT	230	70	0.30	Yes	92	70	0.01 (max)	instant full light
925700844202	EcoClassic 70W B22 230V A55 CL 1BC	230	70	0.30	Yes	92	70	0.01 (max)	instant full light
925700844203	EcoClassic 70W B22 230V A55 CL 2BC	230	70	0.30	Yes	92	70	0.01 (max)	instant full light
925700844208	EcoClassic 70W B22 230V A55 CL 1BC	230	70	0.30	Yes	92	70	0.01 (max)	instant full light
925700845501	EcoClassic 70W B22 240V A55 CL 1CT	240	70	0.29	Yes	92	70	0.01 (max)	instant full light
925700845502	EcoClassic 70W B22 240V A55 CL 2CT	240	70	0.29	Yes	92	70	0.01 (max)	instant full light
925700845504	EcoClassic 70W B22 240V A55 CL 1CT	240	70	0.29	Yes	92	70	0.01 (max)	instant full light
925700845516	EcoClassic 70W B22 240V A55 CL 1CT	240	70	0.29	Yes	92	70	0.01 (max)	instant full light
925701244201	EcoClassic 105W B22 230V A55 CL 1CT	230	105	0.46	Yes	140	105	0.01 (max)	instant full light
925701244202	EcoClassic 105W B22 230V A55 CL 1BC	230	105	0.46	Yes	140	105	0.01 (max)	instant full light

Order code	Full product name	Voltage	Lamp Wattage	Lamp Current	Dimmable	Wattage Equivalent	Rated Wattage	Starting Time	Warm-up Time to 60% Light Outp
925701244204	EcoClassic 105W B22 230V A55 CL 2BC	230	105	0.46	Yes	140	105	0.01 (max)	instant full light
925701244208	EcoClassic 105W B22 230V A55 CL 1BC	230	105	0.46	Yes	140	105	0.01 (max)	instant full light
925701245501	EcoClassic 105W B22 240V A55 CL 1CT	240	105	0.44	Yes	140	105	0.01 (max)	instant full light
925649444212	EcoClassic 1500h 28W E27 230V A55 CL 3F	230	28	0.12	Yes	35	28	0.01 (max)	instant full light
925649444215	EcoClassic 1500h 28W E27 230V A55 CL 2BC	230	28	0.12	Yes	35	28	0.01 (max)	instant full light
925649544219	EcoClassic 42W E27 230V A55 CL 2BC	230	42	0.18	Yes	55	42	0.01 (max)	instant full light
925692935801	EcoClassic 28W E27 127V A55 CL 1CT	127	28	-	-	-	-	-	-
925692944201	EcoClassic 28W E27 230V A55 CL 1CT	230	28	0.12	Yes	35	28	0.01 (max)	instant full light
925692944202	EcoClassic 28W E27 230V A55 CL 1BC	230	28	0.12	Yes	35	28	0.01 (max)	instant full light
925692944204	EcoClassic 28W E27 230V A55 CL 1CT	230	28	0.12	Yes	35	28	0.01 (max)	instant full light
925692944206	EcoClassic 28W E27 230V A55 CL 2BC	230	28	0.12	Yes	35	28	0.01 (max)	instant full light
925692944208	EcoClassic 28W E27 230V A55 CL 1BC	230	28	0.12	Yes	35	28	0.01 (max)	instant full light
925692945501	EcoClassic 28W E27 240V A55 CL 1CT	240	28	0.12	Yes	35	28	0.01 (max)	instant full light
925692945502	EcoClassic 28W E27 240V A55 CL 1CT	240	28	0.12	Yes	35	28	0.01 (max)	instant full light
925693035801	EcoClassic 42W E27 127V A55 CL 1CT	127	42	-	-	-	-	-	-
925693036301	EcoClassic 42W E27 120V A55 CL 1CT	120	42	-	-	-	-	-	-
925693044201	EcoClassic 42W E27 230V A55 CL 1CT	230	42	0.18	Yes	55	42	0.01 (max)	instant full light
925693044202	EcoClassic 42W E27 230V A55 CL 1BC	230	42	0.18	Yes	55	42	0.01 (max)	instant full light
925693044204	EcoClassic 42W E27 230V A55 CL 2BC	230	42	0.18	Yes	55	42	0.01 (max)	instant full light
925693044208	EcoClassic 42W E27 230V A55 CL 1BC	230	42	0.18	Yes	55	42	0.01 (max)	instant full light
925693044213	EcoClassic 42W E27 230V A55 CL 3F	230	42	0.18	Yes	55	42	0.01 (max)	instant full light
925693045504	EcoClassic 42W E27 240V A55 CL 1CT	240	42	0.18	Yes	55	42	0.01 (max)	instant full light
925693136301	EcoClassic 53W E27 120V A55 CL 1CT	120	53	-	-	-	-	-	-
925693144201	EcoClassic 53W E27 230V A55 CL 1CT	230	53	0.23	Yes	70	53	0.01 (max)	instant full light
925693144202	EcoClassic 53W E27 230V A55 CL 1BC	230	53	0.23	Yes	70	53	0.01 (max)	instant full light
925693144206	EcoClassic 53W E27 230V A55 CL 2BC	230	53	0.23	Yes	70	53	0.01 (max)	instant full light
925693144208	EcoClassic 53W E27 230V A55 CL 1BC	230	53	0.23	Yes	70	53	0.01 (max)	instant full light
925693145501	EcoClassic 53W E27 240V A55 CL 1CT	240	53	0.22	Yes	70	53	0.01 (max)	instant full light

Order code	Full product name	Voltage	Lamp Wattage	Lamp Current	Dimmable	Wattage Equivalent	Rated Wattage	Starting Time	Warm-up Time to 60% Light Outp
925693145502	EcoClassic 53W E27 240V A55 CL 2CT	240	53	0.22	Yes	70	53	0.01 (max)	instant full light
925693145504	EcoClassic 53W E27 240V A55 CL 1CT	240	53	0.22	Yes	70	53	0.01 (max)	instant full light
925694444219	EcoClassic 53W E27 230V A55 CL 2BC	230	53	0.23	Yes	70	53	0.01 (max)	instant full light
925699244201	EcoClassic 70W E27 230V A55 CL 1CT	230	70	0.30	Yes	92	70	0.01 (max)	instant full light
925699244202	EcoClassic 70W E27 230V A55 CL 1BC	230	70	0.30	Yes	92	70	0.01 (max)	instant full light
925699244204	EcoClassic 70W E27 230V A55 CL 2BC	230	70	0.30	Yes	92	70	0.01 (max)	instant full light
925699244208	EcoClassic 70W E27 230V A55 CL 1BC	230	70	0.30	Yes	92	70	0.01 (max)	instant full light
925699245501	EcoClassic 70W E27 240V A55 CL 1CT	240	70	0.29	Yes	92	70	0.01 (max)	instant full light
925699245502	EcoClassic 70W E27 240V A55 CL 1CT	240	70	0.29	Yes	92	70	0.01 (max)	instant full light
925699245516	EcoClassic 70W E27 240V A55 CL 1CT	240	70	0.29	Yes	92	70	0.01 (max)	instant full light
925701044201	EcoClassic 105W E27 230V A55 CL 1CT	230	105	0.46	Yes	140	105	0.01 (max)	instant full light
925701044202	EcoClassic 105W E27 230V A55 CL 1BC	230	105	0.46	Yes	140	105	0.01 (max)	instant full light
925701044204	EcoClassic 105W E27 230V A55 CL 2BC	230	105	0.46	Yes	140	105	0.01 (max)	instant full light
925701044208	EcoClassic 105W E27 230V A55 CL 1BC	230	105	0.46	Yes	140	105	0.01 (max)	instant full light
925701045501	EcoClassic 105W E27 240V A55 CL 1CT	240	105	0.44	Yes	140	105	0.01 (max)	instant full light
925701344201	EcoClassic 140W E27 230V A55 CL 1CT	230	140	0.61	Yes	190	140	0.01 (max)	instant full light
925699336301	EcoClassic 28W E27 120V E50 White 1CT	120	28	0.23	-	-	28	-	-
925699436301	EcoClassic 42W E27 120V E50 White 1CT	120	42	0.35	-	-	42	-	-
925699536301	EcoClassic 70W E27 120V E50 White 1CT	120	70	0.58	-	-	70	-	-
925699235801	EcoClassic 70W E27 127V A55 CL 1CT	127	70	-	-	-	-	-	-
925699236301	EcoClassic 70W E27 120V A55 CL 1CT	120	70	-	-	-	-	-	-
925694145502	EcoClassic 28W B22 240V A55 FR 1CT	240	28	0.12	Yes	35	28	0.01 (max)	instant full light
925694245502	EcoClassic 42W B22 240V A55 FR 2CT	240	42	0.18	Yes	55	42	0.01 (max)	instant full light
925694245504	EcoClassic 42W B22 240V A55 FR 1CT	240	42	0.18	Yes	55	42	0.01 (max)	instant full light
925694345502	EcoClassic 53W B22 240V A55 FR 2CT	240	53	0.22	Yes	70	53	0.01 (max)	instant full light
925694345504	EcoClassic 53W B22 240V A55 FR 1CT	240	53	0.22	Yes	70	53	0.01 (max)	instant full light
925700945502	EcoClassic 70W B22 240V A55 FR 2CT	240	70	0.29	Yes	92	70	0.01 (max)	instant full light
925700945503	EcoClassic 70W B22 240V A55 FR 1CT	240	70	0.29	Yes	92	70	0.01 (max)	instant full light

Order code	Full product name	Voltage	Lamp Wattage	Lamp Current	Dimmable	Wattage Equivalent	Rated Wattage	Starting Time	Warm-up Time to 60% Light Outp
925700945504	EcoClassic 70W B22 240V A55 FR 1CT	240	70	0.29	Yes	92	70	0.01 (max)	instant full light
925702745503	EcoClassic 105W B22 240V A55 FR 1CT	240	105	0.44	Yes	140	105	0.01 (max)	instant full light
925702845503	EcoClassic 140W B22 240V A55 FR 1CT	240	140	0.58	Yes	190	140	0.01 (max)	instant full light
925693845502	EcoClassic 28W E27 240V A55 FR 1CT	240	28	0.12	Yes	35	28	0.01 (max)	instant full light
925693944201	EcoClassic 42W E27 230V A55 FR 1CT	230	42	0.18	Yes	55	42	0.01 (max)	instant full light
925693945501	EcoClassic 42W E27 240V A55 FR 1CT	240	42	0.18	Yes	55	42	0.01 (max)	instant full light
925693945502	EcoClassic 42W E27 240V A55 FR 1CT	240	42	0.18	Yes	55	42	0.01 (max)	instant full light
925694045501	EcoClassic 53W E27 240V A55 FR 1CT	240	53	0.22	Yes	70	53	0.01 (max)	instant full light
925694045502	EcoClassic 53W E27 240V A55 FR 2CT	240	53	0.22	Yes	70	53	0.01 (max)	instant full light
925694045504	EcoClassic 53W E27 240V A55 FR 1CT	240	53	0.22	Yes	70	53	0.01 (max)	instant full light
925700745502	EcoClassic 70W E27 240V A55 FR 1CT	240	70	0.29	Yes	92	70	0.01 (max)	instant full light
925700745503	EcoClassic 70W E27 240V A55 FR 1CT	240	70	0.29	Yes	92	70	0.01 (max)	instant full light
925701144201	EcoClassic 105W E27 230V A55 FR 1CT	230	105	0.46	Yes	140	105	0.01 (max)	instant full light
925700044201	EcoClassic 42W E27 230V G95 CL 1CT	230	42	0.18	Yes	55	42	0.01 (max)	instant full light

## Environmental Characteristics

Order code	Full product name	Energy Efficiency Label (EEL)	Mercury (Hg) Content
-	-	C	0.0
-	-	C	0.0
925692844219	EcoClassic 42W B22 230V A55 CL 2BC	C	0.0
925693244201	EcoClassic 28W B22 230V A55 CL 1CT	D	0.0
925693244202	EcoClassic 28W B22 230V A55 CL 1BC	D	0.0
925693244204	EcoClassic 28W B22 230V A55 CL 2BC	D	0.0
925693245501	EcoClassic 28W B22 240V A55 CL 1CT	D	0.0
925693245502	EcoClassic 28W B22 240V A55 CL 1CT	D	0.0
925693344201	EcoClassic 42W B22 230V A55 CL 1CT	C	0.0
925693344202	EcoClassic 42W B22 230V A55 CL 1BC	C	0.0
925693344203	EcoClassic 42W B22 230V A55 CL 2BC	C	0.0
925693345504	EcoClassic 42W B22 240V A55 CL 2CT	C	0.0
925693345505	EcoClassic 42W B22 240V A55 CL 1CT	C	0.0
925693444201	EcoClassic 53W B22 230V A55 CL 1CT	C	0.0
925693444202	EcoClassic 53W B22 230V A55 CL 1BC	C	0.0
925693444204	EcoClassic 53W B22 230V A55 CL 2BC	C	0.0
925693445501	EcoClassic 53W B22 240V A55 CL 1CT	C	0.0
925693445502	EcoClassic 53W B22 240V A55 CL 2CT	C	0.0

Order code	Full product name	Energy Efficiency Label (EEL)	Mercury (Hg) Content
925693445504	EcoClassic 53W B22 240V A55 CL 1CT	C	0.0
925694544219	EcoClassic 53W B22 230V A55 CL 2BC	C	0.0
925700844201	EcoClassic 70W B22 230V A55 CL 1CT	C	0.0
925700844202	EcoClassic 70W B22 230V A55 CL 1BC	C	0.0
925700844203	EcoClassic 70W B22 230V A55 CL 2BC	C	0.0
925700844208	EcoClassic 70W B22 230V A55 CL 1BC	C	0.0
925700845501	EcoClassic 70W B22 240V A55 CL 1CT	C	0.0
925700845502	EcoClassic 70W B22 240V A55 CL 2CT	C	0.0
925700845504	EcoClassic 70W B22 240V A55 CL 1CT	C	0.0
925700845516	EcoClassic 70W B22 240V A55 CL 1CT	C	0.0
925701244201	EcoClassic 105W B22 230V A55 CL 1CT	C	0.0
925701244202	EcoClassic 105W B22 230V A55 CL 1BC	C	0.0
925701244204	EcoClassic 105W B22 230V A55 CL 2BC	C	0.0
925701244208	EcoClassic 105W B22 230V A55 CL 1BC	C	0.0
925701245501	EcoClassic 105W B22 240V A55 CL 1CT	C	0.0
925649444212	EcoClassic 1500h 28W E27 230V A55 CL 3F	D	0.0
925649444215	EcoClassic 1500h 28W E27 230V A55 CL 2BC	D	0.0

Order code	Full product name	Energy Efficiency Label (EEL)	Mercury (Hg) Content
925649544219	EcoClassic 42W E27 230V A55 CL 2BC	C	0.0
925692944201	EcoClassic 28W E27 230V A55 CL 1CT	D	0.0
925692944202	EcoClassic 28W E27 230V A55 CL 1BC	D	0.0
925692944204	EcoClassic 28W E27 230V A55 CL 1CT	D	0.0
925692944206	EcoClassic 28W E27 230V A55 CL 2BC	D	0.0
925692944208	EcoClassic 28W E27 230V A55 CL 1BC	D	0.0
925692945501	EcoClassic 28W E27 240V A55 CL 1CT	D	0.0
925692945502	EcoClassic 28W E27 240V A55 CL 1CT	D	0.0
925693044201	EcoClassic 42W E27 230V A55 CL 1CT	C	0.0
925693044202	EcoClassic 42W E27 230V A55 CL 1BC	C	0.0
925693044204	EcoClassic 42W E27 230V A55 CL 2BC	C	0.0
925693044208	EcoClassic 42W E27 230V A55 CL 1BC	C	0.0
925693044213	EcoClassic 42W E27 230V A55 CL 3F	C	0.0
925693045504	EcoClassic 42W E27 240V A55 CL 1CT	C	0.0
925693144201	EcoClassic 53W E27 230V A55 CL 1CT	C	0.0
925693144202	EcoClassic 53W E27 230V A55 CL 1BC	C	0.0
925693144206	EcoClassic 53W E27 230V A55 CL 2BC	C	0.0
925693144208	EcoClassic 53W E27 230V A55 CL 1BC	C	0.0
925693145501	EcoClassic 53W E27 240V A55 CL 1CT	C	0.0
925693145502	EcoClassic 53W E27 240V A55 CL 2CT	C	0.0
925693145504	EcoClassic 53W E27 240V A55 CL 1CT	C	0.0
925694444219	EcoClassic 53W E27 230V A55 CL 2BC	C	0.0
925699244201	EcoClassic 70W E27 230V A55 CL 1CT	C	0.0
925699244202	EcoClassic 70W E27 230V A55 CL 1BC	C	0.0
925699244204	EcoClassic 70W E27 230V A55 CL 2BC	C	0.0
925699244208	EcoClassic 70W E27 230V A55 CL 1BC	C	0.0
925699245501	EcoClassic 70W E27 240V A55 CL 1CT	C	0.0
925699245502	EcoClassic 70W E27 240V A55 CL 1CT	C	0.0
925699245516	EcoClassic 70W E27 240V A55 CL 1CT	C	0.0
925701044201	EcoClassic 105W E27 230V A55 CL 1CT	C	0.0
925701044202	EcoClassic 105W E27 230V A55 CL 1BC	C	0.0
925701044204	EcoClassic 105W E27 230V A55 CL 2BC	C	0.0
925701044208	EcoClassic 105W E27 230V A55 CL 1BC	C	0.0
925701045501	EcoClassic 105W E27 240V A55 CL 1CT	C	0.0
925701344201	EcoClassic 140W E27 230V A55 CL 1CT	C	0.0
925699336301	EcoClassic 28W E27 120V E50 White 1CT	D	0.0
925699436301	EcoClassic 42W E27 120V E50 White 1CT	C	0.0
925699536301	EcoClassic 70W E27 120V E50 White 1CT	C	0.0
925694145502	EcoClassic 28W B22 240V A55 FR 1CT	D	0.0
925694245502	EcoClassic 42W B22 240V A55 FR 2CT	C	0.0
925694245504	EcoClassic 42W B22 240V A55 FR 1CT	C	0.0
925694345502	EcoClassic 53W B22 240V A55 FR 2CT	C	0.0
925694345504	EcoClassic 53W B22 240V A55 FR 1CT	C	0.0
925700945502	EcoClassic 70W B22 240V A55 FR 2CT	C	0.0
925700945503	EcoClassic 70W B22 240V A55 FR 1CT	C	0.0
925700945504	EcoClassic 70W B22 240V A55 FR 1CT	C	0.0

Order code	Full product name	Energy Efficiency Label (EEL)	Mercury (Hg) Content
925702745503	EcoClassic 105W B22 240V A55 FR 1CT	C	0.0
925702845503	EcoClassic 140W B22 240V A55 FR 1CT	C	0.0
925693845502	EcoClassic 28W E27 240V A55 FR 1CT	D	0.0
925693944201	EcoClassic 42W E27 230V A55 FR 1CT	C	0.0
925693945501	EcoClassic 42W E27 240V A55 FR 1CT	C	0.0
925693945502	EcoClassic 42W E27 240V A55 FR 1CT	C	0.0
925694045501	EcoClassic 53W E27 240V A55 FR 1CT	C	0.0
925694045502	EcoClassic 53W E27 240V A55 FR 2CT	C	0.0
925694045504	EcoClassic 53W E27 240V A55 FR 1CT	C	0.0
925700745502	EcoClassic 70W E27 240V A55 FR 1CT	C	0.0
925700745503	EcoClassic 70W E27 240V A55 FR 1CT	C	0.0
925701144201	EcoClassic 105W E27 230V A55 FR 1CT	C	0.0
925700044201	EcoClassic 42W E27 230V G95 CL 1CT	C	0.0

## Measuring Conditions

Order code	Full product name	Switching cycle
-	-	8000X
-	-	8000X
925692844219	EcoClassic 42W B22 230V A55 CL 2BC	6000X
925693244201	EcoClassic 28W B22 230V A55 CL 1CT	8000X
925693244202	EcoClassic 28W B22 230V A55 CL 1BC	8000X
925693244204	EcoClassic 28W B22 230V A55 CL 2BC	8000X
925693245501	EcoClassic 28W B22 240V A55 CL 1CT	8000X
925693245502	EcoClassic 28W B22 240V A55 CL 1CT	8000X
925693344201	EcoClassic 42W B22 230V A55 CL 1CT	8000X
925693344202	EcoClassic 42W B22 230V A55 CL 1BC	8000X
925693344203	EcoClassic 42W B22 230V A55 CL 2BC	8000X
925693345504	EcoClassic 42W B22 240V A55 CL 2CT	8000X
925693345505	EcoClassic 42W B22 240V A55 CL 1CT	8000X
925693444201	EcoClassic 53W B22 230V A55 CL 1CT	8000X
925693444202	EcoClassic 53W B22 230V A55 CL 1BC	8000X
925693444204	EcoClassic 53W B22 230V A55 CL 2BC	8000X
925693445501	EcoClassic 53W B22 240V A55 CL 1CT	8000X
925693445502	EcoClassic 53W B22 240V A55 CL 2CT	8000X
925694544219	EcoClassic 53W B22 230V A55 CL 2BC	6000X
925700844201	EcoClassic 70W B22 230V A55 CL 1CT	8000X
925700844202	EcoClassic 70W B22 230V A55 CL 1BC	8000X
925700844203	EcoClassic 70W B22 230V A55 CL 2BC	8000X
925700844208	EcoClassic 70W B22 230V A55 CL 1BC	8000X
925700845501	EcoClassic 70W B22 240V A55 CL 1CT	8000X
925700845502	EcoClassic 70W B22 240V A55 CL 2CT	8000X
925700845504	EcoClassic 70W B22 240V A55 CL 1CT	8000X
925700845516	EcoClassic 70W B22 240V A55 CL 1CT	8000X
925701244201	EcoClassic 105W B22 230V A55 CL 1CT	8000X
925701244202	EcoClassic 105W B22 230V A55 CL 1BC	8000X



Order code	Full product name	Switching cycle
925701244204	EcoClassic 105W B22 230V A55 CL 2BC	8000X
925701244208	EcoClassic 105W B22 230V A55 CL 1BC	8000X
925701245501	EcoClassic 105W B22 240V A55 CL 1CT	8000X
925649444212	EcoClassic 1500h 28W E27 230V A55 CL 3F	8000X
925649444215	EcoClassic 1500h 28W E27 230V A55 CL 2BC	8000X
925649544219	EcoClassic 42W E27 230V A55 CL 2BC	8000X
925692944201	EcoClassic 28W E27 230V A55 CL 1CT	8000X
925692944202	EcoClassic 28W E27 230V A55 CL 1BC	8000X
925692944204	EcoClassic 28W E27 230V A55 CL 1CT	8000X
925692944206	EcoClassic 28W E27 230V A55 CL 2BC	8000X
925692944208	EcoClassic 28W E27 230V A55 CL 1BC	8000X
925692945501	EcoClassic 28W E27 240V A55 CL 1CT	8000X
925692945502	EcoClassic 28W E27 240V A55 CL 1CT	8000X
925693044201	EcoClassic 42W E27 230V A55 CL 1CT	8000X
925693044202	EcoClassic 42W E27 230V A55 CL 1BC	8000X
925693044204	EcoClassic 42W E27 230V A55 CL 2BC	8000X
925693044208	EcoClassic 42W E27 230V A55 CL 1BC	8000X
925693044213	EcoClassic 42W E27 230V A55 CL 3F	8000X
925693045504	EcoClassic 42W E27 240V A55 CL 1CT	8000X
925693144201	EcoClassic 53W E27 230V A55 CL 1CT	8000X
925693144202	EcoClassic 53W E27 230V A55 CL 1BC	8000X
925693144206	EcoClassic 53W E27 230V A55 CL 2BC	8000X
925693144208	EcoClassic 53W E27 230V A55 CL 1BC	8000X
925693145501	EcoClassic 53W E27 240V A55 CL 1CT	8000X
925693145502	EcoClassic 53W E27 240V A55 CL 2CT	8000X
925693145504	EcoClassic 53W E27 240V A55 CL 1CT	8000X
925694444219	EcoClassic 53W E27 230V A55 CL 2BC	8000X
925699244201	EcoClassic 70W E27 230V A55 CL 1CT	8000X
925699244202	EcoClassic 70W E27 230V A55 CL 1BC	8000X
925699244204	EcoClassic 70W E27 230V A55 CL 2BC	8000X
925699244208	EcoClassic 70W E27 230V A55 CL 1BC	8000X
925699245501	EcoClassic 70W E27 240V A55 CL 1CT	8000X
925699245502	EcoClassic 70W E27 240V A55 CL 1CT	8000X
925699245516	EcoClassic 70W E27 240V A55 CL 1CT	8000X
925701044201	EcoClassic 105W E27 230V A55 CL 1CT	8000X
925701044202	EcoClassic 105W E27 230V A55 CL 1BC	8000X
925701044204	EcoClassic 105W E27 230V A55 CL 2BC	8000X
925701044208	EcoClassic 105W E27 230V A55 CL 1BC	8000X
925701045501	EcoClassic 105W E27 240V A55 CL 1CT	8000X
925701344201	EcoClassic 140W E27 230V A55 CL 1CT	8000X
925694145502	EcoClassic 28W B22 240V A55 FR 1CT	8000X
925694245502	EcoClassic 42W B22 240V A55 FR 2CT	8000X
925694245504	EcoClassic 42W B22 240V A55 FR 1CT	8000X
925694345502	EcoClassic 53W B22 240V A55 FR 2CT	8000X
925694345504	EcoClassic 53W B22 240V A55 FR 1CT	8000X
925700945502	EcoClassic 70W B22 240V A55 FR 2CT	8000X
925700945503	EcoClassic 70W B22 240V A55 FR 1CT	8000X
925700945504	EcoClassic 70W B22 240V A55 FR 1CT	8000X

Order code	Full product name	Switching cycle
925702745503	EcoClassic 105W B22 240V A55 FR 1CT	8000X
925702845503	EcoClassic 140W B22 240V A55 FR 1CT	8000X
925693845502	EcoClassic 28W E27 240V A55 FR 1CT	8000X
925693944201	EcoClassic 42W E27 230V A55 FR 1CT	8000X
925693945501	EcoClassic 42W E27 240V A55 FR 1CT	8000X
925693945502	EcoClassic 42W E27 240V A55 FR 1CT	8000X
925694045501	EcoClassic 53W E27 240V A55 FR 1CT	8000X
925694045502	EcoClassic 53W E27 240V A55 FR 2CT	8000X
925694045504	EcoClassic 53W E27 240V A55 FR 1CT	8000X
925700745502	EcoClassic 70W E27 240V A55 FR 1CT	8000X
925700745503	EcoClassic 70W E27 240V A55 FR 1CT	8000X
925701144201	EcoClassic 105W E27 230V A55 FR 1CT	8000X
925700044201	EcoClassic 42W E27 230V G95 CL 1CT	8000X

## Luminaire Design Requirements

Order code	Full product name	Cap-Base Temperature
-	-	130 (max)
-	-	130 (max)
925692844219	EcoClassic 42W B22 230V A55 CL 2BC	130 (max)
925693244201	EcoClassic 28W B22 230V A55 CL 1CT	130 (max)
925693244202	EcoClassic 28W B22 230V A55 CL 1BC	130 (max)
925693244204	EcoClassic 28W B22 230V A55 CL 2BC	130 (max)
925693245501	EcoClassic 28W B22 240V A55 CL 1CT	130 (max)
925693245502	EcoClassic 28W B22 240V A55 CL 1CT	130 (max)
925693344201	EcoClassic 42W B22 230V A55 CL 1CT	130 (max)
925693344202	EcoClassic 42W B22 230V A55 CL 1BC	130 (max)
925693344203	EcoClassic 42W B22 230V A55 CL 2BC	130 (max)
925693345504	EcoClassic 42W B22 240V A55 CL 2CT	130 (max)
925693345505	EcoClassic 42W B22 240V A55 CL 1CT	130 (max)
925693444201	EcoClassic 53W B22 230V A55 CL 1CT	130 (max)
925693444202	EcoClassic 53W B22 230V A55 CL 1BC	130 (max)
925693444204	EcoClassic 53W B22 230V A55 CL 2BC	130 (max)
925693445501	EcoClassic 53W B22 240V A55 CL 1CT	130 (max)
925693445502	EcoClassic 53W B22 240V A55 CL 2CT	130 (max)
925693445504	EcoClassic 53W B22 240V A55 CL 1CT	130 (max)
925694544219	EcoClassic 53W B22 230V A55 CL 2BC	130 (max)
925700844201	EcoClassic 70W B22 230V A55 CL 1CT	130 (max)
925700844202	EcoClassic 70W B22 230V A55 CL 1BC	130 (max)
925700844203	EcoClassic 70W B22 230V A55 CL 2BC	130 (max)
925700844208	EcoClassic 70W B22 230V A55 CL 1BC	130 (max)
925700845501	EcoClassic 70W B22 240V A55 CL 1CT	130 (max)
925700845502	EcoClassic 70W B22 240V A55 CL 2CT	130 (max)
925700845504	EcoClassic 70W B22 240V A55 CL 1CT	130 (max)
925700845516	EcoClassic 70W B22 240V A55 CL 1CT	130 (max)
925701244201	EcoClassic 105W B22 230V A55 CL 1CT	130 (max)
925701244202	EcoClassic 105W B22 230V A55 CL 1BC	130 (max)
925701244204	EcoClassic 105W B22 230V A55 CL 2BC	130 (max)

Order code	Full product name	Cap-Base Temperature
925701244208	EcoClassic 105W B22 230V A55 CL 1BC	130 (max)
925701245501	EcoClassic 105W B22 240V A55 CL 1CT	130 (max)
925649444212	EcoClassic 1500h 28W E27 230V A55 CL 3F	130 (max)
925649444215	EcoClassic 1500h 28W E27 230V A55 CL 2BC	130 (max)
925649544219	EcoClassic 42W E27 230V A55 CL 2BC	130 (max)
925692944201	EcoClassic 28W E27 230V A55 CL 1CT	130 (max)
925692944202	EcoClassic 28W E27 230V A55 CL 1BC	130 (max)
925692944204	EcoClassic 28W E27 230V A55 CL 1CT	130 (max)
925692944206	EcoClassic 28W E27 230V A55 CL 2BC	130 (max)
925692944208	EcoClassic 28W E27 230V A55 CL 1BC	130 (max)
925692945501	EcoClassic 28W E27 240V A55 CL 1CT	130 (max)
925692945502	EcoClassic 28W E27 240V A55 CL 1CT	130 (max)
925693044201	EcoClassic 42W E27 230V A55 CL 1CT	130 (max)
925693044202	EcoClassic 42W E27 230V A55 CL 1BC	130 (max)
925693044204	EcoClassic 42W E27 230V A55 CL 2BC	130 (max)
925693044208	EcoClassic 42W E27 230V A55 CL 1BC	130 (max)
925693044213	EcoClassic 42W E27 230V A55 CL 3F	130 (max)
925693045504	EcoClassic 42W E27 240V A55 CL 1CT	130 (max)
925693144201	EcoClassic 53W E27 230V A55 CL 1CT	130 (max)
925693144202	EcoClassic 53W E27 230V A55 CL 1BC	130 (max)
925693144206	EcoClassic 53W E27 230V A55 CL 2BC	130 (max)
925693144208	EcoClassic 53W E27 230V A55 CL 1BC	130 (max)
925693145501	EcoClassic 53W E27 240V A55 CL 1CT	130 (max)
925693145502	EcoClassic 53W E27 240V A55 CL 2CT	130 (max)
925693145504	EcoClassic 53W E27 240V A55 CL 1CT	130 (max)
925694444219	EcoClassic 53W E27 230V A55 CL 2BC	130 (max)
925699244201	EcoClassic 70W E27 230V A55 CL 1CT	130 (max)
925699244202	EcoClassic 70W E27 230V A55 CL 1BC	130 (max)
925699244204	EcoClassic 70W E27 230V A55 CL 2BC	130 (max)
925699244208	EcoClassic 70W E27 230V A55 CL 1BC	130 (max)
925699245501	EcoClassic 70W E27 240V A55 CL 1CT	130 (max)

Order code	Full product name	Cap-Base Temperature
925699245502	EcoClassic 70W E27 240V A55 CL 1CT	130 (max)
925699245516	EcoClassic 70W E27 240V A55 CL 1CT	130 (max)
925701044201	EcoClassic 105W E27 230V A55 CL 1CT	130 (max)
925701044202	EcoClassic 105W E27 230V A55 CL 1BC	130 (max)
925701044204	EcoClassic 105W E27 230V A55 CL 2BC	130 (max)
925701044208	EcoClassic 105W E27 230V A55 CL 1BC	130 (max)
925701045501	EcoClassic 105W E27 240V A55 CL 1CT	130 (max)
925701344201	EcoClassic 140W E27 230V A55 CL 1CT	130 (max)
925694145502	EcoClassic 28W B22 240V A55 FR 1CT	130 (max)
925694245502	EcoClassic 42W B22 240V A55 FR 2CT	130 (max)
925694245504	EcoClassic 42W B22 240V A55 FR 1CT	130 (max)
925694345502	EcoClassic 53W B22 240V A55 FR 2CT	130 (max)
925694345504	EcoClassic 53W B22 240V A55 FR 1CT	130 (max)
925700945502	EcoClassic 70W B22 240V A55 FR 2CT	130 (max)
925700945503	EcoClassic 70W B22 240V A55 FR 1CT	130 (max)
925700945504	EcoClassic 70W B22 240V A55 FR 1CT	130 (max)
925702745503	EcoClassic 105W B22 240V A55 FR 1CT	130 (max)
925702845503	EcoClassic 140W B22 240V A55 FR 1CT	130 (max)
925693845502	EcoClassic 28W E27 240V A55 FR 1CT	130 (max)
925693944201	EcoClassic 42W E27 230V A55 FR 1CT	130 (max)
925693945501	EcoClassic 42W E27 240V A55 FR 1CT	130 (max)
925693945502	EcoClassic 42W E27 240V A55 FR 1CT	130 (max)
925694045501	EcoClassic 53W E27 240V A55 FR 1CT	130 (max)
925694045502	EcoClassic 53W E27 240V A55 FR 2CT	130 (max)
925694045504	EcoClassic 53W E27 240V A55 FR 1CT	130 (max)
925700745502	EcoClassic 70W E27 240V A55 FR 1CT	130 (max)
925700745503	EcoClassic 70W E27 240V A55 FR 1CT	130 (max)
925701144201	EcoClassic 105W E27 230V A55 FR 1CT	130 (max)
925700044201	EcoClassic 42W E27 230V G95 CL 1CT	130 (max)



© 2012 Koninklijke Philips Electronics N.V.  
All rights reserved.

Specifications are subject to change without notice. Trademarks are the property of Koninklijke Philips Electronics N.V. or their respective owners.

[www.philips.com/lighting](http://www.philips.com/lighting)

2012, January 14  
data subject to change