


SECTION 4-1

CABLES & CONNECTORS

BEST SELLERS



KR010G-A6TR-GYM2

Page 372



DC-C6JWH

Page 373




DC-C6PP24E

Page 376



DC-FST12

Page 386



DC-VDM10

Page 389



DC-CTHD25BK25

Page 391



DC-ADSLF-CFS

Page 395



DC-F6MCCL

Page 402

In this Section

Infrastructure Cabling369-391

Copper Patch Cables	369-372
Copper Bulk Cable	372-372
Copper Jacks & Wallplates.....	373-375
Copper Patch Panels	375-377
Copper Connectors	378-379
Copper Adapters	379-380
Fibre Optic Patch Cables	381-384
Fibre Optic Connectors.....	384-385
Fibre Optic Adapters	385
Fibre Optic Accessories	385
Fibre Trays and Panels.....	386
Voice Distribution Systems	386-390
Cable Management	391

Telephone Cabling392-395

Telephone Cables.....	392
Telephone Bulk Cable.....	392
Telephone Connectors & Sockets	393
Telephone Adapters	393-394
Telephone Tone Ringers	394-395
Telephone Accessories	395
ADSL Filters and Splitters	395

Data Communication Cabling396-404

Video	396
Keyboard/Mouse/Joystick	397
USB	398
Firewire	399
Parallel	399-400
Serial	400
Power	401
PC Internal.....	401
Coaxial	401-402
D-Sub.....	403-404

Connector Reference Guide404

Infrastructure Cabling



KRO66452820-XX

Category 6A RJ45 to RJ45 Patch Cords

- Designed for patching between two RJ45 outlets in a Category 6A network
- Copper conductors used are stranded and compacted to a near-round shape for optimal signal strength



Part No.	Description
KRO66452820-XX	CopperTen RJ45 to RJ45 Patch Cord, Blue, Bag of 1 XX = Length 04 = 1.2m, 07 = 2.1m, 10 = 3.0m, 15 = 4.5m, 25 = 7.5m, 50 = 15.0m



DC-C6PL1-BL

Category 6A LSZH S/FTP Patch Cords

- The high performance plug is designed with an integrated strain relief boot that prevents the cable from moving at the termination point when the cable is flexed
- The copper conductors held within the cable pairs are stranded for superior flexibility and are compacted for optimum signal strength



Part No.	Description
KRO68302881-XX	CopperTen RJ45 LSZH S/FTP Patch Cord, Blue, Bag of 1 XX = Length 04 = 1.0m, 07 = 2.0m, 10 = 3.0m, 15 = 5.0m




DC-C6PL1-BL

Category 6 UTP Patch Cables - Blue


Acton Patch Cables feature high performance stranded cable and reliable modular plugs for superior performance. Patch cables are offered in a variety of sizes. Each patch cable is 100% performance tested and is 100% backward compatible. Acton Patch Cables must be used with Acton Jacks, Patch Panels and cable to achieve an overall Category 6 performance.



Part No.	Description
DC-C6PL0.5-BL	CAT6 Patch Cable, 0.5m Blue
DC-C6PL1-BL	CAT6 Patch Cable, 1m Blue
DC-C6PL1.5-BL	CAT6 Patch Cable, 1.5m Blue
DC-C6PL2-BL	CAT6 Patch Cable, 2m Blue
DC-C6PL3-BL	CAT6 Patch Cable, 3m Blue
DC-C6PL5-BL	CAT6 Patch Cable, 5m Blue
DC-C6PL10-BL	CAT6 Patch Cable, 10m Blue



DC-C6PL1-XX




DC-C6PL1-XX

Category 6 UTP Patch Cables - Coloured

Part No.	Description
DC-C6PL0.5-XX	CAT6 Patch Cable, 0.5m
DC-C6PL1-XX	CAT6 Patch Cable, 1m
DC-C6PL1.5-XX	CAT6 Patch Cable, 1.5m
DC-C6PL2-XX	CAT6 Patch Cable, 2m
DC-C6PL3-XX	CAT6 Patch Cable, 3m
DC-C6PL5-XX	CAT6 Patch Cable, 5m
DC-C6PL10-XX	CAT6 Patch Cable, 10m



Replace "XX" with: BK - Black; GN - Green; GY - Grey; OR - Orange; PK - Pink; PL - Purple; RD - Red; WH - White; YL - Yellow




DC-C6PL1-XX

Category 6 UTP Crossover Patch Cables - Red


Used to cross the send and receive pairs on switch-to-switch or NIC-to-NIC connections. Acton's Category 6 crossover cables are available in an assortment of popular lengths. Each cable is red with red boots and labelled "Crossover" on each end to differentiate from standard cables.



Part No.	Description
DC-C6XPL0.5-RD	CAT6 Crossover Cable, 0.5m Red
DC-C6XPL1-RD	CAT6 Crossover Cable, 1m Red
DC-C6XPL1.5-RD	CAT6 Crossover Cable, 1.5m Red
DC-C6XPL2-RD	CAT6 Crossover Cable, 2m Red
DC-C6XPL3-RD	CAT6 Crossover Cable, 3m Red
DC-C6XPL5-RD	CAT6 Crossover Cable, 5m Red
DC-C6XPL10-RD	CAT6 Crossover Cable, 10m Red



DC-C6PL1-XX



DC-C6PL1-XX

Category 6 RJ45 to RJ45 Patch Cords

- For patching between two RJ45 outlets in a Category 6 network
- Each RJ45 connector has a latch protector



Part No.	Description
KR0645159YY-XX	HighBand 25 RJ45 Patch Cords, Bag of 2 YY = Colour 39 = Blue, 92 = Green, 95 = Turquoise, 90 = Red, 93 = Yellow, 96 = Purple, 91 = Black, 94 = Grey, 98 = White XX = Length 10 = 1.2m, 20 = 2.1m, 30 = 3.0m, 40 = 4.5m, 70 = 7.5m, 01 = 15m



KR0645159YY-XX



DC-C5PL1-BL

Category 5e UTP Patch Cables - Blue

The continued development of high speed applications has resulted in the need for improved transmission performance of Patch Cables in your network. We have developed a wide range of Patch Cables to meet these demands, all exceeding the requirements of Cat 5 Enhanced specifications.




Our CAT5e Patch Cables feature molded strain relief boots and are available in a range of lengths and colours.

Part No.	Description	Part No.	Description
DC-C5PL0.2-BL	CAT5e Patch Cable, 0.2m Blue	DC-C5PL7-BL	CAT5e Patch Cable, 7m Blue
DC-C5PL0.5-BL	CAT5e Patch Cable, 0.5m Blue	DC-C5PL8-BL	CAT5e Patch Cable, 8m Blue
DC-C5PL1-BL	CAT5e Patch Cable, 1m Blue	DC-C5PL9-BL	CAT5e Patch Cable, 9m Blue
DC-C5PL1.5-BL	CAT5e Patch Cable, 1.5m Blue	DC-C5PL10-BL	CAT5e Patch Cable, 10m Blue
DC-C5PL2-BL	CAT5e Patch Cable, 2m Blue	DC-C5PL15-BL	CAT5e Patch Cable, 15m Blue
DC-C5PL3-BL	CAT5e Patch Cable, 3m Blue	DC-C5PL20-BL	CAT5e Patch Cable, 20m Blue
DC-C5PL5-BL	CAT5e Patch Cable, 5m Blue	DC-C5PL25-BL	CAT5e Patch Cable, 25m Blue
DC-C5PL6-BL	CAT5e Patch Cable, 6m Blue	DC-C5PL30-BL	CAT5e Patch Cable, 30m Blue



DC-C5PL1-BL-10




DC-C5PL1-XX

Category 5e UTP Bulk Patch Cables – Blue – Trade Pack Qty 10

Now you can buy our Patch Cables in Bulk 10 packs. They feature the same DataBitz fully molded design with true Cat5e performance, with 10 leads packaged in a single bag - perfect for those large projects. Buy in bulk and save!



Part No.	Description
DC-C5PL0.5-BL-10	CAT5e Patch Cable, 0.5m Blue, 10 Pack
DC-C5PL1-BL-10	CAT5e Patch Cable, 1m Blue, 10 Pack
DC-C5PL1.5-BL-10	CAT5e Patch Cable, 1.5m Blue, 10 Pack
DC-C5PL2-BL-10	CAT5e Patch Cable, 2m Blue, 10 Pack
DC-C5PL3-BL-10	CAT5e Patch Cable, 3m Blue, 10 Pack
DC-C5PL5-BL-10	CAT5e Patch Cable, 5m Blue, 10 Pack
DC-C5PL10-BL-10	CAT5e Patch Cable, 10m Blue, 10 Pack




DC-C5PL1-XX




DC-C5PL1-XX

Category 5e UTP Patch Cables - Coloured

Part No.	Description
DC-C5PL0.2-XX	CAT5e Patch Cable, 0.2m
DC-C5PL0.5-XX	CAT5e Patch Cable, 0.5m
DC-C5PL1-XX	CAT5e Patch Cable, 1m
DC-C5PL1.5-XX	CAT5e Patch Cable, 1.5m
DC-C5PL2-XX	CAT5e Patch Cable, 2m
DC-C5PL3-XX	CAT5e Patch Cable, 3m
DC-C5PL5-XX	CAT5e Patch Cable, 5m
DC-C5PL10-XX	CAT5e Patch Cable, 10m
DC-C5PL15-XX	CAT5e Patch Cable, 15m
DC-C5PL20-XX	CAT5e Patch Cable, 20m
DC-C5PL25-XX	CAT5e Patch Cable, 25m
DC-C5PL30-XX	CAT5e Patch Cable, 30m



DC-C5PL1-XX



DC-C5PL1-XX

Replace "XX" with: BK - Black; GN - Green; GY - Grey; OR - Orange; PK - Pink; PL - Purple; RD - Red; WH - White; YL - Yellow

Infrastructure Cabling

Category 5e Crossover Patch Cables



Used to cross the send and receive pairs on switch-to-switch or NIC-to-NIC connections, our Category 5 Enhanced crossover cables are available in an assortment of popular lengths. Choose either red with red boots or blue with red boots. Each lead is labelled "Cross-over" on each end to differentiate from standard cables.

Part No.	Description
DC-C5XPL1-RD	CAT5e Crossover Cable, 1m Red
DC-C5XPL2-RD	CAT5e Crossover Cable, 2m Red
DC-C5XPL3-RD	CAT5e Crossover Cable, 3m Red
DC-C5XPL5-RD	CAT5e Crossover Cable, 5m Red
DC-C5XPL10-RD	CAT5e Crossover Cable, 10m Red
DC-C5XPL15-RD	CAT5e Crossover Cable, 15m Red
DC-C5XPL20-RD	CAT5e Crossover Cable, 20m Red
DC-C5XPL25-RD	CAT5e Crossover Cable, 25m Red
DC-C5XPL30-RD	CAT5e Crossover Cable, 30m Red

Blue with Red Boot

DC-C5XPL1-BL	CAT5e Crossover Cable, 1m, Blue with Red Boot
DC-C5XPL2-BL	CAT5e Crossover Cable, 2m, Blue with Red Boot
DC-C5XPL3-BL	CAT5e Crossover Cable, 3m, Blue with Red Boot
DC-C5XPL5-BL	CAT5e Crossover Cable, 5m, Blue with Red Boot
DC-C5XPL10-BL	CAT5e Crossover Cable, 10m, Blue with Red Boot
DC-C5XPL15-BL	CAT5e Crossover Cable, 15m, Blue with Red Boot
DC-C5XPL20-BL	CAT5e Crossover Cable, 20m, Blue with Red Boot
DC-C5XPL25-BL	CAT5e Crossover Cable, 25m, Blue with Red Boot
DC-C5XPL30-BL	CAT5e Crossover Cable, 30m, Blue with Red Boot

Category 5e Snagless UTP Patch Cables - Blue



Snagless CAT5e Patch Cables feature a "snag-proof" clip on the RJ45 plug, making moves, adds, and changes in a heavily-cabled wiring closet simple and quick. They allow you to remove cables through tangled bundles, avoiding delays due to broken retaining clips.

Part No.	Description
DC-C5PLS0.5-BL	CAT5e Snagless Patch Cable, 0.5m Blue
DC-C5PLS1-BL	CAT5e Snagless Patch Cable, 1m Blue
DC-C5PLS1.5-BL	CAT5e Snagless Patch Cable, 1.5m Blue
DC-C5PLS2-BL	CAT5e Snagless Patch Cable, 2m Blue
DC-C5PLS3-BL	CAT5e Snagless Patch Cable, 3m Blue
DC-C5PLS5-BL	CAT5e Snagless Patch Cable, 5m Blue
DC-C5PLS6-BL	CAT5e Snagless Patch Cable, 6m Blue
DC-C5PLS7-BL	CAT5e Snagless Patch Cable, 7m Blue
DC-C5PLS8-BL	CAT5e Snagless Patch Cable, 8m Blue
DC-C5PLS9-BL	CAT5e Snagless Patch Cable, 9m Blue
DC-C5PLS10-BL	CAT5e Snagless Patch Cable, 10m Blue
DC-C5PLS15-BL	CAT5e Snagless Patch Cable, 15m Blue
DC-C5PLS20-BL	CAT5e Snagless Patch Cable, 20m Blue
DC-C5PLS25-BL	CAT5e Snagless Patch Cable, 25m Blue
DC-C5PLS30-BL	CAT5e Snagless Patch Cable, 30m Blue

Category 5e Shielded Patch Cables - Blue



Part No.	Description
DC-C5SPL1-BL	CAT5e Shielded Patch Cable, 1m Blue
DC-C5SPL2-BL	CAT5e Shielded Patch Cable, 2m Blue
DC-C5SPL3-BL	CAT5e Shielded Patch Cable, 3m Blue
DC-C5SPL5-BL	CAT5e Shielded Patch Cable, 5m Blue
DC-C5SPL10-BL	CAT5e Shielded Patch Cable, 10m Blue



DC-C5XPL1-RD



DC-C5XPL1-RD



DC-C5XPL1-BL



DC-C5XPL1-BL



DC-C5PLS1-BL



DC-C5PLS1-BL



DC-C5SPL1-BL



DC-C5SPL1-BL

Category 5e Patch Cords, RJ45 to RJ45

- For patching between two RJ45 outlets in a Category 5e network



Part No.	Description
KRO645150XX-YY	Category 5e RJ45 to RJ45 Patch Cords, Bag of 2 XX = Colour 39 = Blue, 92 = Green, 90 = Red, 93 = Yellow, 96 = Purple, 91 = Black, 94 = Grey, 98 = White YY = Length 05 = 0.5m, 10 = 1.0m, 15 = 1.5m, 20 = 2.0m, 25 = 2.5m*, 30 = 3.0m, 40 = 4.0m, 50 = 5.0m, 60 = 6.0m*, 70 = 7.0m*, 80 = 8.0m, 00 = 10.0m*, 01 = 15.0m* Blue Only*



KRO645150XX-YY

Category 6A CopperTen Cable - 305m Reel

- CopperTen 4-pair UTP Copper Cable is the foundation of ADC KRONE's 10 Gigabit Ethernet capable structured cabling solution
- This cable guarantees Category 6A performance ensuring maximum network speed, data throughput and reliability
- Installed in high-performance networks worldwide, the system's patent-pending design minimises alien crosstalk and insertion loss and meets the performance requirements of IEEE 802.3an, ISO/IEC 11801 and TIA 568-B.2



Part No.	Description
KRO10G-A6TR-GYM2	CopperTen 4-pair UTP Cable, Grey, 305m Reel
KRO10G-A6TR-BLM2	CopperTen 4-pair UTP Cable, Blue, 305m Reel
KRO10G-A6TZ1-BLM2	CopperTen LSZH Cable, Blue, 305m Reel



KRO10G-A6TR-GYM2

Category 6 Solid Core UTP Cable - 305m Box

Part No.	Description
DC-C6S305-BL	CAT6 Solid Core UTP Cable, Blue, 305m Box



DC-C6S305-BL

Category 6 Multistrand UTP Cable - 305m Box

Part No.	Description
DC-C6PL305-BL	CAT6 Multistrand UTP Cable, Blue, 305m Box



DC-C6PL305-BL

Category 6 4-pair Copper Cable - 305m Box

- A crucial component of ADC KRONE's impedance matched TrueNet structured cabling solution
- The cable guarantees Cat6 performance ensuring maximum network speed, data throughput and efficiency




Part No.	Description
KRO64991030-01	Category 6 4-pair UTP Cable, Grey, 305m Box
KRO64991030-03	Category 6 4-pair UTP Cable, Blue, 305m Box
KRO64621082-00	Category 6 4-pair LSZH Cable, Grey, 305m Box
KRO64621082-01	Category 6 4-pair FTP Cable, Grey, 305m Box



DC-C5S305-BL

Category 5e Solid Core UTP Cable - 305m Box


Part No.	Description
DC-C5S305-BL	CAT5e Solid Core UTP Cable, Blue, 305m Box




DC-C5PL305-BL

Category 5e Multistrand UTP Cable - 305m Box

Part No.	Description
DC-C5PL305-BK	CAT5e Multistrand UTP Cable, Black, 305m Box
DC-C5PL305-BL	CAT5e Multistrand UTP Cable, Blue, 305m Box
DC-C5PL305-GN	CAT5e Multistrand UTP Cable, Green, 305m Box
DC-C5PL305-GY	CAT5e Multistrand UTP Cable, Grey, 305m Box
DC-C5PL305-OR	CAT5e Multistrand UTP Cable, Orange, 305m Box
DC-C5PL305-PK	CAT5e Multistrand UTP Cable, Pink, 305m Box
DC-C5PL305-PU	CAT5e Multistrand UTP Cable, Purple, 305m Box
DC-C5PL305-RD	CAT5e Multistrand UTP Cable, Red, 305m Box
DC-C5PL305-WH	CAT5e Multistrand UTP Cable, White, 305m Box
DC-C5PL305-YL	CAT5e Multistrand UTP Cable, Yellow, 305m Box



Infrastructure Cabling



KRO64991028-01

Category 5e 4-pair Cable - 305m Box/500m Reel

- TrueNet® 4-pair Cat 5e copper cables lay solid platform needed for reliable 10/100 Megabit Ethernet network



Part No.	Description
KRO64991028-01	Category 5e 4-pair UTP Cable, Grey, 305m Box
KRO64991028-02	Category 5e 4-pair UTP Cable, Blue, 305m Box
KRO64991023-03	Category 5e 4-pair FTP Cable, Blue, 305m Box
KRO64623430-35	Category 5e 25-pair UTP Cable, Grey, 305m Reel
KRO64621083-00	Category 5e 4-pair UTP Cable, underground, moisture barrier, Black, 500m Reel



KRO64674272-00

Category 6A CopperTen FMK Outlet

- These FMK CopperTen outlets clip directly into Clipsal/HPM style faceplates
- CopperTen modular outlet features LSA-PLUS® silver-plated 45° angled contacts for secure & reliable connection



Part No.	Description
KRO64674272-00	CopperTen FMK Outlet, White, Bag of 10
KRO64674272-10	CopperTen FMK Outlet, Black, Bag of 10



DC-C6JWH


Category 6 UTP Australian Jacks

- Low Profile Design
- 8P8C/RJ45
- 568A/B termination
- Fits directly into any Clipsal/HPM/Acton Australian wall plates



The Acton Cat 6 Jack exceeds Category 6 requirements including Power Sum ACR, ELFEXT and Return Loss. Designed for Australia, the Jack simply snaps into Clipsal, HPM and Acton Australian plates, and can be easily terminated using your existing Krone/110-style punchdown tool.

Part No.	Description
Trade Pack Qty 10	
DC-C6JXX	CAT6 Aus Jack 8P8C K/110, 10 Pack– Replace “XX” with: BK, BL, GN, RD, WH or YL
Bucket Qty 50	
DC-C6JWH-50	CAT6 Aus Jack 8P8C K/110, White, 50 Pack



KRO64674202-00

Category 6 Flush Mount Outlets

- Flush Mount Category 6 outlets clip directly into Clipsal/HPM faceplates. Available in a variety of colours.
- Outlets exceed Cat 6 ISO/IEC 11801:2002 and TIA/EIA-568-B.2-1 component compliance.
- RJ45 outlets utilise leadframe technology



Part No.	Description
KRO64674202-XX	Cat6 RJ45 FMK Outlet, Bag of 10 – Replace “XX” with: 00 (Wh), 10 (Blk), 40 (Blu), 50 (R), 90 (Yel)



KRO64674204-00

Category 6 Rotoloc Outlets

- These outlets are used in the Hager Blu® range of face plates
- Unique Rotoloc® design ensures outlet locks into the face plate and can't be pushed into the wall cavity



Part No.	Description
KRO64674204-XX	Rotoloc Outlet, Bag of 10 – Replace “XX” with: 00 (Wh), 10 (Blk), 40 (Blu), 50 (R), 90 (Yel)



DC-C5EJWH


Category 5e UTP Australian Jacks

- Low Profile Design
- 8P8C/RJ45
- 568A/B termination
- Fits directly into any Clipsal/HPM/Acton Australian wall plates



Designed for hi-speed voice or data applications, the Acton Jack will exceed current CAT5e standards and offer an economical & easy to install choice. The Jack can be terminated by either Krone/110-style tooling and can be configured to suit 568A or B wiring applications. The Jack simply snaps into Clipsal, HPM and Acton Australian plates without the need for adapter collars.

Part No.	Description
Trade Pack Qty 10	
DC-C5EJXX	CAT5e Aus Jack 8P8C K/110, 10 Pack – Replace “XX” with: BK, BL, GN, RD, WH or YL
Bucket Qty 50	
DC-C5EJWH-50	CAT5e Aus Jack 8P8C K/110, White, 50 Pack



Category 5e FMK RJ45 Flush Mount Outlets

- Used for flush mount applications
- Clips directly into Clipsal and HPM style faceplates
- Category 5e performance
- Wiring code label provides both 568A and 568B wiring formats



KR064674072-00

Part No.	Description
KR064674072-XX	Category 5e RJ45 Flush Mount Outlets, Box of 10
KR064676072-00*	Category 5e RJ45 Flush Mount Outlets, Box of 50
KR064677072-00*	Category 5e RJ45 Flush Mount Outlets, Box of 100

XX = Colour 00 = White, 10 = Black, 20 = Grey, 30 = Ivory, 40 = Blue, 50 = Red (* = White Only)



DC-C3JWH

Category 3 Australian Telephone Jacks - Trade Pack Qty 10

- 8P4C Telephone Jack
- Standard Carrier Telephone connection in Australia
- Double IDC contact areas for in/out wiring
- Krone/110-style termination
- Fits directly into Clipsal/HPM/Acton Australian wall plates



DC-WPCH1

The Acton Telephone Jack features a dual IDC area for each contact, allowing the Jack to be used in an intermediate wiring position.



Part No.	Description
DC-C3JWH	CAT3 Aus Jack 8P4C K/110, White, 10 Pack

Acton Australian Wall Plates


The Acton Australian wall plates offer a stylish and low profile finish for your data outlet. Suitable for use with Australian style jacks, they can be horizontal or vertical mounted.



Part No.	Description
DC-WPCH1	Acton Aus Wallplate, Single
DC-WPCH2	Acton Aus Wallplate, Dual
DC-WPCH3	Acton Aus Wallplate, Triple
DC-WPCH4	Acton Aus Wallplate, Quad
DC-WPCH6	Acton Aus Wallplate, Six-way



DC-WPCH2



DC-WPCH3




DC-WPCH6

Category 5e UTP Keystone Jacks - Trade Pack Qty 10

Keystone Jacks meet and exceed Category 5 Enhanced requirements. Can be wired 568A or B, and terminated with Krone/110-style tooling.



Part No.	Description
DC-C5JWH	CAT5e Keystone Jack 8P8C K/110, White, 10 Pack
DC-C5JBK	CAT5e Keystone Jack 8P8C K/110, Black, 10 Pack
DC-C5J12WH	CAT5e Keystone Jack 6P6C K/110, White, 10 Pack





DC-C5JWH

IN FOCUS

Category 5e/6 Wiring Schemes

TIA/EIA 568A (PREFERRED IN AUSTRALIA)

TIA/EIA 568B (AT&T STANDARD)



Category 5e/6 cabling systems use a standard conductor colour coding system. Each conductor pair is comprised of a solid colour, along with a white/colour striped partner. Two different colour sequences are used for terminating pairs in a Cat5e/6 cabling system. Each pair of conductors is assigned a pair of pins in the modular jack according to one of the standards shown above.

Infrastructure Cabling



DC-WPKH2



DC-WPKHS2



DC-C6SM1/2



DC-C5SM1/2



DC-C5SMS1



KROTPNP-24NC10-BKA



Keystone RJ Wall Plates

Mount Keystone Jacks directly into our low cost Wall Plates. HPM Style white wall plates accept Keystone Jacks directly without needing an adapter. Mounts directly onto walls or on spacer boxes.

Now available with Shuttered Fascia.



Part No.	Description
DC-WPKH1	Keystone RJ Wallplate, Horizontal, Single
DC-WPKH2	Keystone RJ Wallplate, Horizontal, Dual
DC-WPKV1	Keystone RJ Wallplate, Vertical, Single
DC-WPKV2	Keystone RJ Wallplate, Vertical, Dual

Shuttered

DC-WPKHS1	Shuttered Keystone RJ Wallplate, Horizontal, Single
DC-WPKHS2	Shuttered Keystone RJ Wallplate, Horizontal, Dual
DC-WPKHS3	Shuttered Keystone RJ Wallplate, Horizontal, Triple
DC-WPKVS1	Shuttered Keystone RJ Wallplate, Vertical, Single
DC-WPKVS2	Shuttered Keystone RJ Wallplate, Vertical, Dual
DC-WPKVS4	Shuttered Keystone RJ Wallplate, Vertical, Quad

Category 6 Surface Mount Outlets

The Acton Cat 6 Surface Mount Outlet is ideal for skirting or modular furniture mounting. The outlet can be easily fastened by screw or adhesive (included) and accepts coloured icons for easy port identification. The outlet exceeds Category 6 requirements including Power Sum ACR, ELFEXT and Return Loss.



Part No.	Description
DC-C6SM1	CAT6 Single Surface Mount 8P8C, White
DC-C6SM2	CAT6 Dual Surface Mount 8P8C, White

Category 5e Surface Mount Outlets

- 8P8C/RJ45
- Compact size
- Single or Dual
- 568A/B termination

For termination, use either a Krone or 110-style punch down tool. See pg.483



The Acton Cat5e Surface Mount Outlet is suitable for a wide variety of applications including skirting, modular furniture and wall mounting. The box can be screwed or adhesive mounted and carries an icon mount for use with Acton identifying icons. Also available with shuttered entry offering better protection from dust and accidental damage. CAT5e compliant to ensure support for today's demanding applications.

Part No.	Description
DC-C5SM1	CAT5e Single Surface Mount 8P8C, White
DC-C5SM2	CAT5e Dual Surface Mount 8P8C, White
DC-C5SMS1	CAT5e Single Surface Mount Shuttered 8P8C, White
DC-C5SMS2	CAT5e Dual Surface Mount Shuttered 8P8C, White

Category 6A CopperTen Patch Panel


- CopperTen 1RU 24-port Patch Panel is designed to optimise performance to allow 10 Gigabit transmission.
- The modular design features outlets that are offset and staggered to counter the negative effects of alien crosstalk; critical of 10 Gigabit Ethernet performance
- The panel also features a unique fully-moulded polymer design that further reduces alien crosstalk when compared with traditional panels that have metal frames



Part No.	Description
KROTPNP-24NC10-BKA	CopperTen 24-port Patch Panel, Includes (1) 24-port unloaded panel, (24) CopperTen Keystone RJ45 outlets and (24) port Labels

Category 6 Economy UTP Patch Panels

- 8P8C/RJ45
- 16, 24 & 32 Ports
- 568A or B termination
- Terminate with Krone/110-style tools



Acton Cat6 high performance patch panels are designed specifically to meet the latest TIA/EIA specifications for Category 6. Economy Patch Panels are available in 16, 24, and 32 port configurations and mount easily into 19" racks. The panels are easily terminated using your existing Krone/110-style punchdown tool, and can be terminated in either T568A or B wiring schemes. Patch panels also include write-on areas for easy port and service identification.

Part No.	Description
DC-C6PP16E	CAT6 16-pt Economy Patch Panel 8P8C K/110, Black 1RU
DC-C6PP24E	CAT6 24-pt Economy Patch Panel 8P8C K/110, Black 1RU
DC-C6PP32E	CAT6 32-pt Economy Patch Panel 8P8C K/110, Black 2RU



DC-C6PP24E



DC-C6PP32E

Category 6 Patch Panels with Cable Minder

- These Patch Panels are available in 16, 24 and 32-port configurations
- All ports exceed Category 6 ISO/IEC11801:2002 and TIA/EIA-568-B.2-1 component compliance
- Comes supplied with Master Minder as standard




Part No.	Description
KRO64501183-16	Category 6 PMK 16-port Patch Panel with Cable Minder, Black, Box of 1
KRO64501183-24	Category 6 PMK 24-port Patch Panel with Cable Minder, Black, Box of 1
KRO64501183-32	Category 6 PMK 32-port Patch Panel with Cable Minder, Black, Box of 1



KRO64501183-24

Category 5e Economy UTP Patch Panels

- 8P8C/RJ45
- 16, 24 & 32 Ports
- 568A or B termination
- Terminate with Krone/110-style tools



Economy Patch Panels are available in 16, 24, and 32 port configurations and mount easily into 19" racks. The panels are easily terminated using your existing Krone/110-style punchdown tool, and can be terminated in either T568A or B wiring schemes. Patch panels also include write-on areas for easy port and service identification.

Part No.	Description
DC-C5PP16E	CAT5e 16-pt Economy Patch Panel 8P8C K/110, Black 1RU
DC-C5PP24E	CAT5e 24-pt Economy Patch Panel 8P8C K/110, Black 1RU
DC-C5PP32E	CAT5e 32-pt Economy Patch Panel 8P8C K/110, Black 2RU



DC-C5PP24E



DC-C5PP32E

Category 5e Premium UTP Patch Panels

- 8P8C/RJ45
- 12, 16, 24, 32 & 48 Ports
- 568A or B termination
- Terminate with Krone/110-style tools
- Designation strips for easier cable management



Engineered with both speed and cable management in mind, the Acton panel makes an ideal choice. 19-inch rackmount panels are easy to terminate with Krone/110-style tools and can be configured to either 568A or B wiring. Removable designation strips on the front make labelling ports easy.

Part No.	Description
DC-C5PP12	CAT5e 12-pt Premium Patch Panel 8P8C K/110, Grey 1RU
DC-C5PP16	CAT5e 16-pt Premium Patch Panel 8P8C K/110, Grey 1RU
DC-C5PP24	CAT5e 24-pt Premium Patch Panel 8P8C K/110, Grey 1RU
DC-C5PP32	CAT5e 32-pt Premium Patch Panel 8P8C K/110, Grey 2RU
DC-C5PP48	CAT5e 48-pt Premium Patch Panel 8P8C K/110, Grey 2RU



DC-C5PP24



DC-C5PP32



Infrastructure Cabling



KRO64501048-00

Category 5e PMK Patch Panels

- Supplied pre-loaded with Category 5e PMK style outlets
- All mounting screws and cage nuts included
- Fits into 19" rack equipment, each panel is 1RU high

Part No.	Description
KRO64501046-00	Category 5e 16-port Patch Panel, Box of 1
KRO64501048-00	Category 5e 24-port Patch Panel, Box of 1
KRO64501049-00	Category 5e 32-port Patch Panel, Box of 1
KRO64504048-00	Category 5e 24-port Patch Panel, Box of 5



KRO64501064-00

Category 5e PMK Patch Panels with Rear Cable Minder

- Supplied pre-loaded with Category 5e PMK style outlets
- Metal rear cable minder and all mounting screws and cage nuts included
- Fits into 19" rack equipment, each panel is 1RU high


Part No.	Description
KRO64501064-00	Category 5e 16-port Patch Panel with Rear Cable Minder, Box of 5
KRO64501065-00	Category 5e 24-port Patch Panel with Rear Cable Minder, Box of 5
KRO64501066-00	Category 5e 32-port Patch Panel with Rear Cable Minder, Box of 5



DC-C3PP50


Category 3 UTP Voice Patch Panels

- Used for voice networks only
- High density design
- 25 or 50 x 8P4C outlets
- Krone / 110-style termination



The new Acton Voice Patch Panels offer high density design for voice services only. Equipped with either 25 or 50 outlets over 1RU, these Voice Patch Panels offer big space savings.

Part No.	Description
DC-C3PP25	CAT3 25-pt Voice Patch Panel 8P4C K/110, Black 1RU
DC-C3PP50	CAT3 50-pt Voice Patch Panel 8P4C K/110, Black 1RU



DC-C3PP50 (Rear)



DC-WB25AWH

Workstation Bezels - Trade Pack Qty 10

- Accepts Australian-style Jacks
- Self-locking adjustable mechanism allows the bezels to fit metal thicknesses from 1mm to 2mm
- Sold in 10-packs



These bezels are used to allow Australian-style jacks to be mounted into a 25mm workstation port. The self-locking adjustable mechanism allows the bezel to adapt to either 1mm or 2mm thick metal, without needing to purchase a different bezel.

Part No.	Description
DC-WB25AWH	Workstation Bezel, suits Aus Jack, 25mm, White, 10 Pack
DC-WB25BWH	Workstation Bezel, Blank, 25mm, White, 10 Pack
DC-WB25ABK	Workstation Bezel, suits Aus Jack, 25mm, Black, 10 Pack
DC-WB25BBK	Workstation Bezel, Blank, 25mm, Black, 10 Pack



DC-WB25BWH



IN FOCUS

Solid Core vs. Multistrand Twisted Pair Cable

Twisted pair cable is available in two main varieties: Solid Core and Multistrand (or "stranded").

Solid Core cable provides better signal performance, making it more efficient for longer runs. For this reason, fixed wiring (i.e. installed permanently behind the walls) in homes and offices is usually constructed using Solid Core cabling.

Multistrand cable is stronger and more flexible than Solid Core, and is therefore ideal for patch cables which are often moved or stretched. Multistrand cable is generally more expensive than Solid Core cable for this reason.

Different modular plugs (e.g. RJ-45) should be used depending on which type of cable is chosen, either Solid Core or Multistrand. Whilst the connectors are identical in terms of external physical size, the internal connections differ slightly to provide optimum performance for each type. It is therefore recommended that the correct modular plug is used at all times.

RJ Modular Plugs, Round Multistrand



Part No.	Description
Pack Qty 1000	
DC-MP88RM-1K	RJ Modular Plug, 8P8C, Round Multistrand, 1000 Pack
Pack Qty 100	
DC-MP44RM	RJ Modular Plug, 4P4C, Round Multistrand, 100 Pack
DC-MP64RM	RJ Modular Plug, 6P4C, Round Multistrand, 100 Pack
DC-MP66RM	RJ Modular Plug, 6P6C, Round Multistrand, 100 Pack
DC-MP88RM	RJ Modular Plug, 8P8C, Round Multistrand, 100 Pack
DC-MPS88RM	RJ Modular Plug, 8P8C Shielded, Round Multistrand, 100 Pack
DC-MP10RM	RJ Modular Plug, 10P10C, Round Multistrand, 100 Pack


See pg.482 for crimp tooling. We also recommend DataBitz Strain Relief Boots, see pg.379. For best results, use with Acton Multistrand cable (DC-C5PL305-BL). See pg.372 for more colour varieties.



DC-MP88RM



DC-MP64RS




DC-MP88RS




DC-MPS88RS



DC-MP44FM



DC-MP66FM



DC-MP88FM



AT-55547203

Trade Pack Qty 10

DC-MP44RM-10	RJ Modular Plug, 4P4C, Round Multistrand, 10 Pack
DC-MP64RM-10	RJ Modular Plug, 6P4C, Round Multistrand, 10 Pack
DC-MP66RM-10	RJ Modular Plug, 6P6C, Round Multistrand, 10 Pack
DC-MP88RM-10	RJ Modular Plug, 8P8C, Round Multistrand, 10 Pack

RJ Modular Plugs, Round Solid Core



Part No.	Description
Pack Qty 100	
DC-MP64RS	RJ Modular Plug, 6P4C, Round Solid Core, 100 Pack
DC-MP66RS	RJ Modular Plug, 6P6C, Round Solid Core, 100 Pack
DC-MP88RS	RJ Modular Plug, 8P8C, Round Solid Core, 100 Pack
DC-MPS88RS	RJ Modular Plug, 8P8C Shielded, Round Solid Core, 100 Pack
DC-MP10RS	RJ Modular Plug, 10P10C, Round Solid Core, 100 Pack

See pg.482 for crimp tooling. We also recommend DataBitz Strain Relief Boots, see pg.379. For best results, use with Acton Solid Core cable (DC-C5S305-BL - Blue 305mtr).

Trade Pack Qty 10

DC-MP64RS-10	RJ Modular Plug, 6P4C, Round Solid Core, 10 Pack
DC-MP66RS-10	RJ Modular Plug, 6P6C, Round Solid Core, 10 Pack
DC-MP88RS-10	RJ Modular Plug, 8P8C, Round Solid Core, 10 Pack

RJ Modular Plugs, Flat Multistrand



Part No.	Description
Pack Qty 1000	
DC-MP88FM-1K	RJ Modular Plug, 8P8C, Flat Multistrand, 1000 Pack
Pack Qty 100	
DC-MP44FM	RJ Modular Plug, 4P4C, Flat Multistrand, 100 Pack
DC-MP64FM	RJ Modular Plug, 6P4C, Flat Multistrand, 100 Pack
DC-MP66FM	RJ Modular Plug, 6P6C, Flat Multistrand, 100 Pack
DC-MP88FM	RJ Modular Plug, 8P8C, Flat Multistrand, 100 Pack
DC-MP10FM	RJ Modular Plug, 10P10C, Flat Multistrand, 100 Pack

See pg.482 for crimp tooling. We also recommend DataBitz Strain Relief Boots, see pg.379. For best results, use with DataBitz Flat Modular cable (BC-MOD4-100 4-core Ivory 100mtr). See pg.392 for other types.

Trade Pack Qty 10

DC-MP44FM-10	RJ Modular Plug, 4P4C, Flat Multistrand, 10 Pack
DC-MP64FM-10	RJ Modular Plug, 6P4C, Flat Multistrand, 10 Pack
DC-MP66FM-10	RJ Modular Plug, 6P6C, Flat Multistrand, 10 Pack
DC-MP88FM-10	RJ Modular Plug, 8P8C, Flat Multistrand, 10 Pack

AMP Modular Plugs - Pack Qty 100



Part No.	Description
AT-56413343	AMP 4P4C Plug, Flat Multistrand, 100 Pack
AT-56413353	AMP 6P4C Plug, Flat Multistrand, 100 Pack
AT-56413373	AMP 6P6C Plug, Flat Multistrand, 100 Pack
AT-55550423	AMP 6P6C Plug, Round Solid Core, 100 Pack
AT-505547393	AMP 8P8C Plug, Flat Multistrand, 100 Pack
AT-55547203	AMP 8P8C Plug, Round Solid Core, 100 Pack

See pg.482 for crimp tooling. We also recommend DataBitz Strain Relief Boots, see pg.379

Infrastructure Cabling




DC-MP88RMH

RJ High Performance Modular Plugs

- Two piece design
- Terminate with normal crimp tooling

Two piece designed plug offers superior performance over regular modular plugs. Offset contact terminations ensure superior NEXT performance.

See pg.482 for crimp tooling. We also recommend DataBitz Strain Relief Boots, see pg.379



DC-MP88FMS

Part No. Description

Pack Qty 100

DC-MP88FMH	RJ High Performance Modular Plug, 8P8C, Flat Multistrand, 100 Pack
DC-MP88RMH	RJ High Performance Modular Plug, 8P8C, Round Multistrand, 100 Pack

Trade Pack Qty 10

DC-MP88FMH-10	RJ High Performance Modular Plug, 8P8C, Flat Multistrand, 10 Pack
DC-MP88RMH-10	RJ High Performance Modular Plug, 8P8C, Round Multistrand, 10 Pack



DC-MP88BH-XX

RJ Snagless Modular Plugs - Pack Qty 100

- Special "snag-proof" clip
- Suitable for use in all applications, especially in heavily-cabled wiring closets
- Terminate with normal crimp tooling

Our snagless Cat5e plugs feature a "snag-proof" clip on the RJ45 connector, making moves, adds and changes in a heavily-cabled wiring closet simple and quick.

See pg.482 for crimp tooling. We also recommend DataBitz Strain Relief Boots, see pg.379



DC-MP88BR-XX

Part No. Description

DC-MP88FMS	RJ Snagless Modular Plug, 8P8C, Flat Multistrand, 100 Pack
DC-MP88RMS	RJ Snagless Modular Plug, 8P8C, Round Multistrand, 100 Pack



DC-C6AD

RJ45 Strain Relief Boots

- Protects patch leads from strain at the rear of the connector
- Hinged boots snap around the cable/connector after termination
- Rubber boots are inserted onto the cable prior to termination and slide up to rear of connector
- No special tooling required



Part No. Description

Pack Qty 100

DC-MP88BH-XX	Hinged RJ45 Strain Relief Boot, 100 Pack
DC-MP88BR-XX	Rubber RJ45 Strain Relief Boot, 100 Pack

Trade Pack Qty 10

DC-MP88BH-XX10	Hinged RJ45 Strain Relief Boot, 10 Pack
DC-MP88BR-XX10	Rubber RJ45 Strain Relief Boot, 10 Pack

Replace "XX" with Colour: BK - Black; BL - Blue; GN - Green; RD - Red; WH - White; YL - Yellow



Category 6 Coupler

- Joins two patch cables
- Provides 2 x RJ45 (8P8C) sockets for interconnection
- Small size allows for use behind walls/patch panels
- Maintains CAT6 performance



Now you can join two Patch Cables and still maintain your overall Cat6 performance. The Acton Cat6 Coupler accepts two RJ45 (8P8C) Plugs and is easy to install.

Part No. Description

DC-C6AD	CAT6 Coupler, 2 x 8P8C Jacks
---------	------------------------------

Category 5e Couplers

- Joins two patch cables
- Provides 2 x RJ45 (8P8C) sockets for interconnection
- Small size allows for use behind walls/patch panels
- Maintains CAT5e performance

Now you can join two Patch Cables and still maintain your overall CAT5e performance. The Acton CAT5e Coupler accepts two RJ45 (8P8C) Plugs and is easy to install.

Part No.	Description
DC-C5AD	CAT5e Coupler, 2 x 8P8C Jacks
DC-C5ADR	CAT5e Coupler, 2 x 8P8C Jacks R/Angle



DC-C5AD



DC-C5ADR

Category 5e Cable Joiner

- Joins two CAT5e cables
- Provides 2 x 8P8C K/110 blocks for interconnection
- Small size allows for use behind walls/patch panels
- Maintains CAT5e performance

Ideal for extending or joining existing Cat5e cables, the joiner allows easy termination of two Cat5e cables using your Krone/110-style punchdown tool.



DC-C5CJ


Part No.	Description
DC-C5CJ	CAT5e Cable Joiner, 2 x 8P8C K/110 Jacks

Category 5e Splitters

- Use one UTP socket for multiple services
- For use with network speeds up to 100Mbps

Use these Acton Splitters to get the most out of your UTP Cable. If it is not an option to run an additional cable to an outlet, using a splitter at the Patch Panel and Outlet allows you to combine multiple services over the one UTP Cable.

Part No.	Description
DC-C5SP	CAT5e Data Splitter, 8P8C Plug to 2xJacks
DC-C5SPY	CAT5e Y-Bridge, 8P8C Plug to 2xJacks
DC-C5SPDV	CAT5e Voice/Data Splitter, 8P8C Plug to 2xJacks
DC-C5SP4V	CAT5e 4-way Voice Splitter, 8P8C Plug to 4xJacks



DC-C5SP





DC-C5SPY



DC-C5SPDV



DC-C5SP4V




IN FOCUS

Splitter Wiring


Data/Data (DC-C5SP)

This model is used to allow two computers to access a 10/100 Ethernet network via a single wall socket, by utilising the 2 unused pairs in a Cat5e cable (not suitable for Gigabit which uses all 4 pairs).




Y-Bridge (DC-C5SPY)

This model is used to provide physical bridging across all 8 wires, like a double adapter. This model can be used to allow two devices (must use different wires by default, or via custom cable) to utilise a single Cat5e cable.




Voice/Data (DC-C5SPDV)

This model is used to allow a 10/100 computer and a telephone to share a single wall socket and connect to their respective services at the same time.



4-way Voice (DC-C5SP4V)

This model allows 4 phones to share a single wall socket for connection to the PBX/line. Phones use 2 wires for normal operation. So in a Cat5e cable, 6 wires are normally spare. Now you can make use of them using this handy device!



Infrastructure Cabling



DC-FDST1



DC-FDSC1



DC-FDSTSC1




DC-FDMTMT1



DC-FDSTMT1



DC-FDSCMT1



DC-FDLCLC1

Fibre Optic Patch Cables, 62.5/125µm Multimode Duplex



Part No. Description

ST to ST

DC-FDST1 ST-ST MM Duplex Fibre Patch Cable, 1m

DC-FDST2 ST-ST MM Duplex Fibre Patch Cable, 2m

DC-FDST3 ST-ST MM Duplex Fibre Patch Cable, 3m

DC-FDST5 ST-ST MM Duplex Fibre Patch Cable, 5m

DC-FDST10 ST-ST MM Duplex Fibre Patch Cable, 10m

DC-FDST20 ST-ST MM Duplex Fibre Patch Cable, 20m

SC to SC

DC-FDSC1 SC-SC MM Duplex Fibre Patch Cable, 1m

DC-FDSC2 SC-SC MM Duplex Fibre Patch Cable, 2m

DC-FDSC3 SC-SC MM Duplex Fibre Patch Cable, 3m

DC-FDSC5 SC-SC MM Duplex Fibre Patch Cable, 5m

DC-FDSC10 SC-SC MM Duplex Fibre Patch Cable, 10m

DC-FDSC20 SC-SC MM Duplex Fibre Patch Cable, 20m

ST to SC

DC-FDSTSC1 ST-SC MM Duplex Fibre Patch Cable, 1m

DC-FDSTSC2 ST-SC MM Duplex Fibre Patch Cable, 2m

DC-FDSTSC3 ST-SC MM Duplex Fibre Patch Cable, 3m

DC-FDSTSC5 ST-SC MM Duplex Fibre Patch Cable, 5m

DC-FDSTSC10 ST-SC MM Duplex Fibre Patch Cable, 10m

DC-FDSTSC20 ST-SC MM Duplex Fibre Patch Cable, 20m

MT-RJ to MT-RJ

DC-FDMTMT1 MTRJ MM Duplex Fibre Patch Cable, 1m

DC-FDMTMT2 MTRJ MM Duplex Fibre Patch Cable, 2m

DC-FDMTMT3 MTRJ MM Duplex Fibre Patch Cable, 3m

DC-FDMTMT5 MTRJ MM Duplex Fibre Patch Cable, 5m

DC-FDMTMT10 MTRJ MM Duplex Fibre Patch Cable, 10m

MT-RJ to ST

DC-FDSTMT1 MTRJ-ST MM Duplex Fibre Patch Cable, 1m

DC-FDSTMT2 MTRJ-ST MM Duplex Fibre Patch Cable, 2m

DC-FDSTMT3 MTRJ-ST MM Duplex Fibre Patch Cable, 3m

DC-FDSTMT5 MTRJ-ST MM Duplex Fibre Patch Cable, 5m

DC-FDSTMT10 MTRJ-ST MM Duplex Fibre Patch Cable, 10m

MT-RJ to SC

DC-FDSCMT1 MTRJ-SC MM Duplex Fibre Patch Cable, 1m

DC-FDSCMT2 MTRJ-SC MM Duplex Fibre Patch Cable, 2m

DC-FDSCMT3 MTRJ-SC MM Duplex Fibre Patch Cable, 3m

DC-FDSCMT5 MTRJ-SC MM Duplex Fibre Patch Cable, 5m

DC-FDSCMT10 MTRJ-SC MM Duplex Fibre Patch Cable, 10m

LC to LC

DC-FDLCLC1 LC-LC MM Duplex Fibre Patch Cable, 1m

DC-FDLCLC2 LC-LC MM Duplex Fibre Patch Cable, 2m

DC-FDLCLC3 LC-LC MM Duplex Fibre Patch Cable, 3m

DC-FDLCLC5 LC-LC MM Duplex Fibre Patch Cable, 5m

DC-FDLCLC10 LC-LC MM Duplex Fibre Patch Cable, 10m



For more info on connector types & varieties, see our Connector Reference Guide on pg.404



Part No.	Description
LC to ST	
DC-FDSTLC1	LC-ST MM Duplex Fibre Patch Cable, 1m
DC-FDSTLC2	LC-ST MM Duplex Fibre Patch Cable, 2m
DC-FDSTLC3	LC-ST MM Duplex Fibre Patch Cable, 3m
DC-FDSTLC5	LC-ST MM Duplex Fibre Patch Cable, 5m
DC-FDSTLC10	LC-ST MM Duplex Fibre Patch Cable, 10m
LC to SC	
DC-FDSCLC1	LC-SC MM Duplex Fibre Patch Cable, 1m
DC-FDSCLC2	LC-SC MM Duplex Fibre Patch Cable, 2m
DC-FDSCLC3	LC-SC MM Duplex Fibre Patch Cable, 3m
DC-FDSCLC5	LC-SC MM Duplex Fibre Patch Cable, 5m
DC-FDSCLC10	LC-SC MM Duplex Fibre Patch Cable, 10m



DC-FDSTLC1



DC-FDSCLC1

Fibre Optic Patch Cables, 50/125µm Multimode Duplex



Part No.	Description
ST to ST	
DC-FD50ST1	ST-ST 50/125 MM Duplex Fibre Patch Cable, 1m
DC-FD50ST2	ST-ST 50/125 MM Duplex Fibre Patch Cable, 2m
DC-FD50ST3	ST-ST 50/125 MM Duplex Fibre Patch Cable, 3m
DC-FD50ST5	ST-ST 50/125 MM Duplex Fibre Patch Cable, 5m
DC-FD50ST10	ST-ST 50/125 MM Duplex Fibre Patch Cable, 10m
SC to SC	
DC-FD50SC1	SC-SC 50/125 MM Duplex Fibre Patch Cable, 1m
DC-FD50SC2	SC-SC 50/125 MM Duplex Fibre Patch Cable, 2m
DC-FD50SC3	SC-SC 50/125 MM Duplex Fibre Patch Cable, 3m
DC-FD50SC5	SC-SC 50/125 MM Duplex Fibre Patch Cable, 5m
DC-FD50SC10	SC-SC 50/125 MM Duplex Fibre Patch Cable, 10m
ST to SC	
DC-FD50STSC1	ST-SC 50/125 MM Duplex Fibre Patch Cable, 1m
DC-FD50STSC2	ST-SC 50/125 MM Duplex Fibre Patch Cable, 2m
DC-FD50STSC3	ST-SC 50/125 MM Duplex Fibre Patch Cable, 3m
DC-FD50STSC5	ST-SC 50/125 MM Duplex Fibre Patch Cable, 5m
DC-FD50STSC10	ST-SC 50/125 MM Duplex Fibre Patch Cable, 10m
LC to LC	
DC-FD50LCLC1	LC-LC 50/125 MM Duplex Fibre Patch Cable, 1m
DC-FD50LCLC2	LC-LC 50/125 MM Duplex Fibre Patch Cable, 2m
DC-FD50LCLC3	LC-LC 50/125 MM Duplex Fibre Patch Cable, 3m
DC-FD50LCLC5	LC-LC 50/125 MM Duplex Fibre Patch Cable, 5m
DC-FD50LCLC10	LC-LC 50/125 MM Duplex Fibre Patch Cable, 10m
LC to ST	
DC-FD50STLC1	LC-ST 50/125 MM Duplex Fibre Patch Cable, 1m
DC-FD50STLC2	LC-ST 50/125 MM Duplex Fibre Patch Cable, 2m
DC-FD50STLC3	LC-ST 50/125 MM Duplex Fibre Patch Cable, 3m
DC-FD50STLC5	LC-ST 50/125 MM Duplex Fibre Patch Cable, 5m
DC-FD50STLC10	LC-ST 50/125 MM Duplex Fibre Patch Cable, 10m
LC to SC	
DC-FD50SCLC1	LC-SC 50/125 MM Duplex Fibre Patch Cable, 1m
DC-FD50SCLC2	LC-SC 50/125 MM Duplex Fibre Patch Cable, 2m
DC-FD50SCLC3	LC-SC 50/125 MM Duplex Fibre Patch Cable, 3m
DC-FD50SCLC5	LC-SC 50/125 MM Duplex Fibre Patch Cable, 5m
DC-FD50SCLC10	LC-SC 50/125 MM Duplex Fibre Patch Cable, 10m



For more info on connector types & varieties, see our Connector Reference Guide on pg.404




DC-FD50ST1



DC-FD50SC1



DC-FD50STSC1



DC-FD50LCLC1



DC-FD50STLC1



DC-FD50SCLC1

Infrastructure Cabling



Fibre Optic Patch Cables, 9/125µm Single Mode Duplex



Part No. Description

ST to ST

DC-FDST1SM ST-ST SM Duplex Fibre Patch Cable, 1m

DC-FDST2SM ST-ST SM Duplex Fibre Patch Cable, 2m

DC-FDST3SM ST-ST SM Duplex Fibre Patch Cable, 3m

DC-FDST5SM ST-ST SM Duplex Fibre Patch Cable, 5m

DC-FDST10SM ST-ST SM Duplex Fibre Patch Cable, 10m

DC-FDST20SM ST-ST SM Duplex Fibre Patch Cable, 20m

SC to SC

DC-FDSC1SM SC-SC SM Duplex Fibre Patch Cable, 1m

DC-FDSC2SM SC-SC SM Duplex Fibre Patch Cable, 2m

DC-FDSC3SM SC-SC SM Duplex Fibre Patch Cable, 3m

DC-FDSC5SM SC-SC SM Duplex Fibre Patch Cable, 5m

DC-FDSC10SM SC-SC SM Duplex Fibre Patch Cable, 10m

DC-FDSC20SM SC-SC SM Duplex Fibre Patch Cable, 20m

ST to SC

DC-FDSTSC1SM ST-SC SM Duplex Fibre Patch Cable, 1m

DC-FDSTSC2SM ST-SC SM Duplex Fibre Patch Cable, 2m

DC-FDSTSC3SM ST-SC SM Duplex Fibre Patch Cable, 3m

DC-FDSTSC5SM ST-SC SM Duplex Fibre Patch Cable, 5m

DC-FDSTSC10SM ST-SC SM Duplex Fibre Patch Cable, 10m

DC-FDSTSC20SM ST-SC SM Duplex Fibre Patch Cable, 20m

LC to LC

DC-FDLCLC1SM LC-LC SM Duplex Fibre Patch Cable, 1m

DC-FDLCLC2SM LC-LC SM Duplex Fibre Patch Cable, 2m

DC-FDLCLC3SM LC-LC SM Duplex Fibre Patch Cable, 3m

DC-FDLCLC5SM LC-LC SM Duplex Fibre Patch Cable, 5m

DC-FDLCLC10SM LC-LC SM Duplex Fibre Patch Cable, 10m

LC to ST

DC-FDSTLC1SM LC-ST SM Duplex Fibre Patch Cable, 1m

DC-FDSTLC2SM LC-ST SM Duplex Fibre Patch Cable, 2m

DC-FDSTLC3SM LC-ST SM Duplex Fibre Patch Cable, 3m

DC-FDSTLC5SM LC-ST SM Duplex Fibre Patch Cable, 5m

DC-FDSTLC10SM LC-ST SM Duplex Fibre Patch Cable, 10m

LC to SC

DC-FDSCLC1SM LC-SC SM Duplex Fibre Patch Cable, 1m

DC-FDSCLC2SM LC-SC SM Duplex Fibre Patch Cable, 2m

DC-FDSCLC3SM LC-SC SM Duplex Fibre Patch Cable, 3m

DC-FDSCLC5SM LC-SC SM Duplex Fibre Patch Cable, 5m

DC-FDSCLC10SM LC-SC SM Duplex Fibre Patch Cable, 10m

For more info on connector types & varieties, see our Connector Reference Guide on pg.404

Fibre Optic Pigtails

The DataBitz range of fibre optic pigtails covers both ST & SC multimode & single mode transmission applications. Pigtails are available in 900µm, and 3mm jacketed fibre. All pigtails are manufactured to stringent quality standards and are available in large volumes.



For Fusion Splice Trays, see pg.386


Part No. Description

900µm


DC-FPT9STM1	ST Multimode Pigtail, 900µm, 1m
DC-FPT9STM2	ST Multimode Pigtail, 900µm, 2m
DC-FPT9SCM1	SC Multimode Pigtail, 900µm, 1m
DC-FPT9SCM2	SC Multimode Pigtail, 900µm, 2m
DC-FPT9STS1	ST Single Mode Pigtail, 900um, 1m
DC-FPT9STS2	ST Single Mode Pigtail, 900um, 2m
DC-FPT9SCS1	SC Single Mode Pigtail, 900um, 1m
DC-FPT9SCS2	SC Single Mode Pigtail, 900um, 2m

3mm Jacket


DC-FPT3STM1	ST Multimode Pigtail, 3mm Jacket, 1m
DC-FPT3STM2	ST Multimode Pigtail, 3mm Jacket, 2m
DC-FPT3SCM1	SC Multimode Pigtail, 3mm Jacket, 1m
DC-FPT3SCM2	SC Multimode Pigtail, 3mm Jacket, 2m



DC-FPT9STM1



DC-FPT3STM1



DC-FCSTMM

Fibre Optic Epoxy Connectors


- Epoxy connectors with ceramic ferrule
- Available for both Multimode and Single Mode fibre
- Available in ST, SC & LC
- High quality construction with low insertion loss



For best results, use with DataBitz epoxy. See pg.487

Part No. Description

DC-FCSTMM	Fibre Optic Epoxy Connector, Multimode, Ceramic, ST Simplex
DC-FCSCMM	Fibre Optic Epoxy Connector, Multimode, Ceramic, SC Simplex
DC-FCLCMM	Fibre Optic Epoxy Connector, Multimode, Ceramic, LC Simplex
DC-FCLCMMD	Fibre Optic Epoxy Connector, Multimode, Ceramic, LC Duplex
DC-FCSTSM	Fibre Optic Epoxy Connector, Single Mode, Ceramic, ST Simplex
DC-FCSCSM	Fibre Optic Epoxy Connector, Single Mode, Ceramic, SC Simplex
DC-FCLCSM	Fibre Optic Epoxy Connector, Single Mode, Ceramic, LC Simplex
DC-FCLCSMD	Fibre Optic Epoxy Connector, Single Mode, Ceramic, LC Duplex




DC-FCSCMM



IN FOCUS

Multimode vs. Single mode Fibre

Multimode fibre has a relatively large light carrying core, usually either 62.5 or 50 µm (microns) in diameter. It is normally used for short distance transmissions with LED-based fibre optic equipment.




Single Mode fibre has a small light carrying core of 9 µm in diameter. It is normally used for long distance transmissions with laser-based fibre optic transmission equipment.




Infrastructure Cabling



AT-492642-1




AT-492643-1




AT-1693276-1



DC-FCPST



DC-FCPSC



DC-FCPSCD



DF-FFT3M



DF-FFT1.2M

AMP LightCrimp Plus Epoxyless Fibre Optic Connectors



- No epoxy, no oven, no mess
- Pre-polished connectors require crimping only
- Easy and fast fibre termination in less than a minute
- No polishing needed: simply strip the cable, cleave and crimp
- Factory-polished to a consistent, high-quality end finish - eliminates return loss concerns
- No need for epoxy, curing ovens, or electricity
- One tool kit for single-mode and multimode terminations



You'll need the AMP LightCrimp Plus Tool Kit to terminate these connectors. See pg.494

With the Amp NetConnect LightCrimp Plus connectors, you can terminate optical fibres in less than a minute. LightCrimp Plus connectors use patented splice and crimp technology to make fibre optic termination a quick, clean and simple mechanical process. Only a few simple tools with limited training are required - consumables are not. With LightCrimp Plus, you can terminate fibre without epoxies and polishing paper.

Part No.	Description
AT-492642-1	LightCrimp Plus ST MM 62.5/125µm Simplex
AT-492643-1	LightCrimp Plus SC MM 62.5/125µm Simplex
AT-1278009-1	LightCrimp Plus SC MM 62.5/125µm Duplex
AT-1754483-1	LightCrimp Plus LC MM 62.5/125µm Simplex
AT-1754485-1	LightCrimp Plus LC MM 62.5/125µm Duplex
AT-1693276-1	LightCrimp Plus SC SM 9/125µm Simplex
AT-1693278-1	LightCrimp Plus SC SM 9/125µm Duplex
AT-1754482-1	LightCrimp Plus LC SM 9/125µm Simplex
AT-1758884-1	LightCrimp Plus LC SM 9/125µm Duplex

AMP LightCrimp Epoxyless Fibre Optic Connectors



- No epoxy, no oven, no mess, just crimp and polish
- Suits 250/900µm buffered & 3mm jacketed fibre

Part No.	Description
AT-492168-1	LightCrimp ST XTC MM 62.5/125µm Simplex Polymer
AT-504001-1	LightCrimp ST XTC MM 62.5/125µm Simplex Ceramic
AT-503692-1	LightCrimp SC XTC MM 62.5/125µm Simplex Ceramic
AT-503693-1	LightCrimp SC XTC MM 62.5/125µm Duplex Ceramic

Fibre Optic Couplers



Part No.	Description
DC-FCPST	Fibre Optic Coupler, Multimode, Metal, ST Simplex
DC-FCPSC	Fibre Optic Coupler, Multimode, Metal, SC Simplex
DC-FCPSCD	Fibre Optic Coupler, Multimode, Metal, SC Duplex
DC-FCPLCD	Fibre Optic Coupler, Multimode, Metal, LC Duplex
DC-FCPSTSM	Fibre Optic Coupler, Single Mode, Ceramic, ST Simplex
DC-FCPSCSM	Fibre Optic Coupler, Single Mode, Ceramic, SC Simplex
DC-FCPSCDSM	Fibre Optic Coupler, Single Mode, Ceramic, SC Duplex
DC-FCPLCDSM	Fibre Optic Coupler, Single Mode, Ceramic, LC Duplex

Zero Fibre Tubing



- DF-FFT3M: Builds up 900µm fibre to 3mm
- DF-FFT1.2M: Accepts 250, 500 & 900µm diameter or coated fibre for breakout applications
- Sold in 30 metre rolls

Part No.	Description
DF-FFT3M	Orange 3mm Zero Fibre Tube, 30m Roll
DF-FFT1.2M	White 1.22mm Zero Fibre Tube, 30m Roll

Modular Fibre Enclosures


- Supplied complete with ST Modules, SC Modules also available
- Modules require fibre couplers (sold separately)
- Rack mount model is suitable for 19" racks



You'll need ST or SC fibre couplers for these trays. See pg.385

These trays are used in the distribution and patching of optical fibre. Their modular design allows you to incorporate both ST and SC connections into a single tray, saving valuable rack space. They are constructed of rugged metal, and are black in colour.

Part No.	Description
DC-FC9R-1U	Modular Fibre Enclosure, Rack Mount 1RU, Sliding, 4 Module Slots
DC-FC9T-12	Modular Fibre Enclosure, Wall Mount, Fixed, 2 Module Slots
DC-FC3X6ST	Fibre Enclosure Module, ST Unloaded, accepts 6 x ST Simplex Couplers
DC-FC3X5SC	Fibre Enclosure Module, SC Unloaded, accepts 5 x SC Simplex Couplers
DC-FC3X6B	Fibre Enclosure Module, Blank



DC-FC9R-1U




DC-FC9T-12

AMP Rack Mount Fibre Panel with Management Tray



You'll need ST or SC fibre couplers for these trays. See pg.385

Part No.	Description
AT-279002-2	24-Port ST Fibre Tray, Black
AT-279131-2	24-Port SC Fibre Tray, Black



AT-279002-2

Fusion Splice Tray

- Supports 12 fusion splices with protection sleeves (2 x 6 positions)
- Mounts into most fibre optic trays
- Supplied with cover for protection




For Fusion Splice Sleeves, see pg.488



The DataBitz Fusion Splice Tray is designed to hold up to 12 fusion splices with protection sleeves, and can be mounted into most fibre optic trays using standard mounting points. Each tray is supplied with a cover to protect the splices.

Part No.	Description
DC-FST12	Fibre Optic Fusion Splice Tray, 12 x Splice Positions



DC-FST12

19" Backmount Frame

- Backmount frame of 19" rack mounting
- Capable of holding 3, 15 or 18 Series 2 or HighBand® modules



Part No.	Description
KR064501202-00	Backmount Frame, 3 way, Box of 1
KR064501008-00	Backmount Frame, 15 way, Box of 1
KR064503033-00	Backmount Frame, 18 way, Box of 1




KR064501008-00

19" Backmount Frame, Recessed

- Backmount frame of 19" rack mounting
- Capable of holding 9 or 15 Series 2 or HighBand modules
- Recessed to allow better clearance for doors on 19" racks



Part No.	Description
KR064502009-00	Backmount Frame, 9 way recessed, Box of 1
KR064502006-00	Backmount Frame, 15 way recessed, Box of 1



KR064502009-00



KR064502006-00

Infrastructure Cabling




Final Distribution Point

- Final Distribution Point for use beyond the network boundary
- Shallow lid does not permit overvoltage protection magazines
- Modules included



Main Distribution Frame, 10-pair

- For internal use at or beyond the network boundary
- Contains 2 x 10 pair voice modules and one (1) six (6) terminal earth point
- Deep lid accommodates overvoltage protection magazines




Part No. Description

KRO64551016-03	Final Distribution Point - with Earth 10-pair, Box of 1
KRO64551016-00	Final Distribution Point - with Earth 20-pair, Box of 1
KRO64551030-00	Distribution Box, 30-pair, Box of 1
KRO64551030-03	Distribution Box, 30-pair without BMF, Box of 1

Jumperable Frame Cover - Metal

- Provides adequate depth for overvoltage protection magazines or test cords when fitted into the modules
- Provision for record book storage
- Comes with a lock and key
- Plastic cable entry points on all four sides
- Suitable for both Profil® and Backmount Jumperable frames



Part No. Description

KRO64552022-10	Jumperable Frame Cover, 27 way, Box of 1
----------------	--

Jumperable Frame Cover - Plastic

- Provision for Record Book Holder
- Comes with lock and key
- Plastic cable entry points on all four sides
- Suitable for both Profil® and Backmount 11 way Jumperable frames
- This cover provides adequate depth for overvoltage protection magazines or test cords when fitted into the modules



Part No. Description

KRO64552024-01	Jumperable Frame Cover, 11 way, Box of 1
----------------	--

Jumperable Frames

- For mounting of Series 2 or HighBand® modules
- Typically one label holder is used every 100 pairs
- Profil® frames come complete with an earth strap
- 100 - 250-pair Frames for internal use as a campus distributor, building distributor or floor distributor, at or beyond the network boundary



Part No. Description

KRO64552034-00	Jumperable Backmount Frame, 11 way, Box of 1
KRO64552034-01	Jumperable Backmount Frame, 27 way, Box of 1
KRO64601042-00	Jumperable Profil Frame, 11 way, Box of 1
KRO64601042-01	Jumperable Profil Frame, 27 way, Box of 1

Series 2 Arrestor Magazine, 3-pole (Profil®)

- This Arrestor Magazine holds up to 10, 3-pole arrestors for 3 point protection of Series 2 Modules
- The surge capacity of ADC KRONE Series 2 Connection Modules is 10kA per wire/contact
- Magazine can be inserted without interrupting existing circuits
- Supplied with a clear cover to prevent contact with TNV (Telecommunication Network Voltage)
- 2 Profil Earth Clips (supplied), are essential for the extension of the protective earth from the Profil rods to the Arrestor Magazine



Part No.	Description
KR064622053-10	Profil Arrestor Magazine, loaded 230V, Bag of 1

Series 2 Arrestor Magazine, Unloaded, 3-pole (Profil)

- This Arrestor Magazine holds up to 10, 3-pole arrestors for 3 point protection of Series 2 Modules
- The surge capacity of ADC KRONE Series 2 Connection Modules is 10kA per wire/contact
- Magazine can be inserted without interrupting existing circuits
- Supplied with a clear cover to prevent contact with TNV (Telecommunication Network Voltage)
- Profil Earth Clips (2 supplied), are essential for the extension of the protective earth from the Profil rods to the Arrestor Magazine



Part No.	Description
KR064622095-00	Profil Arrestor Magazine, unloaded, Box of 1

Record Book - 1000-pair

- To record cable pair terminations and to keep records of moves and changes
- Number of pages is 23 and pairs per page is 50



Part No.	Description
KR064623010-03	Record Book, Box of 1

Record Book Holder

- Used to hold 1000-pair Record Book
- For surface mounting inside telecommunication closets



Part No.	Description
KR064623044-00	Record Book Holder, Box of 1

10-pair Hinged Label Holder

- For labelling of individual modules
- Hinges to allow access to jumper wires and for patching/testing
- Recommended for jumpered environments
- Snaps on to module face to provide a cover over the module



Part No.	Description
KR060892015-00	Hinged Label Holder, Bag of 1

Highway Media Outlet

- Can be mounted in Keystone surface mount boxes and faceplates
- The Highway media 8-position 4-contact Outlet is the standard carrier telephone connection in Australia
- The gel-filled Outlet is ideal for harsh environmental conditions
- Termination caps are included to help maintain a solid, long term connection



Part No.	Description
KR064671105-00	Highway Media Standard Outlet, Bag of 10



Infrastructure Cabling



KR064671107-00

Highway Media Mode 3 Switching Outlet

- Can be mounted in Keystone surface mount boxes and faceplates
- Mode 3 Outlet bridges contacts 3-4 and 5-6 when the plug is withdrawn
- Essential for alarm systems and other applications that cannot afford accidental interruption
- Termination caps are included to help maintain a solid, long term connection



Part No.	Description
----------	-------------

KR064671107-00	Highway Media Mode 3 Switching Outlet, Box of 10
----------------	--



KR064685043-10

Series 2 Disconnection Module (1-0), Profil®

- Pairs numbered 1-0
- Test is possible in both directions
- Can accept 3 or 5 point protection elements
- For mounting on Profil or Backmount Frames
- Disconnect contact used for opening the circuit
- Includes one set of plug numbers 1-0 and 10-100
- Disconnection Module for 10 incoming & 10 outgoing pairs



Part No.	Description
----------	-------------

KR064685043-10	Series 2 Disconnect Module (1-0), Profil, Box of 10
----------------	---



KR064685061-00

HighBand® 10 Disconnect Module

- Category 5e Disconnect Module for termination of 10 incoming and 10 outgoing pairs
- Pairs numbered 1-10
- Ideal for use in backbone cabling where high density and disconnect features are required
- Can be used in a patch-by-Exception solution
- For mounting on both Profil® and Backmount Frames



Part No.	Description
----------	-------------

KR064685061-00	HighBand 10 Disconnect Module, Box of 10
----------------	--



KR064690001-XX


3-Pole Arrestors

- For use with ADC KRONE's Arrestor Magazines



Part No.	Description
----------	-------------

KR064690001-24	Arrestor 3-pole, 500V, 3YVJ-500JI, Bag of 10
KR064690001-17	Arrestor 3-pole, 230V, 3YVJ-230JI, Bag of 10



DC-VDM10

Voice Connection Modules (Disconnection Type)


- ABS plastic
- ACA approved
- Silver plated contacts



Our popular Voice Disconnection Module allows the termination of up to 10 pairs of incoming and outgoing cabling. Disconnect contact used for opening the circuit. Fits directly into Back Mount frames and will accept number plugs and lightning arresters. Numbered 1-0.

Part No.	Description
----------	-------------

DC-VDM10	10-Pair IDC Connection Module
----------	-------------------------------



DC-VLA10


Voice Connection Module Accessories

We offer a full range of accessories to suit our Voice Distribution Systems, including an Arrestor Magazine (DC-VLA10) which is unloaded, and will hold up to 10 x 3 Pole Overvoltage Arresters (DC-VOA3) for 3-point protection of Disconnect module circuits. For use with both Profil or Back Mount frames. Our Label Holder (DC-VLH10) allows labelling of a group of modules, and occupies one module position.



Part No.	Description
----------	-------------

DC-VLA10	Arrestor Magazine, Unloaded, 10 Positions
DC-VOA3	Overvoltage Arrester, 3 Pole, 50 Pack
DC-VMP3	Disconnection Plug, 3 Pole, 100 Pack
DC-VLH10	Label Holder, 10 Pack




DC-VOA3



DC-VMP3


Back Mount Frames - Jumperable

- 11 or 27-way models
- Jumperable frames
- Sturdy metal lid - grey




Our Jumperable Back Mount Frames are ideal for internal use as a Campus Distributor, Building Distributor or Floor Distributor at or beyond the network boundary. Back mount frames include plastic jumper frames, allowing you to neatly pass jumper wire around the top and bottom of the frame. Suits back mount modules only.

Part No.	Description
DC-VBMJ11	Back Mount Jumperable Frame, 11 Position
DC-VBMJ27	Back Mount Jumperable Frame, 27 Position
DC-VBMJC11	Back Mount Jumperable Frame Cover, suits 11 Position
DC-VBMJC27	Back Mount Jumperable Frame Cover, suits 27 Position




DC-VBMJ11




DC-VBMJC11

Connection Module Mounting Frames

- Metal frame only
- Suits back mount modules
- Ideal for wall mounting
- Available in 5 to 33 positions



Part No.	Description
DC-VMF5	Connection Module Mounting Frame, 5 Position
DC-VMF11	Connection Module Mounting Frame, 11 Position
DC-VMF15	Connection Module Mounting Frame, 15 Position
DC-VMF21	Connection Module Mounting Frame, 21 Position
DC-VMF31	Connection Module Mounting Frame, 31 Position
DC-VMF33	Connection Module Mounting Frame, 33 Position




DC-VMFxx Family



DC-VDB50

Distribution Enclosures

- Sturdy ABS plastic
- Grey colour
- Wall mounted
- Holds 10-pair Disconnection Modules
- For internal use, with standard Back Mount Frame included



Our distribution enclosures are available in 50 or 100-pair models, and can be easily secured to a wall. The enclosure includes 4 moveable jumper rings and a record card. Strong ABS plastic and modern design makes this an affordable choice. Modules are sold separately.

Part No.	Description
DC-VDB50	50-Pair Distribution Box
DC-VDB100	100-Pair Distribution Box




DC-VDB100



DC-VDBH5

External Distribution Box with Hinged Lid

- For external use - IP56 rated
- Robust design, with integral sealing strip for waterproofing
- Includes glands to seal cable outlets
- Back Mount frames included



Our range of External Distribution Boxes are ideal for outdoor or factory floor applications. Supplied with a rubber seal, the box will stand up to the rigours of weather (IP56 rated), and provides an excellent solution for the termination and distribution of cables. Modules are sold separately.

Part No.	Description
DC-VDBH5	External Distribution Box, 5 Module
DC-VDBH100	External Distribution Box, 10 Module




DC-VDBH100



DC-VDBH100 (Outside)


Infrastructure Cabling




DC-PPWM-BK



DC-PPWM2-BK



DC-CTH25300BK



DC-CTHB20250BK



DC-CTHD25BK25



Wire Management Panels

- Keeps cables within bend radius limit
- Ensures neat and tidy patching

Acton Cable Managers ensure neat and tidy patching whilst helping to keep Patch Cables within their bend radius limits. Sturdy plastic clips ensure cables can be easily added and removed to cope with day to day changes.



Part No.	Description
DC-PPWM-GY	Wire Management Panel, Grey 1RU
DC-PPWM-BK	Wire Management Panel, Black 1RU
DC-PPWM2-BK	Wire Management Panel, Black 2RU



Hook & Loop Cable Ties - Trade Pack Qty 10



- Perfect for bundling cables at patch panels or behind computer desks
- Two lengths available - 300mm for larger bundles
- Fully reusable, cut to shorter lengths if necessary
- Supplied in a handy 10 pack
- Available in black only

These DataBitz cable ties harness the convenience of the hook & loop system - simply wrap around cables and stick together! It is no longer necessary to waste a conventional cable tie when adding new cables to a patch panel or computer. These ties are black in colour, and are supplied in a handy 10 pack.

Part No.	Description
DC-CTH19200BK	Hook & Loop Cable Tie, Black, 19mm wide x 200mm long, 10 Pack
DC-CTH25300BK	Hook & Loop Cable Tie, Black, 25mm wide x 300mm long, 10 Pack

Hook & Loop Cable Ties with Buckle - Trade Pack Qty 10



- Perfect for bundling cables at patch panels or behind computer desks
- Buckle provided for greater control
- Three lengths available - 250mm for larger bundles
- Fully reusable, cut to shorter lengths if necessary
- Supplied in a handy 10 pack
- Available in black only

These DataBitz cable ties with buckle harness the convenience of the hook & loop system - simply wrap around cables, run through the buckle and stick together! It is no longer necessary to waste a conventional cable tie when adding new cables to a patch panel or computer. These ties are black in colour, and are supplied in a handy 10 pack.

Part No.	Description
DC-CTHB20150BK	Hook & Loop Cable Tie with Buckle, Black, 20mm wide x 150mm long, 10 Pack
DC-CTHB20200BK	Hook & Loop Cable Tie with Buckle, Black, 20mm wide x 200mm long, 10 Pack
DC-CTHB20250BK	Hook & Loop Cable Tie with Buckle, Black, 20mm wide x 250mm long, 10 Pack

Hook & Loop Double Sided Cable Tie - 25m Roll



- Save money on larger installations - cut your own cable ties as required
- Supplied with a back-to-back grip - simply cut, wrap and stick!
- Supplied on a 25 metre reel
- Available in black only

DataBitz cable tie rolls are perfect for large cabling installations where bundle sizes may vary greatly. Supplied on a handy 25mtr reel, installers simply cut to the correct length, wrap around the bundle and stick together! Available in black only, we offer three widths for maximum versatility.

Part No.	Description
DC-CTHD12BK25	Hook & Loop Double Sided Cable Tie, Black, 12mm wide x 25m Roll
DC-CTHD19BK25	Hook & Loop Double Sided Cable Tie, Black, 19mm wide x 25m Roll
DC-CTHD25BK25	Hook & Loop Double Sided Cable Tie, Black, 25mm wide x 25m Roll

Telephone Cabling

Modular Extension Cables – RJ11/RJ12



Part No.	Description
AC-W2471	Modular Ext. Cable, RJ11 6P4C, 1m
AC-W2492	Modular Ext. Cable, RJ11 6P4C, 2m
AC-W2495	Modular Ext. Cable, RJ11 6P4C, 3m
AC-W2505	Modular Ext. Cable, RJ11 6P4C, 5m
AC-W2532	Modular Ext. Cable, RJ11 6P4C, 10m
AC-W2525	Modular Ext. Cable, RJ11 6P4C, 15m
AC-W2472	Modular Ext. Cable, RJ12 6P6C, 2m



AC-W2471



AC-W2478



AC-W1278



AC-W3650

Modular Extension Cables – RJ45 to RJ12



Part No.	Description
AC-W2478	Modular Ext. Cable, RJ45-RJ12, 2m
AC-W2483	Modular Ext. Cable, RJ45-RJ12, 3m
AC-W2485	Modular Ext. Cable, RJ45-RJ12, 5m

Telephone Extension Cables



Part No.	Description
AC-W1278	606P - 610S 4-Wire Extension Cable, 3m
AC-W1300	606P - 610S 4-Wire Extension Cable, 10m
AC-W1310	606P - 610S 4-Wire Extension Cable, 15m

Telephone Line Cords



Part No.	Description
AC-W3650	Line Cord 4-Wire, 605P-RJ12, 2m
AC-W0023	Line Cord 4-Wire, 605P-RJ12, 3m
AC-W0025	Line Cord 4-Wire, 605P-RJ12, 5m


Telephone Handset Cords




Part No.	Description
AC-W3010	Handset Curly Cord, Black, 3m
AC-W3030	Handset Curly Cord, Ivory, 3m
AC-W3060	Handset Curly Cord, White, 3m
AC-W3080	Handset Curly Cord, Black, 5m
AC-W3100	Handset Curly Cord, Ivory, 5m
AC-W3130	Handset Curly Cord, White, 5m



AC-W3030



BC-MOD4



BC-MOD6

Flat Modular Cable - 100m & 500m Reels



Part No.	Description
Ivory 100m Reels	
BC-MOD4-100	4-Wire Flat Modular Cable, Ivory, 100m Reel
BC-MOD6-100	6-Wire Flat Modular Cable, Ivory, 100m Reel
BC-MOD8-100	8-Wire Flat Modular Cable, Ivory, 100m Reel
Ivory 500m Reels	
BC-MOD4-500	4-Wire Flat Modular Cable, Ivory, 500m Reel
BC-MOD6-500	6-Wire Flat Modular Cable, Ivory, 500m Reel
BC-MOD8-500	8-Wire Flat Modular Cable, Ivory, 500m Reel
Black 100m Reels	
BC-MOD4-100BK	4-Wire Flat Modular Cable, Black, 100m Reel
BC-MOD6-100BK	6-Wire Flat Modular Cable, Black, 100m Reel
BC-MOD8-100BK	8-Wire Flat Modular Cable, Black, 100m Reel



For best results, use with DataBitz Modular Plugs. See pg.378



BC-MODx Family

Telephone Cabling



AC-P6052



AC-P6105



AC-P1420



AC-P1415



AC-P8640



DC-GFCx



AC-P2210



AC-P2214

Telephone Plugs & Sockets



Part No.	Description
AC-P6052	605 Telephone Plug, 6 Conductor
AC-P6105	610 Telephone Wall Socket
AC-P6105B	610 Telephone Wall Socket, Bulk 100 Pack
AC-P6107	610 Telephone Wall Socket, White
AC-P6107B	610 Telephone Wall Socket, White, Bulk 100 Pack
AC-P6116	611 Data Socket
AC-P6116B	611 Data Socket, Bulk 100 Pack
AC-P8630	610 Stacking Adapter
AC-P8630B	610 Stacking Adapter, Bulk 100 Pack
AC-P8620	610 Self Adhesive Backing Plate
AC-P8620B	610 Self Adhesive Backing Plate, Bulk 100 Pack

C10 Telephone Plugs & Sockets

C10 Communications

Manufactured to Australian Specifications and used for many years by Telstra, the C10 range of telephone sockets are ever reliable and made from high quality components.

Part No.	Description
COM610	C10 610 Telephone Socket
COM611	C10 611 Telephone Socket
COM610WP	C10 Wallplate for 600 Series Phones

Modular Wall Sockets



Part No.	Description
AC-P1420	Surface Mount Socket, RJ12 6P4C, White
AC-P1420B	Surface Mount Socket, RJ12 6P4C, White, Bulk 100 Pack
AC-P1422B	Surface Mount Socket, Dual RJ12 6P4C, White, Bulk 100 Pack
AC-P1415	Wall Plate Socket, RJ12 6P4C, White
AC-P8640	Wall Mount Kit for T200/400 Phones

Gel Filled Wire Connectors – Pack Qty 100



Gel filled, self stripping connector for joining 2 or 3 wire solid copper conductors of 19-26AWG.

Part No.	Description
DC-GFC2	2-wire Gel Filled Connector, Yellow (UY2), 100 Pack
DC-GFC3	3-wire Gel Filled Connector, Red (UR2), 100 Pack

For tooling, use the DataBitz Telephone Splice Crimp Tool (DC-TLGF - pg.482)

AMP CHAMP / Telco Products



Part No.	Description
AT-22299121	AMP Telco Connector Kit, Male
AT-22299131	AMP Telco Connector Kit, Female
AT-5520081	Centre Entry Telco Cover

Crimp Tool available - call Tech Support for details.

Modular Couplers




Part No.	Description
AC-P2210	RJ12 6P4C Coupler, Pin 1-1
AC-P2209	RJ12 6P6C Coupler, Pin 1-1
AC-P2207	RJ45 8P8C Coupler, Pin 1-1
AC-P2214	RJ12 6P4C 3-Way Coupler, Pin 1-1
AC-P2215	RJ12 6P6C 3-Way Coupler, Pin 1-1
AC-P2218	RJ45 8P8C 3-Way Coupler, Pin 1-1

Telephone Cabling


Telephone Adapters




Part No.	Description
AC-P6240	606M Adapter, 605P - RJ12
AC-P6284	608M Adapter, 605P - RJ45/12
AC-P6284B	608M Adapter, 605P - RJ45/12, Bulk 100 Pack
AC-P6384	610 Adapter, 610S - RJ12
AC-P5600	605 Double Adapter, 605P - 2x610S
AC-P5665	Mode 3 Adapter, 605P - 610S/611S
AC-P6340	606DM Adapter, 605P - 2xRJ12
AC-P6150	605 Adapter, 605P - 610S/RJ12




AC-P6240



AC-P6384



AC-P5600



AC-P2200

Modular Adapters



Part No.	Description
AC-P2200	RJ12 6P4C Double Adapter, Pin 1-1
AC-P2202	RJ45 8P8C Double Adapter, Pin 1-1
AC-P2236	RJ12 6P6C Triple Adapter, Pin 1-1

Modular Reducers – Trade Pack Qty 5



Part No.	Description
AC-P2220	Modular Reducer 6P to 4P, 5 Pack
AC-P2222	Modular Reducer 8P to 6P, 5 Pack

Databitz Tone Ringers



These compact tone ringers are suitable for internal or protected use in noisy ambient conditions in residential, commercial and industrial situations. The Type A unit (AC-K3507) is operated from the telephone line and no external power is required. It may also be connected to a separate horn speaker (AC-K3505) for increased sound levels. The Universal Loud Sounding Alarm (AC-K3509) is externally powered, and requires the Horn Speaker (AC-K3505) for normal operation.

Part No.	Description
AC-K3507	Type A Tone Ringer
AC-K3509	Universal Loud Sounding Alarm
AC-K3504	Blue Strobe for Type A Ringer & Universal Alarm
AC-K3505	Horn Speaker for Type A Ringer & Universal Alarm
AC-K3500	Extension Bell with 10mtr Cord
AC-K3501	Extra Loud Ext. Bell w/Volume Control



AC-K3507



AC-K3505



AC-K3501

Type A Tone Ringer

C10 Communications

The Tone Ringer Type A⁺ is a compact Tone Ringer for use in high ambient noise conditions in residential, commercial and industrial situations. Features a large high intensity LED for visual display in addition to pitch and volume adjustments for audible alert. The unit operates from the telephone line and does not require any external power source. An optional power supply may be used to increase the sound output level if required. A separate horn loud speaker can also be connected if needed.



For an external Horn Speaker, use COM796120 (see pg.395 for details).

Part No.	Description
COM1078534	C10 Type A Tone Ringer

Tone Ringer Type C

C10 Communications

A large tone ringer providing 15 watts of power in response to the telephone ringing signal. This product is intended for noisy industrial environments and when large coverage is required. This Tone Ringer 'C' is 240 V mains powered and requires the use of an external horn speaker (sold separately), typically a 200 mm (8") unit.

Part No.	Description
COM86080	C10 Tone Caller C



For an external Horn Speaker, use COM796120 (see pg.395 for details).



COM86080

Telephone Cabling



COM796120


Loud Speaker

External loud horn, 200mm. Suitable for use with COM86080 & COM1078534.

Part No.	Description
COM796120	C10 Horn Loud Speaker 203mm

C10 Communications

Should be used with either Type A (COM1078534) or Type C (COM86080) Ringers. See pg.394



AC-P8638

Loud Sounding Alarm

A larger tone ringer providing 15 watts of power in response to the telephone ringing signal. This product is intended for noisy industrial environments and when large coverage is required, and includes the C10 Type C Ringer (COM86080) and Loud Speaker (COM796120)

Part No.	Description
COM86100	C10 Loud Sounding Alarm

C10 Communications



AC-P8639

Telephone Installation Accessories

Part No.	Description
AC-P8638	Terminal Block TBA-8
AC-P8639	Main/Alternative Changeover Switch
DC-LIU	Line Isolation Unit for Music on Hold



DC-LIU

ADSL Filter/Splitters


- Filter ADSL signals to prevent noise on telephones
- Available in wall mount, in-line and (RJ11) 600 Series & remote central filter models

A filter/splitter should be used with each item of Customer Equipment connected on a PSTN Line that has an overlay ADSL service AS/AC1F S041:2005. Its purpose is to attenuate the ADSL signal before reaching the PSTN connected Customer Equipment


All models are AS/ACIF S041:2005, Telstra RCIT0004 certified, and are ADSL2 & ADSL2+ compliant.

C10 Communications

Part No.	Description
DC-ADSLF-DAM	ADSL 600-series Filter/Splitter, 605 Plug to 610 Socket/RJ45 (RCIT0004 & ADSL2+)
DC-ADSLF-IFM	ADSL Inline Filter/Splitter, RJ45 to 2 x RJ45 (RCIT0004 & ADSL2+)
DC-ADSLF-IFMB	ADSL Inline Filter/Splitter, RJ45 to 2 x RJ45 (RCIT0004 & ADSL2+), Bulk 50 Pack
DC-ADSLF-WFM	ADSL Wall Mount Filter/Splitter, RJ11 to 2 x RJ45 (RCIT0004 & ADSL2+)
DC-ADSLF-WFMB	ADSL Wall Mount Filter/Splitter, RJ11 to 2 x RJ45 (RCIT0004 & ADSL2+), Bulk 20 Pack
DC-ADSLF-CFS	ADSL Central Filter/Splitter, 3 x Port Termination




DC-ADSLF-DAM



DC-ADSLF-IFM



DC-ADSLF-WFM



DC-ADSLF-CFS

IN FOCUS


ADSL Splitter/Filters

Over the past five years ADSL has evolved to become the most widely deployed broadband service provided by Carrier companies and ISPs.

Over this period ADSL 2+ has been widely deployed and the need for a high performance ADSL 2+ filter has become a mandatory part of an installation to perform at its maximum potential both in terms of ADSL speed, connection reliability and also noise immunity for the normal telephone service.

Professional installers now use the popular Central filter (DC-ADSLF-CFS) which is not only user friendly and an easy to install device but also facilitates a high quality professional installation. This gives the customer an excellent experience of their ADSL / ADSL2+ service and does not require individual filters to be installed on each telephone. This filter has been featured in a number of trade articles and is referenced in Telstra's wiring guidelines.

ADSL2+ uses higher speeds and is prone to introducing greater noise into connected telephone devices and therefore a quality filter is required to obtain a clear telephone conversation. C10's 'M' series in-line ADSL filters have been tested and proven for over 2 years with ADSL2+. The central Filter DC-ADSLF-CFS which is very commonly used by installer is also suitable for ADSL2+.



DC-ADSLF-CFS (C10100E)

Data Communication Cabling

VGA Monitor Cables

Use these VGA cables to connect the VGA port of a PC to a switch box, or to extend the length of your existing monitor cable.



Part No.	Description
DC-CAH101	VGA Monitor Cable, HD15 M-M, 1m
DC-CAH102	VGA Monitor Cable, HD15 M-M, 2m
DC-CAH103	VGA Monitor Cable, HD15 M-M, 3m
DC-CAH105	VGA Monitor Cable, HD15 M-M, 5m
DC-CAH201	VGA Monitor Cable, HD15 M-F, 1m
DC-CAH202	VGA Monitor Cable, HD15 M-F, 2m
DC-CAH203	VGA Monitor Cable, HD15 M-F, 3m
DC-CAH205	VGA Monitor Cable, HD15 M-F, 5m
DC-CAH402	VGA Splitter Cable, HD15M-HD15F/F, 2m



DC-CAH102



DC-CAH102S




DC-CAH202S

Hi-Res VGA Monitor Cables

High resolution VGA monitor cables use special high quality coaxial cable which aids in maintaining picture quality and reducing signal losses. Recommended for use over longer distances.



Part No.	Description
DC-CAH101S	Hi-Res VGA Monitor Cable, HD15 M-M, 1m
DC-CAH102S	Hi-Res VGA Monitor Cable, HD15 M-M, 2m
DC-CAH103S	Hi-Res VGA Monitor Cable, HD15 M-M, 3m
DC-CAH105S	Hi-Res VGA Monitor Cable, HD15 M-M, 5m
DC-CAH110S	Hi-Res VGA Monitor Cable, HD15 M-M, 10m
DC-CAH115S	Hi-Res VGA Monitor Cable, HD15 M-M, 15m
DC-CAH120S	Hi-Res VGA Monitor Cable, HD15 M-M, 20m
DC-CAH201S	Hi-Res VGA Monitor Cable, HD15 M-F, 1m
DC-CAH202S	Hi-Res VGA Monitor Cable, HD15 M-F, 2m
DC-CAH203S	Hi-Res VGA Monitor Cable, HD15 M-F, 3m
DC-CAH205S	Hi-Res VGA Monitor Cable, HD15 M-F, 5m
DC-CAH210S	Hi-Res VGA Monitor Cable, HD15 M-F, 10m
DC-CAH215S	Hi-Res VGA Monitor Cable, HD15 M-F, 15m
DC-CAH220S	Hi-Res VGA Monitor Cable, HD15 M-F, 20m



DC-AC1031



DC-CAH102DVI

VGA Monitor Gender Changers

Part No.	Description
DC-AC1030	Slimline VGA Monitor Gender Changer, HD15 F-F
DC-AC1031	Slimline VGA Monitor Gender Changer, HD15 M-M



DC-CAH202DVI

Digital Visual Interface (DVI) Cables

Part No.	Description
DC-CAH102DVI	DVI Cable, Dual Link DVI-D M-M, 2m
DC-CAH202DVI	DVI Cable, Dual Link DVI-D M-F, 2m
DC-CAH302DVI	DVI Cable, DVI-A Male-HD15M, 2m



For more info on connector types & varieties, see our Connector Reference Guide on pg.404



DC-CAH302DVI

DVI to VGA Adapters

Part No.	Description
DC-ACDVI01	DVI Adapter, DVI-I Male-HD15F
DC-ACDVI02	DVI Adapter, DVI-I Female-HD15M



DC-ACDVI01

Data Communication Cabling



PS2 Keyboard & Mouse Cables

PS2-style keyboard/mouse cables with 6-pin MiniDIN connectors.



Part No.	Description
DC-CAS202	PS2 Cable, MiniDIN6 M-F, 2m
DC-CAS205	PS2 Cable, MiniDIN6 M-F, 5m
DC-CAS210	PS2 Cable, MiniDIN6 M-F, 10m
DC-CAS502	PS2 Cable, MiniDIN6 M-M, 2m
DC-CAS505	PS2 Cable, MiniDIN6 M-M, 5m
DC-CAS510	PS2 Cable, MiniDIN6 M-M, 10m



PC Keyboard Adapters

Keyboard adapter allows interconnection of PS2 and AT-style keyboards.



Part No.	Description
DC-AC1046	PC Keyboard Adapter, DIN5F-MiniDIN6M
DC-AC1046-6	PC Keyboard Adapter, DIN5F-MiniDIN6M, 15cm
DC-AC1047	PC Keyboard Adapter, DIN5M-MiniDIN6F
DC-AC1047-6	PC Keyboard Adapter, DIN5M-MiniDIN6F, 15cm



PS2 Splitters

Allows connection of mouse and keyboard to a single PS2 port.



Part No.	Description
DC-AC1047B	PS2 Splitter Cable, MiniDIN6M - 2xMiniDIN6F, 15cm
DC-AC1047Y	PS2 Y-Adapter, MiniDIN6M - 2xMiniDIN6F



PS2 Gender Changers

Convenient gender changer allows for connection of same-gender PS2 cables.



Part No.	Description
DC-AC1055	PS2 Gender Changer, MiniDIN6 M-M
DC-AC1055R	PS2 Gender Changer, MiniDIN6 F-F



PC Joystick Cables

Our joystick extension cables allow more flexibility and comfort when using the joystick.



Part No.	Description
DC-CAA202	Joystick Extension Cable, DB15 M-F, 2m




Data Communication Cabling

USB 2.0 Cables

USB 2.0 transmits data at up to 480Mbps, and these cables will help to ensure error-free performance. USB 2.0 cables are backward compatible with standard USB 1.1 devices.



Part No.	Description
DC-CAU401	USB 2.0 Cable, A-B M-M, 1m
DC-CAU402	USB 2.0 Cable, A-B M-M, 2m
DC-CAU403	USB 2.0 Cable, A-B M-M, 3m
DC-CAU405	USB 2.0 Cable, A-B M-M, 5m
DC-CAU410	USB 2.0 Cable, A-B M-M, 10m



DC-CAU401



DC-CAU501



DC-CAU101



DC-CAU201



DC-CAU301

Mini USB 2.0 Cables

USB Type A to Mini Type B cables for connecting MP3 players, PDAs, and mobile phones to USB-equipped computers or USB hubs.



Part No.	Description
DC-CAU501	USB 2.0 Cable, A-MiniB, 1m
DC-CAU502	USB 2.0 Cable, A-MiniB, 2m

USB 1.1 Cables

Our USB 1.1 cables allow you to connect USB devices such as keyboards, mice and joysticks to the USB ports on your PC or to a USB hub.



Part No.	Description
DC-CAU101	USB 1.1 Cable, A M-M, 1m
DC-CAU102	USB 1.1 Cable, A M-M, 2m
DC-CAU103	USB 1.1 Cable, A M-M, 3m
DC-CAU105	USB 1.1 Cable, A M-M, 5m
DC-CAU110	USB 1.1 Cable, A M-M, 10m
DC-CAU201	USB 1.1 Cable, A-B M-M, 1m
DC-CAU202	USB 1.1 Cable, A-B M-M, 2m
DC-CAU203	USB 1.1 Cable, A-B M-M, 3m
DC-CAU205	USB 1.1 Cable, A-B M-M, 5m
DC-CAU210	USB 1.1 Cable, A-B M-M, 10m
DC-CAU301	USB 1.1 Cable, A M-F, 1m
DC-CAU302	USB 1.1 Cable, A M-F, 2m
DC-CAU303	USB 1.1 Cable, A M-F, 3m
DC-CAU305	USB 1.1 Cable, A M-F, 5m
DC-CAU310	USB 1.1 Cable, A M-F, 10m



DC-ACUSBAA



DC-ACUSB004

USB Adapters



Part No.	Description
DC-ACUSBAA	USB Adapter, A F-F
DC-ACUSB002	USB Adapter, A Fem-B Male
DC-ACUSB003	USB Adapter, A Male-B Fem

USB to PS2 Adapters



Part No.	Description
DC-ACUSB004	USB to PS2 Adapter, A Fem-MiniDIN6M
DC-ACUSB007	USB to PS2 Adapter, A Male-MiniDIN6F



Data Communication Cabling



DC-CAFW02



DC-CAFW12



DC-CAFW22



DC-ACFW46



DC-CAG102



DC-CAI1015



DC-CAI702

IEEE 1394 FireWire Cables

IEEE 1394 FireWire cables for use with Digital Cameras, Camcorders, Printers, Scanners and many other FireWire devices.



Part No.	Description
DC-CAFW02	IEEE 1394 FireWire Cable, 6P-4P, 2m
DC-CAFW03	IEEE 1394 FireWire Cable, 6P-4P, 3m
DC-CAFW05	IEEE 1394 FireWire Cable, 6P-4P, 5m
DC-CAFW12	IEEE 1394 FireWire Cable, 6P-6P, 2m
DC-CAFW13	IEEE 1394 FireWire Cable, 6P-6P, 3m
DC-CAFW15	IEEE 1394 FireWire Cable, 6P-6P, 5m
DC-CAFW22	IEEE 1394 FireWire Cable, 4P-4P, 2m
DC-CAFW23	IEEE 1394 FireWire Cable, 4P-4P, 3m
DC-CAFW25	IEEE 1394 FireWire Cable, 4P-4P, 5m

IEEE 1394 FireWire Adapter



Part No.	Description
DC-ACFW46	IEEE 1394 FireWire Adapter, 4P-6P

PC Parallel Printer Cables

Molded bi-directional printer cables are suitable for all parallel printers including laser and deskjet models.



Part No.	Description
DC-CAG102	PC Parallel Printer Cable, DB25M-C36M, 2m
DC-CAG103	PC Parallel Printer Cable, DB25M-C36M, 3m
DC-CAG105	PC Parallel Printer Cable, DB25M-C36M, 5m
DC-CAG110	PC Parallel Printer Cable, DB25M-C36M, 10m
DC-CAG120	PC Parallel Printer Cable, DB25M-C36M, 20m
DC-CAG130	PC Parallel Printer Cable, DB25M-C36M, 30m

IEEE 1284 Bi-directional Parallel Printer Cables

IEEE 1284 printer cables are double-shielded with molded ends. Recommended for use with Enhanced Parallel Port (EPP) devices.



Part No.	Description
DC-CAI1015	IEEE 1284 Parallel Printer Cable, DB25M-C36M, 1.5m
DC-CAI103	IEEE 1284 Parallel Printer Cable, DB25M-C36M, 3m
DC-CAI104	IEEE 1284 Parallel Printer Cable, DB25M-C36M, 4m
DC-CAI702	IEEE 1284 Parallel Printer Cable, DB25 M-M, 1.8m
DC-CAI703	IEEE 1284 Parallel Printer Cable, DB25 M-M, 3m
DC-CAI705	IEEE 1284 Parallel Printer Cable, DB25 M-M, 5m

Data Communication Cabling

Centronics/Parallel Printer Cables

Part No.	Description
DC-CAJ102	Centronics Parallel Printer Cable, C36M-C36M, 1.8m
DC-CAJ103	Centronics Parallel Printer Cable, C36M-C36M, 3m
DC-CAJ105	Centronics Parallel Printer Cable, C36M-C36M, 5m



DC-CAJ102

RS-232 Serial Cables - DB25

These high quality cables have all 25 wires connected and can be used with any serial or parallel devices. They feature molded housings with thumbscrews.



Part No.	Description
DC-CAT102	RS232 Serial Cable, DB25 M-M, 2m
DC-CAT103	RS232 Serial Cable, DB25 M-M, 3m
DC-CAT105	RS232 Serial Cable, DB25 M-M, 5m
DC-CAT110	RS232 Serial Cable, DB25 M-M, 10m
DC-CAT120	RS232 Serial Cable, DB25 M-M, 20m
DC-CAT202	RS232 Serial Cable, DB25 M-F, 2m
DC-CAT203	RS232 Serial Cable, DB25 M-F, 3m
DC-CAT205	RS232 Serial Cable, DB25 M-F, 5m
DC-CAT210	RS232 Serial Cable, DB25 M-F, 10m
DC-CAT220	RS232 Serial Cable, DB25 M-F, 20m
DC-CAT302	RS232 Serial Cable, DB25 F-F, 2m
DC-CAT303	RS232 Serial Cable, DB25 F-F, 3m
DC-CAT305	RS232 Serial Cable, DB25 F-F, 5m
DC-CAT310	RS232 Serial Cable, DB25 F-F, 10m

For Null Modem applications, combine these cables with a Null Modem Adapter. See pg.400



DC-CAT102



DC-CAT202



DC-CAT302

RS-232 Serial Cables - DB9

Use these DB9 cables for extending or connecting serial mice to PC serial ports or switch boxes. These high quality cables feature molded housings with thumbscrews.



Part No.	Description
DC-CAE102	RS232 Serial Cable, DB9 M-M, 2m
DC-CAE105	RS232 Serial Cable, DB9 M-M, 5m
DC-CAE110	RS232 Serial Cable, DB9 M-M, 10m
DC-CAE202	RS232 Serial Cable, DB9 M-F, 2m
DC-CAE205	RS232 Serial Cable, DB9 M-F, 5m
DC-CAE210	RS232 Serial Cable, DB9 M-F, 10m
DC-CAE302	RS232 Serial Cable, DB9 F-F, 2m

For Null Modem applications, combine these cables with a Null Modem Adapter. See pg.400



DC-CAE102



DC-CAE202

AT Serial Modem Adapters

Part No.	Description
DC-AC1036	AT Serial Modem Adapter, DB25F-DB9F
DC-AC1037	AT Serial Modem Adapter, DB25F-DB9M
DC-AC1038	AT Serial Modem Adapter, DB25M-DB9F
DC-AC1039	AT Serial Modem Adapter, DB25M-DB9M



DC-AC1039

Null Modem Adapters

Part No.	Description
DC-AC1040	RS232 Null Modem Adapter, DB25 M-F
DC-AC1040-9	RS232 Null Modem Adapter, DB9 M-F



DC-AC1040

Data Communication Cabling



DC-CAP202




DC-CAP402



AC-K3762



AC-K3745




DC-CAV403



DC-CAW466



DC-BN58MC



DC-BN6MC

External Power Cables

Auxiliary power cables connect a monitor to the PC's auxiliary power outlet. IEC male to IEC female.



Part No.	Description
DC-CAP202	Auxiliary Power Cable IEC M-F, 2 mtr
DC-CAP203	Auxiliary Power Cable IEC M-F, 3 mtr
DC-CAP205	Auxiliary Power Cable IEC M-F, 5 mtr

General Power Cables are used to connect a PC, printer or other device to a 240VAC mains power outlet.

Part No.	Description
DC-CAP401	Power Cable 3pin-IEC M-F, 1 mtr
DC-CAP402	Power Cable 3pin-IEC M-F, 2 mtr
DC-CAP403	Power Cable 3pin-IEC M-F, 3 mtr
DC-CAP405	Power Cable 3pin-IEC M-F, 5 mtr
AC-K3762	2-core Power Cable 3pin-C7, 1.8mtr
AC-K3745	3-core Power Cable 3pin-C5, 1.8mtr

PC Internal Power Cables

Power splitter and conversion cables for use with 3.5" and 5.25" FDD, HDD and CD devices.



Part No.	Description
DC-CAV403	PC Internal Power Splitter Cable, 5.25M-5.25F/5.25F
DC-CAV404	PC Internal Power Splitter Cable, 5.25M-3.5F/3.5F
DC-CAV405	PC Internal Power Splitter Cable, 3.5F-3.5F/3.5F
DC-CAV406	PC Internal Power Extension Cable, 5.25F-5.25M
DC-CAV408	PC Internal Power Conversion Cable, 5.25F-3.5F

PC Internal FDD/HDD Cables

Provides connection between FD Drives and Controller Port or HD Drives and Controller Port.




Part No.	Description
DC-CAW404	PC Internal FDD Cable, 3xD34FC / ECR34R, 1m
DC-CAW403	PC Internal IDE HDD Cable, 2xD40FC, 450mm
DC-CAW409	PC Internal IDE HDD Cable, 2xD40FC, 600mm
DC-CAW408	PC Internal IDE HDD Cable, 4xD40FC, 600mm
DC-CAW466	PC Internal ATA66/100 HDD Cable, 3xD80FC, 400mm

BNC Connectors



Part No.	Description
Pack Qty 50	
DC-BN58MC	BNC Connector, Crimp, RG58 Male, 50 Pack
DC-BN59MC	BNC Connector, Crimp, RG59/62 Male, 50 Pack
DC-BN58FC	BNC Connector, Crimp, RG58 Female Inline, 50 Pack
DC-BN59FC	BNC Connector, Crimp, RG59/62 Female Inline, 50 Pack
DC-BN59FPC	BNC Connector, Crimp, RG59/62 Female Panel Mount, 50 Pack
DC-BN6MC	BNC Connector, Crimp, RG6 Male, 50 Pack



Trade Pack Qty 10

DC-BN58MC-10	BNC Connector, Crimp, RG58 Male, 10 Pack
DC-BN59MC-10	BNC Connector, Crimp, RG59/62 Male, 10 Pack
DC-BN58FC-10	BNC Connector, Crimp, RG58 Female Inline, 10 Pack
DC-BN58FPC-10	BNC Connector, Crimp, RG59/62 Female Panel Mount, 10 Pack

Data Communication Cabling

BNC Joiners



Part No.	Description
Pack Qty 50	
DC-BNFF	BNC Joiner, Female/Female, 50 Pack
DC-BNFFP	BNC Joiner, Female/Female Panel Mount, 50 Pack
Trade Pack Qty 10	
DC-BNFF-10	BNC Joiner, Female/Female, 10 Pack
DC-BNFFP-10	BNC Joiner, Female/Female Panel Mount, 10 Pack



DC-BNFF



DC-TWMC

Twinax Connector



Part No.	Description
DC-TWMC	Twinax Connector, Male

F-Type Connectors



Part No.	Description
DC-F11MCL	F-Type Connector, Crimp, RG11 Male
DC-F59MCL	F-Type Connector, Crimp, RG59 Male

For F-Type crimp tooling, see pg.482



DC-F6MCCL

Compression Crimp F-Type Connector - Trade Pack Qty 10

Compression crimp F-Type connector for RG6 quad shield cable. Installation is simple using the Databitz tool (DC-TLFW). Waterproof for those rugged installations.



Part No.	Description
DC-F6MCCL	F-Type Connector, Compression Crimp, RG6 Male (suits Quad Shield), 10 Pack

For tooling, use the DataBitz Compression Style Crimp Tool (DC-TLFW - pg.482).



DC-FFF


F-Type Adapters




Part No.	Description
DC-F6RCAM	Adapter, F-Type Male/RCA Male
DC-FFF	F-Type Joiner, Female/Female



Data Communication Cabling




DC-DSS09P / DC-DSS25S



DC-DSM09P / DC-DSM25S



DC-DSM00M / F



DC-DSM00MPM / F



D-Sub Backshells



DC-DSA001



D-Sub Connectors – Solder – Trade Pack Qty 10




Part No.	Description
DC-DSS09P	D-Sub Connector, Solder, DB9 Male, 10 Pack
DC-DSS09S	D-Sub Connector, Solder, DB9 Female, 10 Pack
DC-DSS15P	D-Sub Connector, Solder, DB15 Male, 10 Pack
DC-DSS15S	D-Sub Connector, Solder, DB15 Female, 10 Pack
DC-DSH15P	D-Sub Connector, Solder, HD15 (VGA) Male, 10 Pack
DC-DSH15S	D-Sub Connector, Solder, HD15 (VGA) Female, 10 Pack
DC-DSS25P	D-Sub Connector, Solder, DB25 Male, 10 Pack
DC-DSS25S	D-Sub Connector, Solder, DB25 Female, 10 Pack

D-Sub Connectors – Crimp – Trade Pack Qty 10




Part No.	Description
DC-DSM09P	D-Sub Connector, Crimp, DB9 Male, 10 Pack
DC-DSM09S	D-Sub Connector, Crimp, DB9 Female, 10 Pack
DC-DSM15P	D-Sub Connector, Crimp, DB15 Male, 10 Pack
DC-DSM15S	D-Sub Connector, Crimp, DB15 Female, 10 Pack
DC-DSM25P	D-Sub Connector, Crimp, DB25 Male, 10 Pack
DC-DSM25S	D-Sub Connector, Crimp, DB25 Female, 10 Pack



D-Sub Crimp Pins – Pack Qty 100



Part No.	Description
DC-DSM00M	D-Sub Crimp Pin, Stamped, Male, 100 Pack
DC-DSM00F	D-Sub Crimp Pin, Stamped, Female, 100 Pack
DC-DSM00MPM	D-Sub Crimp Pin, Machined, Male, 100 Pack
DC-DSM00MPF	D-Sub Crimp Pin, Machined, Female, 100 Pack



D-Sub Backshells – Plastic – Trade Pack Qty 10



Part No.	Description
DC-DSB09G-S	D-Sub Backshell, Plastic, DB9, 10 Pack
DC-DSB15G-S	D-Sub Backshell, Plastic, DB15, 10 Pack
DC-DSB25G-S	D-Sub Backshell, Plastic, DB25, 10 Pack
DC-DSB09G-L	D-Sub Backshell, Plastic with Thumbscrews, DB9, 10 Pack
DC-DSB15G-L	D-Sub Backshell, Plastic with Thumbscrews, DB15, 10 Pack
DC-DSB25G-L	D-Sub Backshell, Plastic with Thumbscrews, DB25, 10 Pack

D-Sub Backshells – Metal – Trade Pack Qty 10



Part No.	Description
DC-DSB09M	D-Sub Backshell, Metal, DB9, 10 Pack
DC-DSB15M	D-Sub Backshell, Metal, DB15, 10 Pack
DC-DSB25M	D-Sub Backshell, Metal, DB25, 10 Pack

Data Communication Cabling

D-Sub Hex Posts – Trade Pack Qty 10 Sets

Part No.	Description
DC-DSA001	D-Sub Hex Nut, 10 Set Pack (2 Per Set)
DC-DSA002	D-Sub Hex Post Extender, 10 Set Pack (2 Per Set)



DC-DSA002


D-Sub Gender Changers

Mini size gender changers for quick and convenient connection of incompatible cables.



Part No.	Description
DC-AC1026	Slimline Gender Changer, DB9 F-F
DC-AC1027	Slimline Gender Changer, DB9 M-M
DC-AC1028	Slimline Gender Changer, DB15 F-F
DC-AC1029	Slimline Gender Changer, DB15 M-M
DC-AC1032	Slimline Gender Changer, DB25 F-F
DC-AC1033	Slimline Gender Changer, DB25 M-M

See pg.400 for DataBitz serial cables & adapters.



D-Sub Gender Changers


D-Sub to RJ Modular Adapters

Wires are terminated with contacts ready for insertion into D-Sub housing for custom pin-out.



Part No.	Description
DC-AC1009	Modular Adapter, DB9F-RJ12
DC-AC1011	Modular Adapter, DB9M-RJ12
DC-AC1013	Modular Adapter, DB9F-RJ45
DC-AC1014	Modular Adapter, DB9M-RJ45
DC-AC1019	Modular Adapter, DB25F-RJ12
DC-AC1021	Modular Adapter, DB25M-RJ12
DC-AC1023	Modular Adapter, DB25F-RJ45
DC-AC1024	Modular Adapter, DB25M-RJ45

See pg.400 for DataBitz serial cables & adapters.



DC-AC1009



DC-AC1023

Connector Reference Guide

DB Type



DB9 (Female)



DB15 (Female)



DB25 (Female)

HD Type



HD15 (Female)

V Type



V.35

Modular



4P




6P



8P

Centronics



Centronics 36 (Female)



Half-Pitch Centronics 36 (Male)



Centronics 50/Telco (Male)

Other



Sun 13W3



IDC-40 (Female)

Fibre Optic



SC




FC



ST



LC



MT-RJ

DVI



DVI-A (Male)



DVI-D Dual Link (Male)



DVI-I Dual Link (Male)

USB



USB Type A



USB Type B

Firewire



Firewire 4-Pin



Firewire 6-Pin

DIN Type



4-Pin Mini DIN (Female)



5-Pin DIN (Female)



6-Pin Mini DIN (Female)



8-Pin Mini DIN (Female)

AVICO ELECTRONICS

Avico Electronics offers you five product ranges, each with it's own level of excellence and price range to suit and exceed the customers expectations. With in excess of 2000 product lines covering audio, TV, video and communication, we continue to add the newest products on the market at the right price.




A trusted and reliable brand tailored for the consumer that is looking for value for money products.



An Ultra Premium range of products made from the finest materials available and tailored for the customer who wont settle for anything but the best.



Up to the minute electronic solutions for a selection of the very latest consumer devices. A premium brand at a value price.



A complete range of AV mounts made from strong materials that are designed to make installation simple and cater for domestic and commercial applications. B-tech remains at the forefront of AV mounting solutions.



A series of professional grade switching and control products using high video technology to keep up with the latest trends.

