

# LOCKOUT TAGOUT



## YOUR KEY TO EFFECTIVE ENERGY ISOLATION PROGRAMS

Brady's selection of Lockout products help to facilitate an effective Energy Isolation Program that can prevent potentially fatal injuries in your workplace. Our range of lockout products start off by helping you with the basics - like planning, writing, training and implementing lockout procedures. Our customisable LockoutPro™ Procedure Writing software takes you through a step-by-step process of writing your own workplace lockout procedure offering a choice of standard templates. Team devices with informative lockout tags and Brady Safety Plus™ padlocks and you're well on the way to controlling hazardous energy in your workplace.

Lockout Padlocks.....	162 - 165
Circuit Breaker Lockout Devices .....	166 - 168
Cable Lockout Devices .....	169
Plug Lockout Devices.....	170
Valve Lockout Devices.....	171 - 174
Lockout Hasps.....	175 - 177
Lock Boxes.....	178 - 180
Key Cabinets.....	180
Padlock Storage Boxes .....	181
Electrical Lockout Kits .....	182 - 184
Lockout Stations .....	187 - 189
Lockout Tags .....	190 - 192
Lockout Training Tools.....	193 - 194
Lockout Signs .....	195
Scafftag Products.....	197 - 200



## WHY LOCKOUT TAGOUT?

Every year countless workers are killed or injured due to the unintentional release of hazardous energy sources. Numerous incidents could have been prevented with a clearly documented Lockout/Tagout procedure.

Effective Lockout procedures can dramatically increase your company's productivity by making Lockout activities more efficient. Your procedures serve as a checklist that allows workers to quickly move through the steps without confusion or mistakes, reducing downtime and damage to machinery.

### An effective energy isolation program a four-step process:

**1 Hazard analysis** to determine the type and magnitude of hazardous energy associated with each piece of equipment




**2 Identification of steps** necessary to isolate that energy and lock out the relevant control points



**3 Documentation** of the correct steps to isolate and lockout energy



**4 Employee training** and periodic procedure review/updates



### Lockout Tagout is Your Key to Safety

Key benefits of an effective Lockout Tagout program include:

- Improves Productivity** - through Reductions of Equipment Downtime
- Saves Lives** - Reduces Injuries and Lost Work Days

- Cost Savings** - Lower Insurance Premiums
- Best Practice** - Being adopted across various Industries



## EFFECTIVE ENERGY ISOLATION PROGRAMS

Using correct Lockout tools and devices is critical to the success of your program implementation.

### When selecting your devices two questions should be asked:

How many employees are involved in the procedure?

What is the Energy source (Electrical, Valve etc)?

**For Lockout situations** where up to 6 employees are involved in the process Hasps are an effective device whereby all personnel can be occupied in maintenance activities simultaneously. Non-conductive, stainless steel and vinyl coated hasps are widely used in mining applications.

See pages 175-177.



**Valve & Cable Lockout devices** enable you to isolate various energy sources, when used in conjunction with padlocks. Brady's extensive range of devices enables you to select and use the most appropriate tools for your procedure, in accordance with your specific application.

See pages 169, 171-174.



**In all Lockout procedures** an employee or maintenance team doing the servicing must have exclusive control of the lockout devices and padlocks.



Studies have shown that an effective **Lockout/Tagout program** can reduce accidents by up to 50%, and some insurance companies even offer lower premiums to companies with demonstrated, effective Lockout programs.



Brady's selection of Lockout products help to facilitate an effective Energy Isolation Program that can prevent potentially fatal injuries in your workplace.




## BRADY SAFETY PLUS™ PADLOCKS

Designed specifically for use in lockout applications, Brady Safety Plus™ Padlocks help keep workers safe and equipment free from damage. Rugged, yet compact and lightweight, this innovative lock meets OH&S lockout requirements and is well suited for use in harsh industrial environments. Each padlock comes with 2 keys and padlock labels.



### Features and Benefits:

- Compact and ultra-lightweight design safeguards both employees and equipment
- Corrosion and chemical resistant – suitable for use in harsh environments
- Spark-resistant, non-conductive body enhances safety in electrical applications
- Specially designed inner mechanism for non-conductivity between shackle and cylinder
- 6-pin reserved-use cylinder delivers optimum security and tamper-proofing
- Made of rugged reinforced nylon with steel shackle
- Ribbed sides promote secure gripping – even when wearing gloves
- Key won't release until shackle is closed
- Available in eight high-visibility safety colours
- Comes with two keys, danger label and a property of label
- Custom keying, charting and engraving also available



### STANDARD PACKAGE: 1

Part No.	Description
850821	Brady Safety Padlock - Red
850816	Brady Safety Padlock - Blue
850818	Brady Safety Padlock - Green
850820	Brady Safety Padlock - Yellow
850819	Brady Safety Padlock - Orange
850817	Brady Safety Padlock - Black
853203	Brady Safety Padlock - White
853204	Brady Safety Padlock - Purple
51379	Brady Safety Padlock - Labels - Pk 6

**BODY DIMENSIONS:** 38 x 44 x 20mm (WxHxD)  
**SHACKLE DIMENSIONS:** 38 x 6mm (LxDia)



Call for pricing

For keyed alike or master keyed options please contact your local Brady Distributor for a quote.

## BRADY KEYED ALIKE PADLOCK PACK

No need to wait for a set of customised padlocks, Brady offers three keyed alike safety padlocks in one pack. Padlocks come with unique keying numbers and the option to add additional padlocks on the same keying system. These are ideal for tradespeople and maintenance workers who need to lockout multiple areas. Packs come with "Danger Locked Out" labels and one key per padlock.

### STANDARD PACKAGE: 3

Part No.	Description	Colour
853205	Pack of 3 - Keyed Alike	Red
853206	Pack of 3 - Keyed Alike	Yellow
853207	Pack of 3 - Keyed Alike	Blue
853208	Pack of 3 - Keyed Alike	Green

### STANDARD PACKAGE: 12 Packs

Part No.	Description	Colour
853408	Box of 12 Packs (Mixed)	Red/Yellow
853409	Box of 12 Packs (Mixed)	Blue/Green
853680	Box of 12 Packs (One Colour)	Red
853681	Box of 12 Packs (One Colour)	Yellow
853682	Box of 12 Packs (One Colour)	Blue
853683	Box of 12 Packs (One Colour)	Green





## BRADY SAFETY PLUS™ PADLOCKS

Built on the same design strength of the Brady Safety Plus™ Padlock with the added feature of improved Non Conductivity and Corrosion Resistance Properties.

Ideal applications for the nylon shackle option include any environment containing electrical controls; therefore requiring non-conductive lockout solutions. Key industries include mining, marine, manufacturing, electrical contractors, construction and mass transit.

Ideal applications for the stainless steel shackle include outdoors, damp interior setting or a coastal environment requiring corrosion resistance e.g. wind farms and the maritime sector.

Each padlock is supplied with 2 keys and padlock labels. Available Keying Options: Keyed Differently (KD), Keyed Alike, Keyed Alike Master Key and Keyed Differently Master Key.



Contact your local distributor for a prompt quotation.

### Features and Benefits:

Unique cylinder is insulated to protect workers from shocks when key is inserted and is 6 pin precision machined for more unique key cuts and better tamper resistance.

Reserved, paracentric keyway provides optimal security and the special design prohibits the key from being released until the padlock shackle is closed.

Locks are compact and lightweight and resist impact, temperature, chemicals and corrosion.

Non-conductive, non-sparking body features a ribbed design for easier gripping and handling.

Brady guarantees quality products, a secure key register and quick delivery times.

## NYLON SAFETY PADLOCKS

Featuring a premium grade Nylon shackle, these padlocks are ideal for electrical Lockout applications.

### STANDARD PACKAGE: 1

Part No.	Description
872386	Brady Safety Padlock Nylon (KD) - Red
872387	Brady Safety Padlock Nylon (KD) - Blue
872388	Brady Safety Padlock Nylon (KD) - Green
872389	Brady Safety Padlock Nylon (KD) - Yellow
51379	Brady Safety Padlock - Labels – Pk 6

Note: Other colours available on request



## STAINLESS STEEL SAFETY PADLOCKS

Featuring a heavy duty Stainless Steel shackle, these padlocks are ideal for Lockout applications where extreme moisture resistance is required.

### STANDARD PACKAGE: 1

Part No.	Description
872390	Brady Safety Padlock Steel (KD) - Red
872391	Brady Safety Padlock Steel (KD) - Blue
872392	Brady Safety Padlock Steel (KD) - Green
872393	Brady Safety Padlock Steel (KD) - Yellow
51379	Brady Safety Padlock - Labels – Pk 6

Note: Other colours available on request






## CUSTOM KEYING OPTIONS

Custom keying, charting and engraving of padlocks is available from Brady. We have many keying options available including thousands of genuine 'key to differ' options and the ability to keyed alike, master keying and grand master keying. Brady guarantees quality products, a secure key register and quick turnaround time. Use Brady's custom order form available for download from <http://www.bradyaust.com.au> and send to your local Brady Distributor for a prompt quote.

### BRADY PADLOCK KEYING OPTIONS


#### Keyed Differently

Each lock in a keyed differently system has its own unique key. Guaranteed no duplicates, must be specially requested. See below if a master key is needed.



#### Keyed-Alike Systems


All locks in a keyed-alike system use identical keys. Any lock's key can open all the locks within the group.



### Master Keyed Systems


A master key opens all locks in the system, even though each lock has its own individual key. This system permits organising submaster, master and grandmaster systems along departmental or other functional lines. Master keys can also be made to fit multiple groups of Keyed-Alike locks. For even greater convenience all custom keying requirements for Brady Lockout Padlocks are keyed locally for faster delivery time.

#### Individually Keyed




**Submaster Key "A"**  
(Open only locks in group "A")

#### Individually Keyed




**Submaster Key "B"**  
(Open only locks in group "B")

#### Individually Keyed



**Submaster Key "C"**  
(Open only locks in group "C")

#### Individually Keyed



**Submaster Key "D"**  
(Open only locks in group "D")



**Master Key "ABC"**  
(Only opens locks in groups "ABC")

**Master Key "D"**  
(Only opens locks in group "D")



#### Master-Keyed Systems

- Supervisory master key opens all locks in system
- Each padlock also opens with a individual key
- Allows for organising of Grandmaster, Master and Submaster systems.



**GRAND-MASTER KEY**  
(OPENS ALL LOCKS THROUGHOUT SYSTEM)



Extra keys also available for Brady Padlocks. Contact your local Brady Distributor.

### LOCK LUBRICANT SPRAY

Use this lock lubricant spray to keep your padlocks in top working condition and to ensure your padlocks are maintained for longer term use. Simply spray into the barrel of locks to remove any dust and debris, and to free up moving parts. This unique dry film lubricant can improve the life of your padlocks. Especially useful in harsh environments such as mine sites.

Part No.	Description
850956	170g Dry Film Lubricant





## BRASS PADLOCKS

Available in two sizes these padlocks have a solid brass body and shackle, with a coloured vinyl casing for protection, and are spark and corrosion resistant. Genuine pin tumbler cylinder offers more unique key cuts and more effective tamper resistance. Locks come keyed differently, with two keys supplied. Labels are sold separately.



SPECIFICATIONS:	Small	Large
Shackle size	30mm	40mm
Shackle dia	4.5mm	6.5mm
Locking pins	3	4
Dimensions (HxWxD)	45 x 31 x 10mm	60 x 43 x 10mm



### STANDARD PACKAGE: 1

Part No.	Description	Colour
856762	Keyed Differently - 30mm	Black
856763	Keyed Differently - 30mm	Blue
856764	Keyed Differently - 30mm	Green
856765	Keyed Differently - 30mm	Red
856766	Keyed Differently - 40mm	Black
856767	Keyed Differently - 40mm	Blue
856768	Keyed Differently - 40mm	Green
856769	Keyed Differently - 40mm	Red
856770	Keyed Differently - 40mm	Grey
856771	Keyed Differently - 40mm	Yellow

For keyed alike options contact your local Brady Distributor for a quote.



Labels - Sold Separately

## BRADY STEEL PADLOCKS

These heavy-duty laminated steel padlocks offer the optimum in security and durability. Suited for use in general security applications such as locking toolboxes, equipment cribs and more, many customers also use steel padlocks for lockout applications in environments where lockout devices may be exposed to rough handling or potential tampering by unauthorised individuals.

The individually zinc-coated steel plates deliver superior rust protection. In addition, the use of a 5-pin cylinder, paracentric keyway with drill protection and countersunk rivets work together to enhance the lock's ability to withstand physical abuse and tampering. Available in six high-visibility safety colours and supplied with two keys per padlock. Danger labels are also available (sold separately).



### STANDARD PACKAGE: 1

Part No.	Description	Colour
850827	Keyed Differently - 20mm	Red
850824	Keyed Differently - 20mm	Blue
850826	Keyed Differently - 20mm	Orange
850828	Keyed Differently - 20mm	Yellow
850823	Keyed Differently - 20mm	Black
850825	Keyed Differently - 20mm	Green
850829	Keyed Differently - 47mm	Black
850830	Keyed Differently - 47mm	Blue
850831	Keyed Differently - 47mm	Green
850832	Keyed Differently - 47mm	Orange
850833	Keyed Differently - 47mm	Yellow
851531	Keyed Differently - 47mm	Red
850955	Padlock Labels - Pk 6	

\*Each padlock supplied with 2 keys  
For keyed alike or master keyed options contact your local Brady Distributor for a quote.



Custom keying options available. See opposite page




Labels - Sold Separately




## EURASIAN MINIATURE LOCKOUTS

Improve your company's Lockout Program with these DINN style circuit breaker lockout devices. They are easily installed and can be teamed with our range of Safety Lockout Padlocks and hasps to ensure the safety of your workers whilst electrical maintenance or repairs are carried out. Available individually or in packs of six for your convenience.

Contact your Brady representative for comprehensive Circuit Breaker Compatibility Guide.



Pin Out Wide



Pin In Standard



Pin Out Standard



Tie Bar Lockout


Part No.	Description	Pack Size
90853	Tie Bar Lockout (TBLO)	1
90854	Tie Bar Lockout (TBLO)	6
90850	Pin Out Wide Lockout (POW)	1
90851	Pin Out Wide Lockout (POW)	6
90847	Pin In Standard Lockout (PIS)	1
90848	Pin In Standard Lockout (PIS)	6
90844	Pin Out Standard Lockout (POS)	1
90845	Pin Out Standard Lockout (POS)	6

### Circuit Breaker Compatibility Chart:


Part No.	Breaker Brand	No. of Poles	Breaker Model No.	Lockout Type
90844 & 90845	Allen-Bradley	1, 2, 3	1492-CB1, 2, 3	POS
	ABB	1	S222	POS
	ABB	1	F374	POS
	ABB	1	S251, S261, S263	POS
	ABB	1	S272, S253	POS
	ABB	3	S253	POS
	Buschmat	1	S46	POS
	Clipsal	1	4CB116	POS
	Clipsal	3	4CB320	POS
	E-T-A	2	911220G	POS
	FAZ	4	C16	POS
	FAZ	1	C16	POS
	Hager	3	453717	POS
	Hager	2	MW216A	POS
	Hager	4	MW620A	POS
	Legrand	1	01908	POS
	Merlin Gerin	1	C60N	POS
	Merlin Gerin	1	C32N	POS
	Merlin Gerin	2	C60N	POS
	Merlin Gerin	4	C60N	POS
	Merlin Gerin	3	C32N	POS
	Merlin Gerin	3	C45AD	POS
	Proteus	1	C16	POS
	Proteus	1	C6	POS
Proteus	3	C6	POS	
Wylex	2	WRS40/2	POS	
90847 & 90848	AEG	2	E82S	PIS
	E-T-A	1	911225	PIS
	Kapp	1	LS68	PIS
	GE Vynckier C16, 16A	1	Series E	PIS
	GE Vynckier	1	Series G	PIS
	GE Vynckier 16A	2	Series E	PIS
	GE Vynckier	3	Series E	PIS
	GE Vynckier	3	Series G	PIS
	GE Vynckier	4	Series E	PIS
	Legrand	2	04302	PIS
	Legrand	3	06469	PIS
	Sursum	3	EA53	PIS
Teraszaki	1	C20	PIS	
90850 & 90851	Siemens B32	1	5SX21	POW
	Siemens 17U	1	5SQ11	POW
	Siemens C10	1	5SX1	POW
	Merlin Gerin	3	C80A	POW
90853 & 90854	Merlin Gerin	2	B100A	POW
	Legrand	2	01935	TBLO
	Legrand	3	01980	TBLO
	Legrand	4	01980	TBLO
	Merlin Gerin	3	C80A	TBLO
	Merlin Gerin	2	B100A	TBLO
	Siemens 17U	2	5SQ12	TBLO
	Siemens L20A	3	5SN2-2	TBLO
	Siemens C32	2	5SX1-2	TBLO
	Siemens 17U	3	5SQ13	TBLO
	Siemens C70	3	5SX13	TBLO
	Siemens 17U	4	5SQ16	TBLO




#### 4 DIFFERENT TYPES OF BREAKER LOCKOUT AVAILABLE:




POS – Pin Out Standard



PIS – Pin In Standard



POW – Pin Out Wide



TBLO – Tie Bar Lockout





## NO HOLE SINGLE POLE CIRCUIT BREAKER LOCKOUT

"No Hole" Circuit Breaker Lockout device will lock out most single pole circuit breakers. Enhanced to lock out most Federal Pacific breakers. Easy to install, provides secure locking protection. Accepts up to 7mm shackle diameter lock. Fits wider and thicker switch tongues: 16mm wide by 11mm thick (277 volt device), 41mm wide by 14mm thick (480/600 volt device).

Part No.	Description	Qty.
65965	Small Device	6
65396	Small Device	1
65966	Large Device	6
65397	Large Device	1



Patent No. 5,500,495



Step 1



Step 2

## LOCKOUT CLEATS

Used with the Small and Large "No Hole" (65965 & 65966) breaker lockouts. Assure positive lockout for those hard to lock out long sliding switch throws and switches with large angular rotation commonly found with some Westinghouse, ITE, Square D and Federal Pacific circuit breakers. Snap-on and off feature allows for use only when needed.


STANDARD PACKAGE: 6

Part No.	Description
65404	Small Pack
65406	Large Pack


## ORIGINAL SINGLE POLE CIRCUIT BREAKER LOCKOUT

Device locks out most major brand breaker switches (Except Federal Pacific and most 277 volt breakers.) Simple design snaps onto breaker switch and accepts up to 7mm shackle diameter lock or nylon tie.


Part No.	Description	Qty.
65688	Single Pole Breaker	6
65387	Single Pole Breaker	1




Patent No. 5,122,624




Step 1



Step 2



Step 3



Patent No. 5,300,740

## UNIVERSAL MULTI-POLE BREAKER LOCKOUT

Multi-Pole lockout works with most major multi-pole breakers with tie-bar. Very convenient, no self-locking tie is needed. Applicability includes: GE, I-T-E, Sylvania, Challenger, Bryant, Westinghouse and General Switch Co.

STANDARD PACKAGE: 6

Part No.	Description
66320	Multi-Pole Lockout

## CIRCUIT BREAKER LOCKOUT

Compact universal design to lock out a large range of single, double and triple-pole circuit breakers. Place lockout over circuit breaker handle, tighten set screw and attach padlock and tag.



STANDARD PACKAGE: 1

Part No.	Description
836597	Circuit Breaker Lockout

## OVERSIZED BREAKER LOCKOUT DEVICE


Oversized lockout fits breakers up to 63mm wide by 22mm thick.



Part No.	Description	Qty.
65321	Oversized Breaker	6
65329	Oversized Breaker	1



## BREAKER LOCKOUTS



Allows circuit breakers to be locked out, preventing energisation of electric currents. Made from tough polycarbonate material. Single Pole Breaker Lockout (BL01) is designed to fit most single-pole breaker applications. Multi-Pole Breaker Lockout (BL03) is designed to fit multi-pole breakers. "No Hole" Circuit Breaker Lockout (BL04) is designed to fit circuit breaker toggles up to 13mm wide without a recess hole in the toggle. Three-Phase breaker Lockout (BL07) is designed to lockout a wide range of three-phase breaker handles up to 20mm thick and 76mm wide. Patent #5,310,969, #5,577,599, #6,617,532.

### STANDARD PACKAGE: 1

Part No.	Description
BL01	Single Pole Breaker Lockout
BL03	Multi-Pole Breaker Lockout
BL04	"No Hole" Circuit Breaker Lockout
BL07	Three Phase Breaker Lockout

## 400-600V BREAKER BLOCKER

Perfect for locking out oversized and irregularly shaped switches. Self-adhesive backed rails are permanently installed into an electrical panel – simply clean panel surface and adhere – no drilling required. Blocking bars (red and green) are 193mm long. Red blocking bar indicates locked off, green bar indicates locked on. Patent # 6,469,264.


Kit includes 2 yellow mounting rails, 1 red blocking bar, 1 green blocking bar and 3 alcohol wipes.




### STANDARD PACKAGE: 1

Part No.	Description
90891	Breaker Block Kit
90892	193mm Red Blocking Bar
90893	193mm Green Blocking Bar
51264	102mm Yellow Mounting Rails
51265	Blocking Bar Holder - Pk 5

## FUSE LOCKOUT/BLOCKOUT DEVICES



Fuse Blockout Device



Fuse Lockout Device

Unique locking mechanism prevents device from being accidentally removed from fuse block. Blockout devices can be used to blockout 6mm to 17mm and blade fuse types. Use cable tie to lock. Patent # 5,207,590, #4,669,794.

### STANDARD PACKAGE: 6

Part No.	Description
65750	10mm Fuse Lockout Device
65751	14mm Fuse Lockout Device
65690	Fuse Blockout Device for 6, 7, 10 and 14mm
65691	Fuse Blockout Device for 20, 27mm & blade type fuses

## WALL SWITCH LOCKOUT

Can be used with most wall-mounted switches. Easy to install. Two styles available. Patent #5,543,593, #5,260,528, #5,260,528.

### STANDARD PACKAGE: 1

Part No.	Description
WSLO	Clear Wall Switch Lockout- Non Hinge Design
65392	Red Wall Switch Lockout - Single
65696	Red Wall Switch Lockout - Pk 6




\* Padlocks not included



## ORIGINAL CABLE LOCKOUT DEVICE

Flexible cable lockout devices can be used to lockout multiple valves simultaneously... all with one device. Better than chains and just as effective, with a lot less weight. Great for security use too. A cost effective way to lockout gate valves, with many other uses as well.



The original Cable Lockout device enables you to lock out several disconnects in various energy distribution centres simultaneously.

### STANDARD PACKAGE: 1 CABLE LOCKOUT DEVICE


Part No.	Description
65318	1.8m Cable



### STANDARD PACKAGE: 1 ADDITIONAL CABLES

Part No.	Description
65319	2.4m Cable
65320	3.0m Cable

## ALL PURPOSE CABLE LOCKOUT



The advantage of using cable lockouts is they can be used in a wide variety of ways and can secure unusual energy isolating devices that are difficult to lock out using conventional means. Its ergonomic design makes it a breeze to tighten. Using the cable-hold device in one hand, cinch the cable tight with the other. The lightweight body is made of impact-modified glass filled nylon. Built-in loops keeps cable neatly coiled when stored and also keeps extra cable from dangling loose and posing a hazard when in use. Available with two types of cables that are interchangeable and can be purchased separately.

### STANDARD PACKAGE: 1

#### NON CONDUCTIVE NYLON CABLES

Part No.	Description
50945	Nylon Cable - 2.4m
50948	Nylon Cable - 3.6m
50951	Nylon Cable - 4.8m
50954	Nylon Cable - 6.0m

#### METAL CABLES

Part No.	Description
50947	Sheathed Cable - 2.4m
50950	Steel Cable - 3.6m
50953	Steel Cable - 4.8m
50956	Steel Cable - 6.0m

#### CABLE LOCKOUT DEVICE

Part No.	Description
50941	APCLO with 2.4m nylon cable
50943	APCLO with 2.4m sheathed cable
50944	APCLO without cable

## MINI CABLE LOCKOUT DEVICE



Labels sold separately.

This revolutionary Cable Lockout Device is perfect for use on disconnect switches, small gates and more! The cable is retractable and is stored internally – it works just like a tape measure. The body is constructed of impact-modified glass filled nylon which yields superior resistance to chemicals, corrosion and temperature extremes.

**BODY DIMENSIONS:**  
100 x 31mm (WxD)  
**CABLE DIMENSIONS:**  
1.5mm x 2.4m (Dia x L)

### STANDARD PACKAGE: 1

Part No.	Description
50940	Mini Cable Lockout Device with Steel cable
51442	Mini Cable Lockout Device with Nylon cable



Lockout large gate valves, other oversized devices



Lockout multiple control points with a single device

### CABLE LOCKOUTS – GREAT VERSATILITY!

The advantage of using cable lockouts is they can be used in a wide variety of ways. They can be used to secure unusual energy isolating devices that are difficult to lock out using conventional means and are more portable and easier to use than chains.

Cable lockout devices are a great addition to any lockout program.



## STANDARD PLUG LOCKOUT DEVICE

Designed for heavy duty applications, Brady's Plug Lockout is an inexpensive way to safely lock out electrical plugs. Made of rugged polypropylene, the lockouts are available in two sizes.

The Plug Lockout is ideal for those situations where the plug is not under the exclusive control of the person doing the service or performing the maintenance. If the maintenance employee temporarily leaves the area, it prevents anyone else from putting the plug back into its outlet. It's a simple, cost effective safety measure.

### STANDARD PACKAGE: 1

Part No.	Description	Dimensions (LxHxD)
65674	Small – 3 Pin Standard Plugs	89 x 50 x 50mm
65675	Large – Industrial Plugs	178 x 82 x 82mm



## HUBBELL PLUGOUT™

Two sizes to fit most heavy industrial plug applications. Small version accepts plugs with maximum 70mm diameter and 120mm length with 25mm cord. Large version accepts plugs with maximum 114mm diameter and 258mm length and 37mm cord.

### STANDARD PACKAGE: 1

Part No.	Description
65695	Small Plugout™
65698	Large Plugout™



For pricing see page 66



## 3-IN-1 PLUG LOCKOUT DEVICE

Accommodates high and low voltage plugs up to 76mm in diameter and 139mm in length. 2 sliding top lids can be used individually or together to accommodate small, medium and large diameter cords up to 31mm.

### STANDARD PACKAGE: 1

Part No.	Description
PL023	3-in-1 Plug Lockout - English




## ELECTRICAL/PNEUMATIC PLUG LOCKOUT

This lockout device accommodates a large variety of electrical plugs up to 89mm in diameter and 127mm in length, as well as male air hose connectors. Holes accommodate electrical cord or "necked down" pneumatic male fittings commonly attached to compressed air hose.


### STANDARD PACKAGE: 1

Part No.	Description
PL027E	Electrical/Pneumatic Plug Lockout





## ECONOMY CABLE LOCKOUT



Unique hasp lockout device accepts up to six 7mm diameter padlocks.

### STANDARD PACKAGE: 1

Part No.	Description
CABLO	Cable Lockout Device with 1.8m cable
CABLE	1.8m Cable Only
CABLO-10	Cable Lockout Device with 3m cable
CABLO-10FT	3m Cable Only

## GAS CYLINDER LOCKOUT

Prevents access to the main cylinder valve. No need to match your lockout device to varying diameters and threads of cylinder caps. Accommodates neck rings up to 89mm diameter and installs in seconds to save time.

### STANDARD PACKAGE: 1

Part No.	Description
LM023E	Gas Cylinder Lockout



LOCKOUT TAGOUT

## PNEUMATIC QUICK-DISCONNECT LOCKOUT



Isolate pneumatic energy without the expense and the inconvenience of installing in-line lockout valves. Brady's quick disconnect lockout is applied to the male fitting, isolating equipment from all compressed air sources.

With a "glove fit", the lockout accommodates the majority of 6mm, 9mm and 12mm male fittings. The centre of the device allows for permanent storage on an air hose and a loop on the side can be used to hang the hose and lockout device. A padlock with 6mm or 7mm shackle diameter is required.

### STANDARD PACKAGE: 1

Part No.	Description
64221	Pneumatic Quick Disconnect

## AIR LINE REGULATOR LOCKOUT



Brady's air line regulator lockout is designed to help you work safely when performing maintenance and repairing pneumatic systems. Eliminates the problem of disabling other equipment sharing the same air supply. Device enables regulator to be locked in the ON, OFF or THROTTLED position.

Installation is as easy as removing the snap cap, installing the locking device on the regulator rod and snapping the replacement cap on the regulator.

### STANDARD PACKAGE: 1

Part No.	Description
64539	Miniature Air Line Regulator
64540	Intermediate Air Line Regulator



## GATE VALVE LOCKOUTS



Unique "knockout" feature can be removed by hand to accommodate OS&Y or "rising stem" gate valves.

Make locking out valves safe and easy with the Brady Gate Valve Lockouts. Available in four sizes to fit valve handles from 25mm to 330mm in diameter. Made of durable, non-adherent plastic to resist chemicals and hot and cold temperatures.

New stainless steel hinge design for added strength and security. Unique "knockout" feature accommodates OS&Y or "rising stem" gate valves. Designed to accept all locks with up to 9.4mm shackle diameter and 19mm or greater vertical shackle clearance. Service temperature -29°C to 149°C.

Available in four colours (Red, Green, Yellow & Blue). Red and Green devices are frequently used to indicate if valve is locked in open (green) or closed (red) position.

**STANDARD PACKAGE: 1 Device, labels included.**

Valve Handle Diameter	Part No.			
	Red	Yellow	Green	Blue
25mm to 63mm	65560	65590	65595	65585
63mm to 125mm	65561	65591	65596	65586
125mm to 162mm	65562	65592	65597	65587
162mm to 250mm	65563	65593	65598	65588
250mm to 330mm	65564	65594	65599	65589

## ADJUSTABLE GATE VALVE LOCKOUT

Eliminate the need to buy three or more lockouts – the Adjustable Gate Valve Lockout adjusts to fit multiple size gates! Designed to completely enclose handle and prevent tampering. The durable polypropylene construction resists cracking and abrasion, and can withstand temperatures from -45°C to 182°C. Available in Red or Yellow. Labels included, also sold separately.

**STANDARD PACKAGE: 1**

Part No.	Description
850835	Yellow
850834	Red
851649	Label



## GATE VALVE LOCKOUT SATCHEL

Includes all five sizes of gate valve lockouts in a handy satchel with shoulder strap.



### Kit Contents:

- 1 x 25mm to 63mm Gate Valve Lockout (65560)
- 1 x 62mm to 125mm Gate Valve Lockout (65561)
- 1 x 125mm to 162mm Gate Valve Lockout (65562)
- 1 x 162mm to 250mm Gate Valve Lockout (65563)
- 1 x 250mm to 325mm Gate Valve Lockout (65564)
- 1 x Lockout Satchel (51173)

**STANDARD PACKAGE: 1**

Part No.	Description
99676	Gate Valve Lockout Satchel
99677	Kit w/ 2 Brady Safety Plus Padlocks & 2 Tags
99678	Kit w/ 2 Brady Steel Padlocks & 2 Tags

## VALVE LOCKOUT POUCH

Economical kit for locking out small gate and ball valves.



### Kit Contents:


- 1 x Adjustable Gate Valve Lockout (850834)
- 2 x Small Ball Valve Lockout (BS07A)
- 1 x Large Lockout Pouch (50979)

**STANDARD PACKAGE: 1**

Part No.	Description
99680	Kit w/ 2 Brady Safety Plus Padlocks & 2 Tags
99681	Kit w/ 2 Brady Steel Padlocks & 2 Tags



## STANDARD BALL VALVE LOCKOUT DEVICES



Best available method for locking out ball valves. Patented design fits all major brand ball valves. Simple one-piece design makes it easy to use. Patent No. 5,003,797.



Brady Ball Valve Lockout Devices come in two sizes to lock out 6mm to 25mm and 31mm to 75mm ball valves.

### STANDARD PACKAGE: 1


Part No.	Valve Size	Min. Padlock Max. Diameter	Shackle Clearance	Material
65666	6mm to 25mm	7mm	25mm	Super Touch Nylon™
65692	6mm to 25mm	9.4mm	19mm	Heavy Steel
65669	31mm to 75mm	7mm	19mm	Heavy Steel
65693	31mm to 75mm	9.4mm	19mm	Heavy Steel



## UNIVERSAL BALL VALVE LOCKOUT DEVICE

The Universal Ball Valve Lockout device is designed to “lock out” virtually any quarter turn valve – round, square or flat; and with odd shaped handles, straight or with angles. Plus, it’s versatile enough to accommodate handles up to 31mm thick and 41mm wide in almost any length. Its unique design even allows it to work with valves on insulated pipes. For process safety control requirements (non-lockout applications) the Universal Ball Valve Lockout device can lock valves in the on and throttled positions. This device will accommodate a second lockout arm (purchased separately) to lock handles in throttled position and to lock out 3, 4 and 5 way valves.

The Universal Ball Valve Lockout device is made of durable super-tough nylon and steel materials. The device is strong, lightweight and resistant to most chemicals. Patent No. 5,415,017.



Fits various shaped ball valve handles, as well as Block, Stop, and some Butterfly and T-handle valves.

### STANDARD PACKAGE: 1

Part No.	Description	Thickness	Width
65400	Small UBVL	19mm	25mm
65401	Large UBVL	31mm	41mm
65402	Extra Small Arm	19mm	25mm
65403	Extra Large Arm	31mm	41mm



Use second rotating arm to lock valve in the throttled position.



If needed, device can be turned upside-down to lock out valve.

## BALL VALVE LOCKOUT DEVICE

Made from ultra-tough polypropylene. Small lockout (BS07A) locks out pipes 13mm to 64mm in diameter. Large lockout (BS08A) locks out pipes 51mm to 203mm in diameter. Small lockout can also be used to lock valves OPEN on pipes 13mm to 32mm in diameter. Available in four colours. Patent No. 6,622,536.

### STANDARD PACKAGE: 1

Description	Part No.			
	Red	Blue	Green	Yellow
Small Ball Valve Lockout	BS07A	BS07A-BU	BS07A-GN	BS07A-YW
Large Ball Valve Lockout	BS08A	BS08A-BU	BS08A-GN	BS08A-YW




LOCKOUT TAGOUT



## UNIVERSAL VALVE LOCKOUT

The Universal Valve Lockout Device has an open-ended clamp that fits over closed rings and wide handles. The device can be used to lock large levers, T-handles and other hard to secure mechanical devices. Made of industrial grade steel and nylon for extra impact and chemical resistance, this device comes with a cable to accommodate even more of those unique lockout applications. There is no need for multiple types and sizes of lockout devices! Now one device fits them all! Available in small and large sizes. Choose between a 2.4m Non-conductive Nylon Cable or a 2.4m Sheathed Steel Cable. Cables sold separately. Perform multiple valve lockouts with just one device!




No need for multiple types and sizes of lockouts – now one device does it all!



Lock out all types of valves with a single device!



Clamp attaches to butterfly handles, preventing trigger handle from being squeezed. Valve cannot be repositioned!



Use blocking arm to lock out quarter-turn ball valves.



Use cable attachment to lock out gate valves.



Use two blocking arms to lock out 3-, 4- or 5-way valves, or to lock valves in the throttled position for operational control.

STANDARD PACKAGE: 1

### Universal Valve Lockout – Complete Sets

Part No.	Description
51394	Small UVLO w/ 2.4m Sheathed Cable Attachment & Blocking Arm
51390	Small UVLO w/ 2.4m Nylon Cable Attachment & Blocking Arm
51392	Large UVLO w/ 2.4m Sheathed Cable Attachment & Blocking Arm
51388	Large UVLO w/ 2.4m Nylon Cable Attachment & Blocking Arm



STANDARD PACKAGE: 1

### Universal Valve Lockout – Individual Components

Part No.	Description
50924	Small UVLO Base Clamping Unit
50899	Large UVLO Base Clamping Unit
65402	Small Blocking Arm
65403	Large Blocking Arm
51395	Cable Attachment w/ 2.4m Sheathed Cable
50932	Cable Attachment w/ 2.4m Nylon Cable



LOCKOUT TAGOUT





## SAFETY LOCKOUT HASP

Lockout hasps ensure the energy source stays locked out until every individual working on the repairs or inspection is finished. Each person involved puts a lock on the hasp, but the hasp cannot be removed until all locks have been removed. Allows up to six workers to lock out a single point. Vinyl-coated high tensile steel. Plated to resist rust. Accepts six padlocks up to 9mm shackle diameter. Available in two sizes.



STANDARD PACKAGE: 1

Part No.	Description	Pack Size
65375	25mm Diameter Jaws	12
65375/1	25mm Diameter Jaws	1
65376	38mm Diameter Jaws	12
65376/1	38mm Diameter Jaws	1

## PIVOT LOCKOUT HASP

The lightweight hasp is specifically designed for Lockout applications. The hasp allows multiple workers to lockout at each isolation point. Stainless steel construction and accommodates up to 8mm dia padlock shackles. Each hasp is supplied in hangsell style packaging and supplied in boxes/24.

STANDARD PACKAGE: PACK of 24

Part No.	Description
871239	Pivot Lockout Hasp Pack/24

**DIMENSIONS (CLOSED):**  
58 x 85 x 9mm (WxHxD)

**DIMENSIONS (OPEN):**  
110 x 85 x 8mm (WxHxD)



## STAINLESS STEEL SCISSOR ACTION HASP

These scissors action hasps are constructed from marine grade (316) stainless steel and are designed to provide a maximum tamper proof locking facility. Ideal for addressing safety issues where shift change procedures demand removal of personal padlocks. Hasps protect personnel maintaining machinery as required by statutory regulations.



**DIMENSIONS:**  
40 x 115 x 4mm (WxHxD)

STANDARD PACKAGE: 1

Part No.	Size
852440	1.8 x 4mm Jaw

## HIGH VISIBILITY LOCKOUT HASPS

High Visibility Lockout Hasps have a bright yellow plastic coating that can be seen from a distance, and prevents hasps from scratching machinery. Highly durable, epoxy-coated steel provides resistance to rust while adding dielectric strength. Each hasp holds up to six padlocks (with lock hole diameter up to 9mm). Available in either 25.5mm or 38mm hasps jaws.



STANDARD PACKAGE: 1 Hasp

Part No.	Description
846674	25.5mm Hasp Jaws
846676	38mm Hasp Jaws



**SPECIFICATIONS:**  
1.8mm Metal thickness  
10mm dia Lock Hole  
28mm dia Jaw

## STANDARD LOCKOUT HASP

Used on fuse or switch boxes, these sturdy steel lockouts are available in 25mm hasp and 10mm holes for up to six padlocks. Economical and easy to use.



STANDARD PACKAGE: 1

Part No.	Qty
834193	12
834193/1	1

## DUAL-SIZE LOCKOUT HASP

These hasps are constructed of case-hardened plated steel and are insulated with a red vinyl coating. Each hasp will hold up to six padlocks. Wide and narrow jaws on the same device make this 2 hasps in one.



STANDARD PACKAGE: 1

Part No.	Qty
834192	12
834192/1	1




## LABELLED LOCKOUT HASPS

Brady's new Labelled Lockout Hasp is a combination Lockout Tag and Safety Lockout Hasp. This device allows a single employee to lock out a piece of equipment and begin servicing it. Up to five additional employees can affix their locks and tags to the Labelled Lockout Hasp to assist in the servicing operation.

Available in tough 5052 anodised aluminium alloy. Label surface accepts pens, pencils and permanent markers. Printing from pens and pencils can be erased from Lockout Hasps.



Colour	Part No. Pkg of 5	Part No. Pkg of 1	B
Red	65960	65960/1	
Silver	65961	65961/1	
Blue	65962	65962/1	
Green	65963	65963/1	
Gold	65964	65964/1	



Reverse Side

## ELECTRICAL LEAD HOOK & STAND


This Electrical Lead Hook and Stand is the perfect solution for keeping leads off the ground in construction sites and in warehouses. Designed for use on flat or rough terrain, the tripod stand is made from galvanised steel and spans out to 100x100mm and has a hook for additional weights. The Lead Hook is made from durable, flexible plastic material and is non-conductive.

Lead stand dimensions  
**Weight:** 6kg  
**Height:** 2-2.3 Metres  
**Base span:** 100 x 100mm

### STANDARD PACKAGE: 1

Part No.	Description	B
848922	Lead Hook*	
851940	Lead Hook Stand	

\*Hook Fits maximum size pipe 30mm



Lead Hook



Lead Hook Stand (bucket not included)

## AC VOLTAGE SENSOR

Troubleshoot electrical circuits safely and accurately with the AC Voltage Sensor. The tip glows in the presence of A.C. voltage - senses through insulation. Locates blown fuses, defective breakers, neutral/live wires. Alkaline battery is included.

### STANDARD PACKAGE: 1

Part No.	Description	B
65269	AC Voltage Sensor	



Call for pricing





## NON-CONDUCTIVE HASPS



These fluorescent orange nylon lockouts measure 25 x 64mm and allow the use of up to six padlocks. The lightweight lockouts are easily carried from location to location and the bright fluorescent orange colour allows it to be seen from any location. Constructed of tough nylon, these hasps are non-conductive and suitable for use where electrical current may occur.

STANDARD PACKAGE: 1


Part No.	Description
844501	Non-Conductive Hasps

Lock out any piece of equipment safely and effectively



## NON-CONDUCTIVE LOCKOUT HASP

Made of strong rigid plastic resin these non-conductive lockout hasps offer high flexibility, resistance to cracking and most chemicals. They have excellent electrical insulating characteristics, perform at low temperatures and have excellent heat resistance. Available in Red only.



\*Product colour may vary from image shown above

STANDARD PACKAGE: 1

Part No.	Description
LH220A	Non-conductive Lockout Hasp

## DUAL LEVEL SAFETY LOCKOUT



Especially designed to allow for the removal of personal padlocks this lockout enables a supervisory padlock to remain safely locked in place, ensuring that the machine remains isolated. Foolproof access to the hasp entry and a tamperproof locking facility adds another degree of safety. Manufactured from marine grade 316 stainless steel, the lockout has a 5.7mm hasp shank that will fit most electrical switch gear, cabinets and distribution boards.

STANDARD PACKAGE: 1

Part No.	Description
852439	Dual Level Safety Lockout

## BRADY SHOCK-STOP™ GROUP LOCK BOX & HASPS

This visually instructive lock box uses stop sign design to draw attention to employees. It combines a lock box with storage board for hasps (also sold separately), accepts up to six locks and provides railing for storing locks when not in use. Each box includes six metal hooks inside for hanging keys, tag stubs, etc and comes standard with two SHOCK-STOP™ hasps. Backboard also includes writable/erasable area for signing out hasps. Mounting hardware and instructions included.

Use Brady Shock-Stop™ Hasps as a visually instructive stop sign to warn employees about group lockout applications. Allows up to six workers to lockout a single energy source. The hasp is constructed of 13 gauge zinc plated steel and can accommodate up to 9mm padlock shackle. There is an area to write on the front & back of the hasp.

LOCK BOX DIMENSIONS: 267 x 420 x 64mm (WxHxD)

STANDARD PACKAGE: 1

Part No.	Description
87692	Group Lock Box
87693	Hasps - PK 5



Hasp



87692



## GROUP LOCK BOX



Simplifies lockout of large equipment. After machine or process is locked out, the key or keys are placed in a lock box. Then, each authorised work team member places a personal lock or tagout device onto the group lock box. Ensures that no one employee has access to the box unless ALL employees have removed their locks or tags. Accepts up to 13 individual locks. Heavy steel construction. Available in Red or Blue.

### STANDARD PACKAGE: 1

Part No.	Dimensions (WxHxD)	Colour
65699	250 x 150 x 100mm	Red
45190	250 x 150 x 100mm	Blue

## LOCK BOX



For complex work team lockout situations. The same lockout safety as the group lock box, but allows one employee to control lockouts of all other team members. After machine or process is locked out, all keys are placed in lock box. Group leaders place lock on lock box until job is complete and all group members are cleared from work area. Heavy steel construction.

### STANDARD PACKAGE: 1

Part No.	Dimensions (WxHxD)	Colour
65672	250 x 150 x 100mm	Yellow

## EXTRA-LARGE GROUP LOCK BOX



Made of heavy-duty steel, powder coated for extra rust resistance. Accommodates up to 12 padlocks (locks not included). Can also double as a lock storage box – holds up to 75 padlocks. Available in red only.

### STANDARD PACKAGE: 1

Part No.	Dimensions (WxHxD)
51171	222 x 168 x 152mm

## LOCK BOX WITH WINDOW



The Lock Box with window is similar to part number 65672 shown above. The only difference is a window which allows you to see the contents inside. Available in blue only. Weighs: 1.7kg.



### STANDARD PACKAGE: 1

Part No.	Dimensions (WxHxD)	Colour
848018	250 x 150 x 100mm	Blue

## ACRYLIC WALL LOCK BOXES



Made of acrylic plastic these lock boxes come with pre-drilled holes for easy wall mounting. The transparent front cover allows easy viewing of contents, so you know how many contractors are still at work. Pre-attached plastic hooks for hanging keys, tag stubs etc. Available in 3 sizes.

### STANDARD PACKAGE: 1

Part No.	Dimensions (HxWxD)	Max Number of Padlocks	Number of key hooks
LG003E	152 x 152 x 63.5mm	6	3
LG008E	305 x 190 x 63.5mm	10	8
GLOBOX	400 x 190 x 63.5mm	14	18

## METAL WALL LOCK BOX

Made of yellow powder-coated metal this lockbox accommodates 8-10 locks (depending on lock size).

### STANDARD PACKAGE: 1

Part No.	Dimensions (WxHxD)
LG252M	381 x 152 x 76mm





## EXTRA-LARGE GROUP LOCK BOX

Ensure the safety of all workers by keeping energy sources locked out until everyone is finished and centralise the location of your lockout supplies. Extra-Large size holds up to 50 padlocks inside lock box and 53 holes around box. The large size holds up to 30 padlocks inside and up to 24 around the box. Durable polypropylene moulded box, 6mm clear polycarbonate lid and stainless steel backing with hooks, includes self opening struts for ease of use. Can be mounted to rail or directly onto wall. Comes with clipboard spring on front of lid.



### STANDARD PACKAGE: 1

Part No.	Description	Dimensions (WxHxD)	B
856839	Extra-Large Group Wall Lock Box	572 x 780 x 91mm	
870443	Large Group Wall Lock Box	570 x 400 x 80mm	



## MINI WALL LOCK BOX

Injection moulded for extra durability. Won't corrode! Excellent chemical and heat resistance properties. Patented lock rails hold up to eight padlocks. Transparent window lets you view contents from outside. Slot in front allows keys to be inserted when locked. Pre-drilled holes in back allow for easy wall-mounting. Comes with six hooks for hanging keys, locks etc inside.



### STANDARD PACKAGE: 1

Part No.	Description	Dimensions (WxHxD)	B
50938	Minature Wall Lock Box	120 x 31 x 140mm	
50939	Extra Key Hooks - Pk of 12		



### LOCK BOXES – A GREAT IDEA FOR GROUP LOCKOUT

For group lockout situations involving a large number of workers and equipment, lock boxes can offer a number of advantages over hasps.

#### HOW LOCK BOXES WORK:

Supervisor uses a single job lock on each energy control point to lockout equipment.

Keys for job locks are out in a lock box.

Each worker applies his own lock to the lock box. As long as any one worker's lock remains on the lock box, the keys to the job locks cannot be accessed, and the energy isolating devices cannot be operated. Each employee retains exclusive control.

#### HOW GROUP LOCK BOXES CAN SAVE YOU LOTS OF MONEY:

Example: Assume five workers need to lockout 10 energy control points.

Using hasps, 50 locks are required (all five workers must apply individual locks to each control point).

Using a lock box, only 15 locks are required (10 job locks applied to the control points and five employee locks applied to the lock box). That's 70% fewer locks!

Less weight hanging from the energy point – one lock instead of five!

Finally, checking the locks on the lock box allows you to track who is still working. With hasps, you need to walk around to each energy control point to see whose lock is still in place.





## COMBINATION LOCKOUT/LOCK BOX STATION



Powder coated metal yellow cabinet. Lockout safety tips printed on inside of door. Lock Box attaches to bottom of cabinet, accommodates 8-10 locks (depending on size). Comes with one adjustable shelf (extra shelves available).

**CABINET DIMENSIONS:** 356 x 407 x 153mm (WxHxD)

**LOCK BOX DIMENSIONS:** 381 x 153 x 76mm (WxHxD)

### Kit Contents:

- 1 x 120V Snap-on Breaker Lockouts (65387)
- 1 x 120/277V Clamp-On Breaker Lockout (65396)
- 1 x 480/600V Clamp-On Breaker Lockout (65397)
- 1 x Universal Multi-Pole Breaker Lockout (66321)
- 1 x Oversized Breaker Lockout (65329)
- 1 x Cleat for 120/277V Clamp-On Breaker Lockout (65404)
- 1 x Cleat for 480/600V Clamp-On Breaker Lockout (65406)
- 1 x Wall Switch Lockout (65392)
- 1 x 110V Plug Lockout (65674)
- 1 x 3-In-1 Plug Lockout (PL023)
- 1 x 25mm to 63mm Gate Valve Lockout (65560)
- 1 x Adjustable Gate Valve Lockout (850834)

### STANDARD PACKAGE: 1




Part No.	Description
99708	Combined Lockout & Lock Box Station w/ Components
99709	Station w/ Components & 6 Brady Safety Plus Padlocks, 12 Tags
99710	Station w/ Components & 6 Brady Steel Padlocks, 12 Tags
LC252M	Metal Lockout Cabinet (Cabinet Only)
LG252M	Metal Wall Lock Box (Lock Box Only)
LC254M	Extra Shelf

## WALLMOUNT GROUP LOCK BOXES

Efficient way for a group of employees to lockout equipment that has multiple lockout points. Keeps padlocks clean, organised and ready for use. Keyhole slot makes it easy to add keys to the box after it has been locked out. Provides easy access for employees and is highly visible. Choose from three styles.

### STANDARD PACKAGE: 1

Part No.	Description	Dimensions (WxHxD)
854243	7 Hole Box	203 x 178 x 57mm
854244	12 Hole Box	426 x 178 x 57mm
854245	26 Hole Box	429 x 178 x 57mm



### 7 Hole Box:

Features seven key pegs that hold up to five keys each. Accommodates up to 7 padlocks (not included).

### 12 Hole Box:

Features 15 key pegs that hold up to five keys each. Accommodates up to 12 padlocks (not included).

### 26 Hole Box:

Features 15 key pegs that hold up to five keys each. Accommodates up to 26 padlocks (not included).

## KEY CABINETS

Organise your flow of keys while adding security. Choose from a variety of key capacities to suit your growing needs.

### STANDARD PACKAGE: 1

Part No.	Keys Per Unit	Dimensions (HxWxD)
839912	10	172 x 169 x 50mm
839913	30	300 x 200 x 80mm
839914	60	550 x 380 x 80mm
839915	110	550 x 380 x 80mm
836521	160	550 x 380 x 80mm
836522	240	550 x 380 x 140mm
836590	N/A	Tags - PK 20



839912



839914



839913



## EMERGENCY KEY BOX

The Emergency Key Box makes keys accessible, yet deters casual use. This durable steel Key Box is supplied with a hammer, chain and 2 keys. Replacement glass, hammer and chains also available for purchase separately.

**DIMENSIONS:** 120 x 150 x 40mm (WxHxD)

Part No.	Description
856879	Key Box with Hammer and Chain – Red
856880	Replacement Glass
856881	Replacement Hammer and Glass



## LOCKOUT STATION



A highly visible and secure steel, powder coated cabinet for convenient storage of departmental or personal lockouts. Each cabinet accommodates up to 18 padlocks plus a range of hasps and lockout tags.

**DIMENSIONS:** 400 x 500 x 160mm (WxHxD)

**STANDARD PACKAGE: 1**

Part No.	Description
842578	Cabinet Only
844844	Interior Panel

\* Padlocks, Tags and Hasps not included with panel.

## STEEL PADLOCK CONTROL CENTRE

When working in harsh environments, use this durable Padlock Control Centre to store and manage your lockout padlock system. Two cabinet sizes are available to suit your storage requirements – holding either 16 or 32 padlocks. Cabinets mount easily to wall with screws (supplied), and two keys are supplied for each cabinet lock.

**STANDARD PACKAGE: 1**

Part No.	Description	Dimensions (WxHxD)
851198	Small Lockout Centre	250 x 300 x 50mm
851199	Large Lockout Centre	390 x 457 x 50mm



## PADLOCK STORAGE PANEL



Constructed of 14 gauge steel with a red plastic coating, this Padlock Storage Panel has a space saving design which gives you the option to add and remove panels as required. Simple design allows padlocks to lock onto the rail for ease of storage. Two sizes available – four padlock panel and up to 24 padlock panel. Increase your storage by mounting consecutive panels side by side or vertically to form an effective padlock storage system.

**STANDARD PACKAGE: 1**

Part No.	Description	Dimensions (WxHxD)
851200	Small Padlock Panel	76 x 56 x 31mm
851201	Large Padlock Panel	400 x 76 x 31mm

## SAFETY PADLOCK STORAGE MODULES

Industrial padlock storage modules provide for organised storage and tracking of personal, serialised and borrowed padlocks. A transparent, lockable door enables users to view the locks. Two sizes available. Locks not included.

**STANDARD PACKAGE: 1**

Part No.	Dimensions (WxH)	Lock Storage Capacity
65240	375 x 350mm	16-76mm Locks
65241	375 x 750mm	40-76mm Locks



Call for pricing.



## PERSONAL BASIC LOCKOUT KIT

Contains the basic devices needed to lockout common breakers, valves and plugs.



Personal lockout kits come equipped with keyed-alike padlocks, allowing all the locks in a kit to be opened with a single key. This simplifies key management and ensures employees can quickly and easily find the right key.

### Kit Contents:

- 1 x 13mm-64mm Small Ball Valve Lockout (BS07A)
- 1 x 25mm-63mm Gate Valve Lockout (65560)
- 1 x 120/277V Clamp-On Breaker Lockout w/ Cleat (65396)
- 1 x Universal Multi-Pole Breaker Lockout (66321)
- 1 x Small 110V Plug Lockout (65674)
- 2 x 25mm Lockout Hasps (65375)
- 2 x Heavy Duty Lockout Tags (65520) w/ Nylon Cable Ties
- 1 x Small Lockout Toolbox (105905)

Part No.	Description
104794	Personal Basic Lockout Kit
104795	Kit w/ 2 Keyed-Alike Safety Padlocks
104796	Kit w/ 2 Keyed-Alike Steel Padlocks

## PERSONAL ELECTRICAL LOCKOUT KIT

Provides lockouts for use on most circuit breakers, electrical plugs and disconnect switches.



### Kit Contents:

- 1 x Mini Cable Lockout (50940)
- 1 x 3-in-1 Plug Lockout (PLO23)
- 2 x 120/277V Clamp-On Breaker Lockouts w/ Cleats (65396)
- 1 x 480/600V Clamp-On Breaker Lockout w/ Cleat (65397)
- 2 x Universal Multi-Pole Breaker Lockout (66321)
- 1 x Oversized Breaker Lockout (65329)
- 3 x 25mm Group Lockout Hasps (65375)
- 3 x Heavy Duty Lockout Tags (65520) w/ Nylon Cable Ties
- 1 x Medium Lockout Toolbox (105906)

Part No.	Description
105960	Personal Electrical Lockout Kit
105961	Kit w/ 3 Keyed-Alike Safety Padlocks
105962	Kit w/ 3 Keyed-Alike Steel Padlocks

## PERSONAL VALVE LOCKOUT KIT

Contains devices for locking out a wide range of gate and ball valves.



### Kit Contents:

- 1 x All Purpose Cable Lockout (50943)
- 1 x Adjustable Gate Valve Lockout (64057)
- 1 x 25mm-63mm Gate Valve Lockout (65560)
- 1 x 13mm-64mm Small Ball Valve Lockout (BS07A)
- 3 x 25mm Group Lockout Hasps (65375)
- 3 x Heavy Duty Lockout Tags (65520) w/ Nylon Cable Ties
- 1 x Medium Lockout Toolbox (105906)

Part No.	Description
105957	Personal Valve Lockout Kit
105958	Kit w/ 3 Keyed-Alike Safety Padlocks
105959	Kit w/ 3 Keyed-Alike Steel Padlocks

## PERSONAL VALVE & ELECTRICAL LOCKOUT KIT

Provides everything you need to lockout breakers, plugs and valves of various types and sizes.



### Kit Contents:

- 1 x All Purpose Cable Lockout (50943)
- 1 x Adjustable Gate Valve Lockout (64057)
- 1 x 13mm-64mm Small Ball Valve Lockout (BS07A)
- 1 x 3-in-1 Plug Lockout (PLO23)
- 2 x 120/277V Clamp-On Breaker Lockouts w/ Cleats (65396)
- 1 x 480/600V Clamp-On Breaker Lockout w/ Cleat (65397)
- 2 x Universal Multi-Pole Breaker Lockouts (66321)
- 3 x 25mm Group Lockout Hasps (65375)
- 3 x Heavy Duty Lockout Tags (65520) w/ Nylon Cable Ties
- 1 x Medium Lockout Toolbox (105906)

Part No.	Description
105955	Kit w/ 3 Keyed-Alike Safety Padlocks





## PERSONAL BREAKER LOCKOUT KIT

This tool box contains 2 each of our most popular breaker lockouts, which cover 120v/277v and 480/600v breakers in single and multi-pole configurations.



### Kit Contents:

- 2 x 120/277V Clamp-On Breaker Lockouts w/ Cleats (65396)
- 2 x 480/600V Clamp-On Breaker Lockouts w/ Cleats (65397)
- 2 x Universal Multi-Pole Breaker Lockouts (66321)
- 3 x 25mm Red Lockout Hasps (65375)
- 3 x Heavy Duty Lockout Tags (65520) w/ Nylon Cable Ties
- 1 x Small Lockout Toolbox (105905)

Part No.	Description	B
105963	Personal Breaker Lockout Kit	
105964	Kit w/ 3 Keyed-Alike Safety Padlocks	
105965	Kit w/ 3 Keyed-Alike Steel Padlocks	

## LOCKOUT TOOLBOXES

These toolboxes are made of rugged polypropylene with nickel-plated steel clasps. Two handy storage pockets are built into lid. Includes a removable drawer for organising contents.



### STANDARD PACKAGE: 1

Part No.	Description	Dimensions (HxWxD)	B
105905	Small Toolbox	180 x 355 x 139mm	
105906	Medium Toolbox	198 x 411 x 185mm	

## LOCK AND TAG STARTER KIT



### Kit Contents:

- 2 x 25mm Safety Lockouts (65375/1)
- 6 x Safety Padlocks Red (850821)
- 1 x Lockout Tags Pack of 25 (65525)

### STANDARD PACKAGE: 1

Part No.	Description	B
833386	Lock and Tag Starter Kit	

## TOOLBOX LOCKOUT KIT

This durable, compact toolbox kit contains all essential lockout devices for Electrician's. Includes padlocks, tags and a variety of circuit breaker lockouts, allowing you to have all the essentials in one portable kit.



### Kit Contents:

- 1 x Standard Lockout Hasp (834193/1)
- 1 x Brady Steel Padlock Black - 47mm (850829)
- 1 x Brady Steel Padlock Black - 19mm (850823)
- 25 x Economy Lockout Tags (842372)
- 25 x B853 Danger Locked Out Tag (66085)
- 1 x No Hole Circuit Breaker Lockout - Small (65396)
- 1 x No Hole Circuit Breaker Lockout - Large (65397)
- 1 x Lockout Cleat - Small (65404)
- 1 x Lockout Cleat - Large (65406)
- 1 x Circuit Breaker Lockout (836597)
- 1 x Universal Multi Pole Breaker Lockout (66320)
- 1 x All Purpose Cable Lockout - 2.4mtr with sheathed cable (50943)
- 1 x Lockout Tool Box Small (870617)

Part No.	Description	B
870594	Toolbox Lockout Kit	



## MINING LOCKOUT KIT

The Mining Lockout kit offers a range of electrical protection products conveniently packaged in a portable pouch. The kit offers versatility and a wide range of electrical lockout components such as Circuit Breakers, Lockout Hasps and Tags to offer complete electrical protection.



### Kit Contents:

- 1 x Belt Lockout Pouch Black (65292)
- 1 x Safety Lockout Hasp 25mm Dia Jaw (65375/1)
- 1 x No Hole Single Pole Circuit Lockout Small (65396)
- 1 x No Hole Single Pole Circuit Lockout Large (65397)
- 1 x Universal Multi-Pole Breaker Lockout (66321)
- 1 x Large Eco Lockout Tag rev.side#1 Do Not Operate (842377)
- 1 x Large Eco Lockout Tag rev.side#1 Out Of Service (842375)
- 1 x Brady Safety Plus Padlock Red (850821)
- 1 x Dual Level Safety Lockout (852439)
- 1 x Eurasian Mini Pin Out Standard Lockout (90844)
- 1 x Eurasian Mini Pin In Standard Lockout (90847)
- 1 x Eurasian Mini Pin Out Wide Lockout (90850)
- 1 x Eurasian Mini Tie Bar Lockout (90853)

**DIMENSIONS:** 130 x 185 x 50mm (HxWxD)

### STANDARD PACKAGE: 1

Part No.	Description
871997	Mining Lockout Kit

## ELECTRICIAN'S MINI LOCKOUT KIT

Each electrician will have the right components. Black pouch has metal loops for hanging on a belt. Made of heavy duty nylon.



### Kit Contents:

- 1 x Pouch (65292)
- 1 x Red Padlock (805821)
- 5 x Heavy Duty Lockout Tags (65525)
- 1 x Small 'No Hole' Breaker Lockout (65396)
- 1 x Large 'No Hole' Breaker Lockout (65397)
- 1 x Universal Multi-Pole Lockout (66321)
- 1 x Small Plug Lockout (65674)
- 1 x 25mm Lockout Jaws (65375/1)
- 1 x Single Breaker Lockout (65387)

### STANDARD PACKAGE: 1

Part No.	Description
848825	Electrician's Mini Lockout Kit

## ELECTRICIAN'S MINI LOCKOUT POUCH

Circuit breaker lockouts are an effective and affordable solution for electrician's carrying out day-to-day work. Brady's lockout kit includes a combination of lockouts for older style breakers and more modern DINN style breakers, reducing the need to carry multiple kits.



### Kit Contents:

- 1 x Mini Circuit Breaker POS (90844)
- 1 x Mini Circuit Breaker PIS (90847)
- 1 x Mini Circuit Breaker POW (90850)
- 1 x Mini Circuit Breaker TBLO (90853)
- 1 x No Hole Circuit Breaker Small (65396)
- 1 x No Hole Circuit Breaker Large (65397)
- 1 x Universal Multi-Pole Lockout (66321)
- 1 x Dang. Do Not Operate - Poly Tags (842377)
- 1 x Dang. Out Of Service - Poly Tags (842375)
- 1 x Lockout Jaws 25mm (65375/1)
- 1 x Lockout Pouch (65292)
- 1 x Red Brady Safety Plus Lock 38mm with Label (850821)

### STANDARD PACKAGE: 1

Part No.	Description
848284	Electrician's Mini Lockout Pouch

## PERSONAL PADLOCK POUCH

This handy kit is ideal for individuals requiring a basic lockout kit for temporary maintenance and repairs. Packaged in a brightly coloured pouch that reads "Lockout / Tagout", this kit is easily located in any work-van. Each pouch has two small D-shackles and belt loops to attach to tool belts for portability.



### Kit Contents:

- 2 x Brady Safety Padlocks (850821)
- 2 x Heavy Duty Lockout Tags (65525)
- 1 x 25mm Lockout Hasp (65375)
- 1 x 38mm Lockout Hasp (65376)
- 1 x Lockout Belt Pouch (51172)

### STANDARD PACKAGE: 1

Part No.	Description
99290	Personal Padlock Pouch
51172	Pouch Only



## COMBINATION LOCKOUT TOOL BOX

A crucial part of any Lockout Tagout program is to prevent injury to workers by providing a means to isolate the equipment that is being serviced. The Lockout Tool Box has what you need to lock and mark your equipment preventing its use until repairs have been completed. Lockout Tool Box also sold individually.

### DIMENSIONS:

430 x 115 x 127mm (WxHxD)

### STANDARD PACKAGE: 1

Part No.	Description
99684	Kit w/ Brady Safety Padlocks & Tags
99685	Kit w/ Brady Steel Padlocks & Tags
LKP-TKLBOX	Toolbox Only

### Kit Contents:

- 1 x 25mm-165mm Adjustable Gate Valve Lockout (850834)
- 1 x 6mm-25mm Ball Valve Lockout (65666)
- 1 x 31mm-73mm Ball Valve Lockout (65669)
- 1 x 120V Snap-On Breaker Lockout (65387)
- 1 x 120/277V Clamp-On Breaker Lockout (65396)
- 1 x 480/600V Clamp-On Breaker Lockout (65397)
- 1 x Universal Multi-Pole Breaker Lockout (66321)
- 1 x 110V Plug Lockout (65674)
- 1 x Wall Switch Lockouts (65392)
- 1 x Lockout Belt Pouch (51172)
- 1 x Extra-Large Lockout Toolbox (LKP-TKLBOX)



## COMBINATION LOCKOUT DUFFEL

Everything you need to lock out the most common mechanical and electrical control points, with extra electrical lockout devices. Includes Mini Cable Lockout and Universal Valve Lockout.



### Kit Contents:

- 1 x Mini Cable Lockout (50940)
- 1 x Large Univ. Valve Lockout w/ Blocking Arm (50899 and 65403)
- 1 x 120V Snap-On Breaker Lockout (65387)
- 1 x 120/277V Clamp-On Breaker Lockout (65396)
- 1 x 480/600V Clamp-On Breaker Lockout (65397)
- 1 x Universal Multi-Pole Breaker Lockout (66321)
- 1 x Oversized Breaker Lockout (65329)
- 1 x 3-in-1 Plug Lockout (PL023)
- 1 x Wall Switch Lockout (65392)
- 1 x 25mm-165mm Adjustable Gate Valve Lockout (850834)
- 1 x 25mm-63mm Gate Valve Lockout (65560)
- 1 x 6mm-25mm Ball Valve Lockout (65666)
- 1 x Lockout Belt Pouch (51172)
- 1 x Lockout Duffel Bag (99162)

### STANDARD PACKAGE: 1

Part No.	Description
99690	Kit w/ Brady Safety Padlocks and Tags
99691	Kit w/ Brady Steel Padlocks and Tags
99162	Duffel Bag Only



## COMBINATION LOCKOUT SATCHEL

When attending to maintenance and repair work, ensure you have the right device available to lockout energy control points by carrying this convenient satchel. This satchel contains quality Brady lockout devices to suit the most common mechanical, valve and electrical control points found in manufacturing plants and worksites everywhere. Bright red satchel that reads "Lockout/Tagout" is easily identified and is available with or without lockout padlocks and tags.

### Kit Contents:

- 1 x Large Universal Lockout with blocking arm (50899 & 65403)
- 1 x All Purpose Cable Lockout (50943)
- 1 x 6mm-25mm Ball Valve Lockout (65666)
- 1 x 25mm-64mm Gate Valve Lockout (65560)
- 1 x 64mm-127mm Gate Valve Lockout (65561)
- 1 x 127mm-165mm Gate Valve Lockout (65562)
- 1 x 240 Volt Snap-On Breaker Lockout (65387)
- 1 x 240 Volt Clamp-on Breaker Lockout (65396)
- 1 x 480/600 Volt Clamp On Breaker Lockout (65397)
- 1 x Universal Multi-Pole Breaker Lockout (66321)
- 1 x 240 Volt Plug Lockout (65674)
- 1 x Wall Switch Lockout (65392)
- 1 x Lockout Satchel (51173)

### STANDARD PACKAGE: 1

Part No.	Description
99686	Combination Lockout Kit
99687	Combination Lockout Kit w/ Safety Padlocks & Tags
51173	Satchel Only





## VALVE LOCKOUT STARTER KIT



### Kit Contents:

- 2 x 25mm – 62mm Gate Valve Lockouts (65560)
- 2 x 62mm – 100mm Gate Valve Lockouts (65561)
- 2 x Small Ball Valve Lockouts (65666)
- 2 x Large Ball Valve Lockouts (65669)
- 3 x Red Labelled Lockout Hasps (65960-1)
- 2 x 20mm Blue Steel Master Padlocks (850824)
- 2 x 47mm Blue Steel Master Padlocks (850830)
- 10 x Lockout Tags (65525)
- 1 x Yellow Canvas Locking Carrying Bag (65780)

### STANDARD PACKAGE: 1

Part No.	Description
65778	Valve Lockout Starter Kit

## DEPARTMENT LOCKOUT STARTER KIT

### Kit Contents:

- 6 x Original Breaker Lockouts (65688)
- 6 x Small "No Hole" Breaker Lockouts (65965)
- 6 x Large "No Hole" Breaker Lockouts (65966)
- 6 x Universal Multi-Pole Breaker Lockouts (66320)
- 2 x Small Brady Plug Lockout (65674)
- 2 x Large Brady Plug Lockout (65675)
- 2 x 25-62mm Gate Valve Lockouts (65560)
- 2 x 62-100mm Gate Valve Lockouts (65561)
- 2 x Small Ball Valve Lockouts (65666)
- 2 x Large Ball Valve Lockouts (65669)
- 5 x 25mm Safety Lockout Jaws (65375-1)
- 6 x Red Safety Padlocks (850831)
- 50 x Lockout Tags (65525)
- 2 x Yellow Canvas Locking Carrying Bags (65780) (not pictured)



### STANDARD PACKAGE: 1

Part No.	Description
833389	Department Lockout Starter Kit

## LOCKOUT TAGOUT STORAGE BAGS



99162



51172 – Also available in black



51173



65780

A variety of bags, satchels and pouches. Brightly coloured, durable and easily identified. Use to store existing devices. Bags only, contents not included.

### STANDARD PACKAGE: 1

Part No.	Description	Dimensions (WxHxD)
99162	Large Duffel Bag	419 x 254 x 215mm
51173	Lockout Satchel	355 x 381 x 100mm
51172	Belt Lockout Pouch Red	190 x 120 x 50mm
65292	Belt Lockout Pouch Black	190 x 120 x 50mm
65780	Locking Carry Bag	457 x 247mm

## READY ACCESS PADLOCK STATION



Holds up to 10 padlocks, 6 hasps and 10 tags. Semi-transparent hinged cover with locking mechanism protects contents from harsh environments and prevents unauthorised access. Slots in back for wall mounting, attachable carrying handle facilitates easy portability. Space-saving design delivers footprint half the size of competitors.

### DIMENSIONS: 336 x 177 x 63.5mm (WxHxD)

Part No.	Description
105928	Padlock Station w/ 5 Brady Safety Padlocks
105929	Padlock Station w/ 5 Brady Steel Padlocks
105930	Padlock Station w/ 10 Brady Safety Padlocks
105931	Padlock Station w/ 10 Brady Steel Padlocks
105932	Ready Access Padlock Station (Unfilled)

### Station with 5 Padlocks

- 1 x Ready Access Padlock Station (105932),
- 5 x Keyed Differently Safety Padlocks (850821) or Steel Padlocks (850827)
- 5 x Heavy Duty re-usable Lockout Tags (65520) w/ nylon cable ties
- 2 x 25mm Group Lockout Hasps (65375)
- 2 x 35mm Group Lockout Hasps (65376)

### Station with 10 Padlocks

- 1 x Ready Access Padlock Station (105932)
- 10 x Keyed Differently Safety Padlocks (850821) or Steel Padlocks (850827)
- 10 x Heavy Duty re-usable Lockout Tags (65520) w/ nylon cable ties
- 3 x 25mm Group Lockout Hasps (65375)
- 3 x 35mm Group Lockout Hasps (65376)



## READY ACCESS LOCKOUT STATIONS

These compact stations come with an attachable handle for easy portability. The stations can also be permanently wall-mounted near the point of need. The lockable cover guards against theft and unauthorised usage, and protects the contents from exposure to harsh industrial environments.

### VALVE LOCKOUT STATION

#### Contents:

- 1 x Ready Access Lockout Station (105942)
- 2 x Adjustable Gate Valve Lockouts (850834)
- 1 x All Purpose Cable Lockout (50943)
- 2 x Ball Valve Lockouts (BS07A)
- 2 x 25mm Group Lockout Hasps (65375/1)
- 1 x 35mm Group Lockout Hasp (65376/1)
- 6 x Keyed Differently Safety Padlocks (850821) or Steel Padlocks (850827)
- 6 x Heavy Duty, re-usable Lockout Tags (65520) w/ nylon cable ties

**DIMENSIONS:** 431 x 431 x 130mm (WxHxD)

Part No.	Description
105936	Valve Lockout Station (No Padlocks)
105937	Station w/ 6 Safety Padlocks
105938	Station w/ 6 Steel Padlocks



### VALVE & ELECTRICAL LOCKOUT STATION

#### Contents:

- 1 x Ready Access Lockout Station (105942)
- 1 x Adjustable Gate Valve Lockout (850834)
- 1 x All Purpose Cable Lockout (50943)
- 1 x Ball Valve Lockout (BS07A)
- 1 x 3-in-1 Plug Lockout (PLO23)
- 2 x 120/277V Clamp-On Breaker Lockouts w/cleats (65396)
- 1 x 480/600V Clamp-On Breaker Lockout w/cleats (65397)
- 2 x Universal Multi-pole Breaker Lockouts (66321)
- 2 x 25mm Group Lockout Hasps (65375/1)
- 1 x 35mm Group Lockout Hasp (65376/1)
- 6 x Keyed Differently Safety Padlocks (850821) or Steel Padlocks (850827)
- 6 x Heavy Duty, re-usable Lockout Tags (65520) w/ nylon cable ties

**DIMENSIONS:** 431 x 431 x 130mm (WxHxD)

Part No.	Description
105933	Valve & Electrical Lockout Station (No Padlocks)
105934	Station w/ 6 Safety Padlocks
105935	Station w/ 6 Steel Padlocks



### ELECTRICAL LOCKOUT STATION

#### Contents:

- 1 x Ready Access Lockout Station (105942)
- 2 x 3-in-1 Plug Lockouts (PLO23)
- 1 x Mini Cable Lockout (50940)
- 2 x 120/277V Clamp-On Breaker Lockouts w/cleats (65396)
- 2 x 480/600V Clamp-On Breaker Lockouts w/cleats (65397)
- 2 x Universal Multi-pole Breaker Lockouts (66321)
- 1 x Oversized Breaker Lockout (65329)
- 2 x 25mm Group Lockout Hasps (65375/1)
- 1 x 35mm Group Lockout Hasps (65376/1)
- 6 x Keyed Differently Safety Padlocks (850821) or Steel Padlocks (850827)
- 6 x Heavy Duty, re-usable Lockout Tags (65520) w/ nylon cable ties

**DIMENSIONS:** 431 x 431 x 130mm (WxHxD)

Part No.	Description
105939	Electrical Lockout Station (No Padlocks)
105940	Station w/ 6 Safety Padlocks
105941	Station w/ 6 Steel Padlocks

### READY ACCESS LOCKOUT STATION

Semi-transparent hinged cover with locking mechanism protects contents from harsh environments and prevents unauthorised access. Slots in back for wall mounting. Attachable carry handle facilitates easy portability. Includes 4 small detachable hanging hooks.

**STORAGE COMPARTMENT DIMENSIONS:** 406 x 107 x 130mm (WxHxD)

**STATION DIMENSIONS:** 431 x 431 x 130mm (WxHxD)

**STANDARD PACKAGE:** 1

Part No.	Description
105942	Lockout Starter Station



Closed



## COMBINATION WALL-MOUNT LOCKOUT STATION

This station provides everything you need to lock out both mechanical and electrical control points. Includes Universal Valve Lockout and All Purpose Cable Lockout. Constructed of sturdy polystyrene with pre-drilled holes for easy wall mounting. Pegboard-style holes for hooks drilled into back and sides (eight hooks supplied standard), built-in lock rail holds 20-25 locks depending on lock size.

**DIMENSIONS:** 635 x 760 x 134mm (WxHxD)

### Kit Contents:

- |   |   |
|---|---|
| 1 x All Purpose Cable Lockout w/ 2.4m Sheathed Cable (50943)    | 1 x Wall Switch Lockout (65392)                     |
| 1 x Large Univ. Valve Lockout w/ Blocking Arm (50899 and 65403) | 1 x 110V Plug Lockout (65674)                       |
| 2 x 120V Snap-On Breaker Lockouts (65387)                       | 1 x 3-in-1 Plug Lockout (PLO23)                     |
| 2 x 120/277V Clamp-On Breaker Lockouts with cleats (65396)      | 1 x 6-25mm Ball Valve Lockout (65666)               |
| 2 x 480/600V Clamp-On Breaker Lockouts with cleats (65397)      | 1 x 31-76mm Ball Valve Lockout (65669)              |
| 2 x Universal Multi-Pole Breaker Lockouts (66321)               | 2 x 25-63mm Gate Valve Lockouts (65560)             |
| 1 x Oversized Breaker Lockout (65329)                           | 1 x 25-165mm Adjustable Gate Valve Lockout (850834) |
|   | 2 x Labelled Lockout Hasps (65960/1)                |

Part No.	Description
<b>COMBINATION LOCKOUT STATION</b>	
99692	Extra-Large Lockout Station w/ Components
99693	Station w/ Components and 18 Brady Safety Padlocks, 25 Tags
99694	Station w/ Components and 18 Brady Steel Padlocks, 25 Tags
50993	Extra-Large Lockout Station (Station Only)
<b>ENCLOSED COMBINATION LOCKOUT STATION</b>	
99695	Extra-Large Enclosed Lockout Station w/ Components
99696	Station w/ Components and 18 Brady Safety Padlocks, 25 Tags
99700	Station w/ Components and 18 Brady Steel Padlocks, 25 Tags
50995	Extra-Large Enclosed Lockout Station (Station Only)



Combination Lockout Station

## VALVE LOCKOUT STATION

Provides everything you need for locking out all types of valves and plugs. Includes Universal Valve Lockout and all Purpose Cable Lockout. Constructed of sturdy white polystyrene with pre-drilled holes for easy wall mounting and pegboard-style holes for hooks drilled into back (six hooks supplied standard). Built-in lock rail holds 15 - 20 locks depending on lock size.

### Kit Contents:

- |   |   |
|---|---|
| 1 x All Purpose Cable Lockout w/ 2.4m Sheathed Cable (50943)    | 1 x 6-25mm Ball Valve Lockout (65666)               |
| 1 x Large Univ. Valve Lockout w/ Blocking Arm (50899 and 65403) | 1 x 25-63mm Gate Valve Lockout (65560)              |
| 1 x 110V Plug Lockout (65674)                                   | 1 x 25-165mm Adjustable Gate Valve Lockout (850834) |
| 1 x 3-in-1 Plug Lockout (PLO23)                                 | 2 x Labelled Lockout Hasps (65960/1)                |

**DIMENSIONS:** 495mm x 673mm 127mm (WxHxD)

Part No.	Description
<b>VALVE LOCKOUT STATION</b>	
99698	Large Lockout Station w/ Components
99699	Station w/ Components and 12 Brady Safety Padlocks, 25 Tags
99697	Station w/ Components and 12 Brady Steel Padlocks, 25 Tags
50994	Large Lockout Station (Station Only)
<b>ENCLOSED VALVE LOCKOUT STATION</b>	
99703	Station w/ Components and 12 Brady Safety Padlocks, 25 Tags
99704	Station w/ Components and 12 Brady Steel Padlocks, 25 Tags
50996	Large Enclosed Lockout Station (Station Only)



Valve Lockout Station

## ELECTRICAL LOCKOUT STATION

Provides everything you need for locking out all types of electrical control points and includes Mini Cable Lockout. Station is constructed of sturdy white polystyrene with pre-drilled holes for easy wall mounting pegboard-style holes for hooks drilled into back (four hooks supplied standard). Built-in lock rail holds 10-15 locks depending on lock size.

### Kit Contents:

- |  |                                      |
|--|--------------------------------------|
| 1 x Mini Cable Lockout (50940)                             | 1 x Wall Switch Lockout (65392)      |
| 2 x 120V Snap-On Breaker Lockouts (65387)                  | 1 x 110V Plug Lockout (65674)        |
| 2 x 120/277V Clamp-On Breaker Lockouts with cleats (65396) | 1 x 3-in-1 Plug Lockout (PLO23)      |
| 2 x 480/600V Clamp-On Breaker Lockouts with cleats (65397) | 1 x Small fuse blockout (65690)      |
| 2 x Universal Multi-Pole Breaker Lockouts (66321)          | 1 x Large fuse blockout (65691)      |
| 1 x Oversized Breaker Lockout (65329)                      | 2 x Labelled Lockout Hasps (65960/1) |

**DIMENSIONS:** 304 x 457 x 101mm (WxHxD)

Part No.	Description
99705	Small Lockout Station w/ Components
99706	Station w/ Components & 6 Brady Safety Padlocks, 12 Tags
99707	Station w/ Components & 6 Brady Steel Padlocks, 12 Tags
50997	Small Lockout Station (Station Only)



All stations can be ordered with Brady's Safety Plus or Steel padlocks or no padlocks. You decide!



Electrical Lockout Station



## 5-LOCK BOARD




**Kit Contents:**  
 5 x Padlocks (850821 or 850827)  
 1 x 25mm Metal Hasp (65375/1)  
 1 x 35mm Metal Hasp (65376/1)  
 12 x Heavy Duty Tags (65520)

**DIMENSIONS:** 394 x 292mm

Part No.	Description
51181	5 Lock Board (Filled w/ Brady Safety Padlocks)
51186	5 Lock Board (Filled w/ Brady 19mm Steel Padlocks)
50989	5 Lock Board (Board Only)

## 10-LOCK BOARD



**Kit Contents:**  
 10 x Padlocks (850821 or 850827)  
 2 x 38mm Metal Hasp (65376/1)  
 2 x 25mm Metal Hasp (65375/1)  
 12 x Heavy Duty Tags (65520)

**DIMENSIONS:** 343 x 343mm

Part No.	Description
51187	10 Lock Board (Filled w/ Brady Safety Padlocks)
51188	10 Lock Board (Filled w/ Brady 20mm Steel Padlocks)
50990	10 Lock Board (Board Only)

## 20-LOCK BOARD



### SPACE-SAVING DESIGN HOLDS MORE LOCKS

Board made of 4.7mm thick yellow acrylic with acrylic lock rails.  
 Tag pockets made of clear polycarbonate, hold tags up to 76.2mm wide.

**Kit Contents:**  
 20 x Padlocks (850821 or 850827)  
 2 x 25mm Metal Hasp (65375/1)  
 2 x 35mm Metal Hasp (65376/1)  
 24 x Heavy Duty Tags (65520)

**DIMENSIONS:** 292mm x 597mm

Part No.	Description
51189	20 Lock Board (Filled w/ Brady Safety Padlocks)
51194	20 Lock Board (Filled w/ Brady 20mm Steel Padlocks)
50991	20 Lock Board (Board Only)

## 36-LOCK BOARD



**Kit Contents:**  
 36 x Padlocks (850821 or 850827)  
 3 x 25mm Metal Hasp (65375/1)  
 3 x 35mm Metal Hasp (65376/1)  
 36 x Heavy Duty Tags (65520)

**DIMENSIONS:** 597mm x 546mm

Part No.	Description
51195	36 Lock Board (Filled w/ Brady Safety Padlocks)
51196	36 Lock Board (Filled w/ Brady 20mm Steel Padlocks)
50992	36 Lock Board (Board Only)

## LOCKOUT WALL CABINETS



Keep lockout supplies stored in one convenient cabinet. Lockout devices and tags sold separately, purchase one of the component kits to suit cabinet size.

Constructed of a light gauge steel and painted a highly visible yellow, these lockout cabinets will help remind your employees to lockout and ensure that they have the equipment to do it. They are available in three convenient sizes, making it easier for you to have the right number of locks and lockouts for each department or area.

### STANDARD PACKAGE: 1

Part No.	Description	Size
839942	178mm Wall Cabinet Only	76 x 203 x 178mm
839943	279mm Wall Cabinet Only	76 x 203 x 279mm
839944	406mm Wall Cabinet Only	76 x 305 x 406mm
50159	Component Kit	178mm
50160	Component Kit	279mm
50161	Component Kit	406mm


### Kit Contents:

178mm Cabinet Kit 50159	279mm Cabinet Kit 50160	406mm Cabinet Kit 50161
25 x Lockout Tags	25 x Lockout Tags	75 x Lockout Tags
4 x Keyed Differently Padlocks*	8 x Keyed Differently Padlocks*	20 x Keyed Differently Padlocks*
3 x Lockout Hasps - (2 safety lockouts, 1 dual lockout)	4 x Lockout Hasps - (2 safety Lockouts, 2 dual Lockouts)	9 x Lockout Hasps - (6 safety lockouts, 3 dual lockouts)

\*Aluminium Padlocks supplied in component kits.



# BRADY LOCKOUT TAGS



Heavy Duty Polyester (B-837)				
Rev.Side #1	65502	65503	65504	65505
Rev.Side #2	65535	65521	65522	65523
Economy Polyester (B-851)				
Rev.Side #1	66050	66053	66055	66057
Rev.Side #2	66051	66054	66056	
Cardstock (B-853)				
Rev.Side #1	66068	66071	66073	66075
Rev.Side #2	66069	66072	66074	66076



**DURABLE LOCKOUT TAGS**  
 Lockout Tags have been designed to comply with every performance standard. Tags are available in three sturdy materials: Heavy Duty Polyester, Economy Polyester and Cardstock. All tags have a reinforcing brass grommet large enough to accept most padlocks. Whether polyester or cardstock, all tag surfaces allow employees to easily personalise tags with their name, department and estimated completion information.

**Heavy Duty Polyester (B-837)**  
 Our most durable tag. Polyester laminate protects graphics, wipes clean and holds up against water, grease and extreme temperatures. Heavy construction prevents accidental removal, withstands up to 36 kilos of pullout force. Brass grommet measures 11mm accepting most standard padlocks.

**Economy Polyester (B-851)**  
 Rigid vinyl surface is easy to write on and stays legible longer. Wipes clean easily, ready to use again and again. Brass grommet measures 9mm accepting most padlocks.


**Cardstock (B-853)**  
 Cardstock tags are cost effective and designed for one-time use. 9mm brass grommet accepts most padlocks. Cardstock material accepts pen, pencil and marker writing.



Heavy Duty Polyester (B-837)				
Rev.Side #1	65506	65515	65520	65526
Rev.Side #2	65534	65524	65525	65527
Economy Polyester (B-851)				
Rev.Side #1	66059	66061	66063	66066
Rev.Side #2	66060	66062	66064	66067
Cardstock (B-853)				
Rev.Side #1	66077	66079	66081	66084
Rev.Side #2	66078		66082	66085

LOCKOUT TAGOUT

## REVERSE SIDE OPTIONS



Reverse Side #1    Reverse Side #2    Reverse Side #3    Reverse Side #4



Accident Prevention Tags (B-851)			
Rev.Side #3	76226	Rev.Side #3	76184
Rev.Side #4	76224	Rev.Side #3	65359

All tags have write-on surfaces and come in packages of 25 tags.

## STANDARD PACKAGE: 25

Description	Material	Dimensions (WxH)	Grommet
Heavy Duty Polyester Tags	B-837	76 x 140mm	11mm Brass
Economy Polyester Tags	B-851	76 x 144mm	9mm Brass
Accident Prevention Tags	B-851	76 x 144mm	9mm Brass
Cardstock	B-853	76 x 144mm	9mm Brass



Accident Prevention Tags (B-851)  
 76194 (Front)    76194 (Reverse side)





## PHOTO IDENTIFICATION TAGS

Photo Identification Tags make it easy to identify individuals working on equipment and add visual impact to your safety message. Photographs can be taken with most photo I.D. cameras. These tags provide long lasting protection and are available in self-laminating material.


Self-Laminating tags can be personalised by writing on special instructions, hazards or warnings. Then protect and seal your message with a clear adhesive overlay. Constructed of Brady's durable B-851 polyester with a 1 mil polyester overlay. Tags are supplied with nylon fasteners. Photo area is 21 x 21mm. Grommet area is 9.5mm dia.



### STANDARD PACKAGE:

10 identical 144mm x 76mm tags

Part No.	Description
65501	Self Laminating Tag



## TIE-OUT LOCKOUT TAGS

Tough 85 x 160mm Polypropylene Tags resist dirt, grease and moisture. Self locking, no need for string or ties.



### STANDARD PACKAGE: 25

Dimensions (WxL)  
85 x 160mm



847206



847205



839909



839910



847204



Rear view of Warning tags



842552



842555



839906



839904



842554



842553



839905



842556



839907



Rear view of Danger tags

LOCKOUT TAGOUT



# LARGE ECONOMY LOCKOUT TAGS




Cardstock	842357	842358	842359	842360	842361
Polyprop.	842375	842376	842377	842378	842379
	Reverse Side 1	Reverse Side 1	Reverse Side 1	Reverse Side 1	Reverse Side 1

Choose from Cardstock or Polypropylene. Size is 100 x 150mm. 6mm diameter hole.

Description	Pack Qty
Cardstock	100
Polypropylene	10



Cardstock	842362	842363	842364	842365	842366	842367	842368	842369
Polyprop.	842380	842381	842382	842383	842384	842385	842386	842387
	Reverse Side 1	Reverse Side 1	Reverse Side 1	Reverse Side 2	Reverse Side 2	Reverse Side 2	Reverse Side 2	Reverse Side 2



Cardstock	842370	842371	842372	842373	842374
Polyprop.	842388	842389	842390	842391	842392
		Reverse Side 2	Reverse Side 2	Reverse Side 2	(Same both sides)



Reverse Side 1      Reverse Side 2

## 2-PART LOCKOUT TAGS

These large, 80 x 158mm cardstock tags serve a dual purpose: tagout equipment in need of service and inform supervisor of the machine's status. Simply fill in the necessary information then attach the top portion of the tag to the lockout device in place and tear away the bottom and return it to the appropriate supervisor. The Key Tags have a detachable part suitable for attaching to the appropriate locking key. Both parts are pre-numbered (factory chooses the starting number).



STANDARD PACKAGE: 25

Dimensions (WxH)	Description
80 x 158mm	2-Part Cardstock



59390

59389

59391

59385

59386


59387

59388



## LOCKOUT SAFETY POSTER

This informative Lockout Poster is a valuable asset to any company, especially when used in conjunction with training and lockout policies. The information will help employees understand lockout and help prevent injuries, and save lives by communicating safe lockout tagout procedures.



STANDARD PACKAGE: 1

Part No.	Dimensions (WxH)
851355	457 x 610mm Laminated

## LOCKOUT SAFETY BOOKLET

Use this Lockout Safety booklet with any of Brady's Lockout kits. This 16-page booklet is great as a training tool or ideal as a handy reference guide.



STANDARD PACKAGE: 25 PER PACK

Part No.	Description
846682	Lockout Safety Booklet

## LOCKOUT TAGOUT TRAINING KIT

Train employees to protect themselves and others during machinery servicing and maintenance programs. This kit provides authorised and effected employees with critical information they need to help prevent injuries during participation in Lockout Tagout applications.

### Kit Contents:

- 1 x 20 minute DVD
- 1 x Instructor's Guide
- 11 x Employee Handbooks
- 1 x Trainer Tools CD-ROM
- 1 x Awareness Poster




STANDARD PACKAGE: 1

Part No.	Description
104108	Training Kit DVD

## LOCKOUT FOR LIFE

Learn from other workers' tragic mistakes. This motivational video presents six real-life dramatisations of actual lockout accidents and analyses how they could have been prevented. Suitable for new and experienced employees. Comes complete with 10 accompanying booklets. Run Time: 19 Minutes (VHS or DVD format).



STANDARD PACKAGE: 1


Part No.	Description
66255	Training Kit DVD
51793	DVD & 10 Booklets
65812	Additional Booklets - Pk 10

## LOCKOUT PROCEDURE HOLDER

Make sure lockout procedures are readily available to workers and contractors whenever needed. Pre-drilled for easy mounting. Holds 2 binders (binders not included). Made from strong, durable ABS material.

### DIMENSIONS:

600 x 750 x 100mm (WxHxD)



STANDARD PACKAGE: 1

Part No.	Description
836499	Lockout Procedure Holder

## HARD HAT LABELS

Promote your Lockout trained and authorised employees by adhering these LOTO specific labels to hard hats. Made from durable indoor/outdoor vinyl, the adhesive won't affect the performance of the hard hat and will last for three to five years.



850958



850957

STANDARD PACKAGE: 1

Pack Size	Size
4	56mm Diameter

LOCKOUT TAGOUT



# LOCKOUT PRO™ GRAPHICAL PROCEDURE WRITING SOFTWARE

Lockout PRO™ software can help make documenting and implementing maintenance procedures easy by allowing visual guidelines to be printed and posted to each maintenance point.

Lockout software allows you to quickly create a Lockout procedure in as little as 3 minutes. Standardised templates and user-friendly prompts speed the process of creating, editing and managing procedures. Access a database of standard graphics, terms and information. Different colours and symbols are used for the various types of hazardous energy such as electrical, pneumatic and hydraulic.

Your individual site photos can be easily incorporated into your procedures to create clear, machine specific procedures that identify the location of control points. Lockout PRO™ can be used in conjunction with Brady's Globalmark®2 Industrial Label Printer to print procedures, tags and energy source labels.

The Lockout PRO™ Enterprise version enables you to also train staff with online tutorials and built-in video training clips.



Part No.	Description
65918	Lockout PRO™ Procedure Writer
65919	Lockout PRO™ Enterprise Version

Customise text fields to fit your needs

Use predefined instructions or type in your text

**Lockout-Tagout Posted Procedure**

**LOCKOUT PRO™**  
Graphical Procedure Writing Software

ID#: CMA-2 430266 Facility: Capital Road Location: Mill 130146  
 Created: 7/29/2003 12:19:45 Description: Lockout Pro "Long Form". The long form lets you freely describe the procedure and position photos next to the relevant instructions.  
 Revised: 6/29/2003 4:51:17 PM

**2 Lockout Points** Note: This is an example of a Lockout Pro "Long Form". The long form lets you freely describe the procedure and position photos next to the relevant instructions.

**Lockout Application Process**

1. Notify affected personnel. 2. Properly shut down machine. 3. Isolate all energy sources. 4. Apply lockout devices, locks, & tags. 5. Verify total de-energization of all sources.


Step	Action	Info
1.	This machine generates extremely high temperatures. Leave door open for at least one hour to allow for proper cooling.	This door is located on the West side of the machine.
2.	The E-1 Disconnect is located on the Front side of the machine. Using a Lock, turn Disconnect to the off position and lock out at E-1.	Main Control Panel
3.	The G-1 Valve is located on the Top side of the machine. Using a Ball Valve (1.25 - 3 inch) lockout device, turn Valve to the off position and lock out at G-1.	Natural Gas Valve
4.	Confirm that energy has been isolated by attempting to restart at the main control panel.	Main control panel is located on the west side of the machine.

**Lockout Removal Process**

1. Ensure all tools and items have been removed. 2. Confirm that all employees are safely located. 3. Verify that controls are in neutral. 4. Remove lockout devices and reenergize machine. 5. Notify affected employees that servicing is completed.

Input digital photos and identify control points

Customise icons and colours as desired



### Creating effective procedures is a four-step process:

1. Hazard analysis to determine the type and magnitude of hazardous energy associated with each piece of equipment.
2. Identification of steps necessary to isolate that energy and lock out the relevant control points.
3. Documentation of the correct steps to isolate and lock out energy.
4. Employee training and periodic procedure review/updates.



Contact your Brady representative for an on site demonstration of Lockout PRO™ software.



## LOCKOUT TAGOUT SIGNS



300x450 POLY **834612**  
180x250 MAG **834614**




300x450 POLY **835753**  
125x180 MAG **833902**



300x450 POLY **835751**  
125x180 MAG **833903**



450x600 POLY **835754**  
300x450 POLY **835755**



450x600 POLY **835743**  
300x450 POLY **835744**



300x450 POLY **835746**  
180x250 SS **833262**



300x450 POLY **841792**  
180x250 SS **841793**



300x450 POLY **841790**  
180x250 SS **841791**



300x450 POLY **841794**  
180x250 SS **841795**



300x450 POLY **835742**



300x450 POLY **841788**  
180x250 SS **841789**



300x450 POLY **835747**  
125x180 MAG **832781**



300x450 POLY **841796**  
180x250 SS **841797**



450x300 POLY **856795**  
250x180 SS **856794**



450x300 POLY **856789**  
250x180 SS **855961**



450x300 POLY **856791**  
250x180 SS **856790**



450x300 POLY **856797**  
250x180 SS **854219**



450x300 POLY **856793**  
250x180 SS **856792**



For pricing see page 66



300x125 SS **840308**



300x125 SS **840311**



300x125 SS **841783**



300x125 SS **846313**

## ARC FLASH & LOCKOUT LABELS



250x180 SS **854231**  
125x90 SS **854230**  
90x55 SS **854229**  
45x38 SS **854228**



250x180 SS **856802**  
125x90 SS **856801**  
90x55 SS **856800**  
45x38 SS **856799**



250x180 SS **854223**  
125x90 SS **854222**  
90x55 SS **854221**  
45x38 SS **854220**



250x180 SS **854206**  
125x90 SS **854205**  
90x55 SS **854204**  
45x38 SS **854203**



250x180 SS **854214**  
125x90 SS **854213**  
90x55 SS **854212**  
45x38 SS **854211**



250x180 SS **854210**  
125x90 SS **854209**  
90x55 SS **854208**  
45x38 SS **854207**



300x125 SS **854236**




250x180 SS **856798**  
125x90 SS **854235**  
90x55 SS **854234**  
45x38 SS **854233**



250x180 SS **854219**  
125x90 SS **854218**  
90x55 SS **854217**  
45x38 SS **854216**



250x180 SS **854227**  
125x90 SS **854226**  
90x55 SS **854225**  
45x38 SS **854224**



180x250 SS **854232**



100x100 SS **854215**



100x100 SS **854237**



180x250 SS **852656**  
90x125 SS **856803**



180x250 SS **833274**  
90x125 SS **833340**



### WHAT IS ARC FLASH?

Arc Flash is simply a term used for a short circuit through air that flashes over from one exposed live conductor to another conductor or to the ground. There are many things that cause an arc flash including sparks, over-voltage, insulation failure, dust, corrosion, fumes or vapours and even by an accidental contact by positioning a conductive object too close to a high-amp current.

The costs associated with arc flash accidents are extreme; loss of life, horrific injuries like severe burns and damage to eyesight, hearing or the brain. It can also damage valuable equipment and lead to loss of production time and heavy fines for non-compliance.


Under OH&S regulations, employers need to ensure that safeguards are set in place so that accidents such as Arc Flash can be prevented. Brady recommends that you contact your local Workcover authority for more information.



## ADD ON ARROW - LOCKOUT LABELS

Two-part labels allow you to detach the arrow from the label to point in any direction. Durable vinyl labels available in two sizes, 50mm square plus 50mm x 25mm arrow or 100mm square plus 100mm x 50mm arrow.

STANDARD PACKAGE: 1



## LOCKOUT STATION SIGN

Enhance the visibility of your Lockout Station with this V-shaped acrylic sign.



STANDARD PACKAGE: 1

Part No.	Description
66328	Lockout Station Sign

## LOCKOUT FLOOR STANDS



Two-In-One Floorstand - 92289



856840

Choose from two material types. Effective visual solution to use as part of your lockout program. Lightweight and durable, polypropylene stand resists most chemicals.

**DIMENSIONS:** 300 x 500mm (WxH)

STANDARD PACKAGE: 1

Part No.	Description	Material
856840	Lockout Floor Stand	Polypropylene
92289	Two-in-One Lockout Floor Stand	Corrugated Polypropylene (B-836)

## LOCKOUT CLIP BOARD

Heavy-duty, red clipboard allows lockout information and hardware to be conveniently carried directly to the lockout location. Clipboard can also be hung in place using attached strap. Lockout safety tips screen-printed onto the back. Procedure forms (LOSF5), locks and hasps sold separately.

STANDARD PACKAGE: 1

Part No.	Description
LOCB	Lockout Clipboard
LOSF5	Lockout Procedure Forms



Front



Back



## SCAFFTAG

Scafftag offers a unique set of advantages in managing safety risk assessments within your workplace. The comprehensive Scafftag range can be used for most applications. Insert designs are available in a range of standard wordings which clearly mark information or a danger, but can be easily customised to suit your needs. Weatherproof, UV protected and durable, this cost effective system can withstand the toughest industrial environments.

### The Scafftag 3 Stage System

1. Attach an appropriate holder to your application. Before an assessment, the prohibition symbol and words "DO NOT USE EQUIPMENT" are clearly displayed on the holder.
2. Select an appropriate insert and complete the information needed for reporting of the inspection. Inserts are available in a range of colours and scripts to suit various applications.
3. On satisfactory completion of the application test or inspection, write the next test or inspection date on reverse side of insert and place in holder. Equipment is now fit for use.



Scafftag Mk I

### Scafftag Mk I

The Mk I system fits all standard tube fit scaffolding. The Mk I Loading Colour Coded inserts incorporate informative graphics and inspection details on the front face. Inserts are colour coded according to load (Light Weight, Medium Weight, Heavy Weight or Special Purpose). Complete Kit includes: 10 holders, 10 status inserts and 1 permanent marking pen.



Scafftag Mk II

### Scafftag Mk II

The Mk II holder features a large attachment port, making it suitable for system scaffold components. Complete Kit includes: 10 holders, 10 status inserts and 1 permanent marking pen. Along with the added option of the Blue Book, the Scafftag safety system is internationally used and recognised to assist with the control of scaffolding from first build to dismantle.

### The Blue Book

The Blue Book collects together all the elements you need to manage scaffolding systems in one, easy reference, loose leaf binder.

Section 1 – details the components available within the Scafftag system. It also contains details of legislation and standards so you are aware of the safety requirements.

Section 2 – contains Handover Certificates that confirm a scaffold is safe and ready to use.

Section 3 – contains Inspection Reports which should be completed at every inspection.

Section 4 – contains Fault Notification forms advising of details of any faults.



The Blue Book

#### STANDARD PACKAGE: 1

Part No.	Description	Quantity Per Pk
857184	Scafftag Mk I Complete Kit	
857167	Scafftag Mk I Holder Kit	10 (holders only)
857210	Scafftag Mk I Standard Insert	50
857188	Scafftag Mk I Loading Insert – Special Purpose	50
857189	Scafftag Mk I Loading Insert – Light Weight	50
857190	Scafftag Mk I Loading Insert – Heavy Weight	50
857191	Scafftag Mk I Loading Insert – Medium Weight	50
857152	Scafftag Mk II Complete Kit	
857150	Scafftag Mk II Holder Kit	10 (holders only)
857153	Scafftag Mk II Standard Insert	50
857313	Scaffolding Blue Book	
857227	Permanent Marking Pen	



## UNITAG



UNITAG is designed for the identification and qualification of lifting equipment, industrial plant, valves and calibration equipment, as well as a variety of other applications. Plastic, stainless steel or nylon covered galvanised wire strops are available in differing lengths (6, 9 and 12") to suit your attachment needs. UNITAG inserts are offered in a wide range of colours to help visually indicate different months or periods. See listing below for details.

Part No.	Description	Quantity Per Pk
857251	UNITAG 6" Plastic Strop Kit	
857253	UNITAG 9" Plastic Strop Kit	
857250	UNITAG 12" Plastic Strop Kit	
857252	UNITAG 6" Nylon Covered Wire Strop Kit	
857310	UNITAG 9" Nylon Covered Wire Strop Kit	
857309	UNITAG 12" Nylon Covered Wire Strop Kit	
857272	UNITAG 6" Stainless Steel Strop Kit	
857273	UNITAG 9" Stainless Steel Strop Kit	
857308	UNITAG 12" Stainless Steel Strop Kit	
857289	UNITAG Safe Working Load Insert – Green	20
857292	UNITAG Safe Working Load Insert – Yellow	20
857290	UNITAG Safe Working Load Insert – Red	20
857288	UNITAG Safe Working Load Insert – Blue	20
857291	UNITAG Safe Working Load Insert – White	20
857277	UNITAG Next Inspection Due – Green	20
857279	UNITAG Next Inspection Due – Yellow	20
857278	UNITAG Next Inspection Due – Red	20
857276	UNITAG Next Inspection Due – Blue	20
857227	Permanent Marking Pen	

**Kit Contents:**  
 20 x holders  
 20 x strops  
 1 x permanent marking pen





## FORKLIFT TAG

FORKLIFTAG is a daily preventative safety management system for forklift trucks. The holder should be attached to the side of the truck cab and the insert containing daily inspection procedures should be carried out by the first authorised user of the truck. The complete system is a permanent and weatherproof, and is suitable for use in all environments. Its 3 stage information system – Do not use, Fit to use and Record of inspections is user friendly with easy to follow inspection guide. Kit 1 includes: 1 holder, 5 standard inserts and 1 permanent marking pen. Kit 2 includes: 5 holders, 15 standard inserts and 1 permanent marking pen.




### The Black Book

THE BLACK BOOK complements the holder and insert system and collects together all the elements you need to manage forklift trucks by providing a paper trail that is kept in one, easy reference loose leaf binder.

Black Book Contents:

- Management Data** – at-a-glance data sheets containing key actions and requirements for the safe management of forklifts
- Client Registration** – to receive information on updates to The Black Book
- Systems Information Sheet** – details of Forkliftag
- Health and Safety Legislation** – outlining the relevant legislation
- Health and Safety Guidance** – an in-depth guide of what your responsibilities are and what actions need to be taken
- Risk Assessment Key Steps and 5 Risk Assessment Record Sheets** – to identify the types and levels of risk specific to your organisation's forklift use
- Forklift Truck Registers** – templates to maintain
- Forklift Truck Operator Registers**
- Operator Training Records**
- Inspection Check Lists** – user-friendly check lists in duplicate covering all legally required areas of in-service inspection
- Faults Report Sheets** – report sheets in triplicate copies - one for the operator, one for the inspector and one for the site officeholder. Equipment is now fit for use.



#### STANDARD PACKAGE: 1

Part No.	Description
857301	Forkliftag Complete Kit I
857305	Forkliftag Complete Kit II
857002	Forkliftag Standard Inserts
856977	The Black Book
857227	Permanent Marking Pen

Insert front 857002

Insert back 857002

Holder

856977

## LADDERTAG

Laddertag is a complete ladder safety management system. Regulations require ladders to be checked for damage, faults and wear before use by an authorised user. This easy to use system is essential for companies working to ISO9000 standards. The holder and inserts provide a 3 stage information system – Do not use, Fit to use and Warning is highly visible. The tags are weatherproof, UV protected, durable and able to withstand the toughest industrial environments.

### The Yellow Book

THE YELLOW BOOK complements the holder and insert system and collects together all the elements you need to manage ladders by providing a paper trail that is kept in one, easy reference loose leaf binder.

Yellow Book Contents:

- Data Sheets** – for ladder classification, duty, uses and loadings. Frequency and type of ladder inspection and record keeping.
- Details of the Laddertag System Components**
- Health and Safety Guidance and Information**
- Risk Assessment Guidelines** – an outline to the key steps involved
- Ladder Register** – to view details of all your ladders
- Inspection Reports** – Conforming to legislation. Each time an inspection is under taken simply complete the user friendly check list. One copy will be retained by the inspector and one copy will be handed to the client.
- Fault Forms**



Insert front 857019

Holder

Insert back 857019



857311

#### STANDARD PACKAGE: 1

Part No.	Description
857017	Laddertag Complete Kit I
857016	Laddertag Holder Kit
857019	Laddertag Standard Insert
857311	The Yellow Book
857227	Permanent Marking Pen







## MICROTAG

Commonly used as a date qualified system, MICROTAG also has the facility to render equipment in a 'prohibition status' should it be found to be faulty between inspection dates. This is done by simply removing the insert to expose the message on the holder. The compact size allows variable wall mounting options. Colour coded inserts available to indicate different months or periods.

**Kit Contents:**  
 20 x Holders  
 40 x 6" Cable ties  
 1 x Permanent Marking Pen

Part No.	Description	Quantity Per Pk
857025	MICROTAG Complete Kit	
857067	MICROTAG "Date Tested" Insert – Green	100
857070	MICROTAG "Date Tested" Insert – Yellow	100
857068	MICROTAG "Date Tested" Insert – Red	100
857066	MICROTAG "Date Tested" Insert – Blue	100
857069	MICROTAG "Date Tested" Insert – White	100
857063	MICROTAG "Next Test Date" Insert – Green	100
857062	MICROTAG "Next Test Date" Insert – Yellow	100
857065	MICROTAG "Next Test Date" Insert – Red	100
857059	MICROTAG "Next Test Date" Insert – Blue	100
857061	MICROTAG "Next Test Date" Insert – White	100
857060	MICROTAG "Next Test Date" Insert – Orange	100
857227	Permanent Marking Pen	



## MULTITAG



MULTITAG is a complete equipment inspection/maintenance tagging system which can be used effectively on a wide range of equipment, ranging from mobile plant to contractors plant and equipment. MULTITAG is a highly visible, durable and weatherproof system.

Part No.	Description	Quantity Per Pk
857078	MULTITAG Complete Kit	
857073	MULTITAG Holder Kit	10 (holders only)
857087	MULTITAG "Equipment Inspection" Insert	50
857227	Permanent Marking Pen	


**Kit Contents:**  
 10 x Holders  
 10 x Equipment inspection inserts  
 1 x Permanent Marking Pen

## NANOTAG

Purpose designed for the identification and qualification of equipment with minimal attachment space such as eye bolts and shackles, hoses and cables, breathing apparatus and small power tools. Ideal for fall protection equipment such as harnesses. Mounting options available - cable tie or split ring.

Part No.	Description	Quantity Per Pk
857120	NANOTAG Complete Kit	
857113	NANOTAG "Next Test Date" Insert – Green	100
857118	NANOTAG "Next Test Date" Insert – Yellow	100
857116	NANOTAG "Next Test Date" Insert – Red	100
857112	NANOTAG "Next Test Date" Insert – Blue	100
857117	NANOTAG "Next Test Date" Insert – White	100
857114	NANOTAG "Next Test Date" Insert – Orange	100
857115	NANOTAG "Next Test Date" Insert – Purple	100
857108	NANOTAG "Next Inspection Date" Insert – Green	100
857111	NANOTAG "Next Inspection Date" Insert – Yellow	100
857109	NANOTAG "Next Inspection Date" Insert – Red	100
857107	NANOTAG "Next Inspection Date" Insert – Blue	100
857110	NANOTAG "Next Inspection Date" Insert – White	100
857227	Permanent Marking Pen	

**Kit Contents:**  
 20 x Holders  
 40 x 6" Cable ties  
 1 x Permanent Marking Pen





## CHEMTAG



CHEMTAG provides system, procedural and legal compliance. The system provides a clear inspection trail giving integrity and control. Essential for companies working with ISO9000 clients.

### The Chemtag 3 Stage System

1. Before an inspection or after a failed inspection, the holder clearly displays the prohibition symbol and words "DO NOT USE".
2. Select an appropriate insert and enter the reference or identity number to match the holder. Complete the details identifying hazards and precautions. Print action to be taken in case of emergency.
3. On reverse side enter supplier's name, emergency telephone number, and details of how to store and dispose of packaging. Also detail any medical complications in the event of an accident. CHEMTAG insert should accompany the patient so appropriate medical treatment can be given.

**Kit Contents:**  
 10 x Holders  
 10 x Standard Inserts  
 1 x Permanent Marker

Part No.	Description	Quantity Per Pack
856983	CHEMTAG Complete Kit	
856979	CHEMTAG Holder Kit	10 (holders only)
856981	CHEMTAG Standard Insert	50
857227	Permanent Marking Pen	

## ENTRYTAG

ENTRYTAG is designed to control entry in conjunction with a permit to work system. Positioned at the entrance to the vessel/tank/silo, it informs all personnel of the minimum requirements for entry, the type of work being undertaken, and all the other salient details. Conversely, the ENTRYTAG holder in its individual form will display a message of prohibition. This system is highly visible, durable and weatherproof.



857300



Side1



856994

Side 2



857144

Part No.	Description	Quantity Per Pack
856987	ENTRYTAG Complete Kit	
857300	ENTRYTAG Holder Kit	10 (holders only)
856994	ENTRYTAG Standard Insert	50
857144	Clear A4 Plastic Permit Wallet	10
857227	Permanent Marking Pen	

**Kit Contents:**  
 10 x Holders  
 10 x Standard Inserts  
 1 x Permanent Marker

## VALVETAG



VALVETAG is a complete identification and work control system and should be attached to all valves to control hazardous energy for service and maintenance. Complete the information on the inserts in conjunction with the permit to work issued for that job. Place the insert into the holder to indicate work is in progress or the valve has been spaded to allow work further down the line. The VALVETAG is a highly visible, durable and weatherproof system.



Call for pricing



**Kit Contents:**  
 10 x Holders  
 10 x Standard inserts  
 1 x Permanent Marker

Part No.	Description	Quantity Per Pack
857296	VALVETAG Complete Kit	
857295	VALVETAG Standard Insert	50
857227	Permanent Marking Pen	