

Catalogue No: **FMB-01-D-W24**

TIMER 11 PIN M/FUNC 12-240VACDC SUPPLY 2 C/O 0.05S-300H

Timers and Control Relays > Timers, Time Switches and Counters > Time Delay Relays > Carlo Gavazzi Time Delay Relays > Multifunction Time Delay Relays > Plug-in



Time delay relay,multifunction, 12 - 240V AC/DC, 2 C/O, Panel mount



Representative Photo Only
(actual product may vary based on configuration selections)

- Multitude of timing functions available from the entire Carlo Gavazzi range (On Delay, Interval, Off Delay, One Shot, Star-Delta, and Recycler) for practically every application.
- Available in either DIN or Panel mount to suit your preference.
- Variety of relay output types (SPDT,DPDT) and adjustable timing ranges available, dependent on your switching requirements.
- International certifications and wide install base ensuring delivery of a quality tested product.

SPECIFICATIONS

Timing Function	Multi-function
Time Range(s)	100ms ... 1s 1 ... 10s 6s ... 1min 1 ... 10min 6min ... 1h 1 ... 10h 10 ... 100h
Power Consumption	4 VA / 1.5 W VA/W
Max. Operating Frequency	7200 cycles/hour
Nominal Frequency	45-65 Hz
Umin, Supply Voltage, DC, Min	12 V DC
Umax, Supply Voltage, DC, Max	240 V DC
Umin, Supply Voltage, AC, Min	12 V AC
Umax, Supply Voltage, AC, Max	240 V AC
Contact Configuration	2 CO
Housing	48x48mm Panel
Mounting	Plug-in
Time Setting Accuracy	≤5 %
Height	48 mm
Width	48 mm
Depth	85 mm

Catalogue No: **FMB-01-D-W24**


TIMER 11 PIN M/FUNC 12-240VACDC SUPPLY 2 C/O 0.05S-300H

Timers and Control Relays > Timers, Time Switches and Counters > Time Delay Relays > Carlo Gavazzi Time Delay Relays > Multifunction Time Delay Relays > Plug-in




REFERENCES

IECEX Certificate	-
Supplier Declaration of Conformity:	-
Installation Guide:	-
User Manual:	-
Manufacturer Datasheet:	FMB01DW24_ManufacturerDatasheet
Manufacturer Catalogue & Product Selection:	-




Dimension Diagram

FMB01



Connection / Wiring Diagram



Technical Diagram