

PRODUCT DATASHEET

L 10 W/640

Basic T8 | Tubular fluorescent lamps 26 mm, with G13 bases



TECHNICAL DATA



Electrical data

Nominal voltage	46 V
Nominal wattage	10.00 W
Rated wattage	10.00 W

Photometrical data

Luminous flux at 25 °C	550 lm
Light color	4000
Light color (designation)	Cool White
Color temperature	4000 K
Color rendering index Ra	60...69

Dimensions & weight



G13
IEC 7004-51
DIN 49653 T1

Tube diameter	26 mm
Length	346.0 mm
Length with base excl. base pins/connection	470.00 mm
Diameter	26.0 mm


Lifespan

Service life	5000 h
Lifespan	13000 h ¹⁾
Rated lamp life time	5000 h
Nominal lamp life time	5000 h


¹⁾ With CCG/LLCG

Additional product data


Base (standard designation)	G13
Mercury content	10.0 mg
Show WEEE picto	Yes



Others graphics



Others graphics



Circuit diagram

LOGISTICAL DATA

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4050300179346	L 10 W/640	Shipping carton box 25	376 mm x 150 mm x 156 mm	8.80 dm ³	1829.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.