
# 64991030-03AB | 64991030-03AB



Copper Cable, Category 6, U/UTP, 23 AWG, CM, Reel in a box, 1000 ft, blue

### Product Classification


Asia   Australia/New Zealand
NETCONNECT®
Twisted pair cable
6
Horizontal
U/UTP (unshielded)
Solid
8
Blue
4
ANSI/TIA-568.2-D   ISO/IEC 11801 Class E
304.8 m   1000 ft
6.401 mm   0.252 in
23 AWG

# Cross Section Drawing

Page 1 of 3

©2021 CommScope, Inc. All rights reserved. All trademarks identified by ® or <sup>™</sup> are registered trademarks, respectively, of CommScope. All specifications are subject to change without notice. See www.commscope.com for the most current information. Revised: November 5, 2020





## **Electrical Specifications**

Operating Voltage, maximum	80 V
Remote Powering	Fully complies with the recommendations set forth by IEEE 802.3bt (Type 4) for the safe delivery of power over LAN cable when installed according to ISO/IEC 14763-2, CENELEC EN 50174-1, CENELEC EN 50174-2 or TIA TSB-184-A

#### Material Specifications

Conductor Material	Bare copper
Jacket Material	PVC

#### **Environmental Specifications**

Flame Test Method CM | IEC 60332-1

#### Packaging and Weights

Packaging Type

Reel in box

### Regulatory Compliance/Certifications

Agency	Classification
CHINA-ROHS	Below maximum concentration value
REACH-SVHC	Compliant as per SVHC revision on www.commscope.com/ProductCompliance
ROHS	Compliant

Page 2 of 3

©2021 CommScope, Inc. All rights reserved. All trademarks identified by ® or ™ are registered trademarks, respectively, of CommScope. All specifications are subject to change without notice. See www.commscope.com for the most current information. Revised: November 5, 2020



# 64991030-03AB | 64991030-03AB



Page 3 of 3

©2021 CommScope, Inc. All rights reserved. All trademarks identified by ® or <sup>™</sup> are registered trademarks, respectively, of CommScope. All specifications are subject to change without notice. See www.commscope.com for the most current information. Revised: November 5, 2020

