

## A9E18071

linear switch - iSSW - 2 C/O - 20A - 250 V AC - 2 positions



### Main

Range	Acti 9
Product name	Acti 9 iSSW
Product or component type	Linear switch
Device short name	ISSW
Device application	Electrical circuit control
Contacts type and composition	2 C/O
[Ue] rated operational voltage	250 V AC 50/60 Hz
Standards	IEC 60669-1 IEC 60947-5-1

### Complementary

[Ie] rated operational current	20 A 250 V AC 50/60 Hz
Control type	Toggle 2 positions
Marking	0 - 1
Mounting mode	Clip-on
Mounting support	DIN rail
9 mm pitches	4
Height	82 mm
Width	36 mm
Depth	75 mm
Colour	White
Electrical durability	AC-22 : 30000 cycles
Connections - terminals	Staggered tunnel terminal (downside) 2 cable(s) <= 2.5 mm <sup>2</sup> flexible Staggered tunnel terminal (downside) 2 cable(s) <= 2.5 mm <sup>2</sup> rigid without cable end Staggered tunnel terminal (downside) 2 cable(s) >= 0.5 mm <sup>2</sup> flexible Staggered tunnel terminal (downside) 2 cable(s) >= 0.5 mm <sup>2</sup> rigid without cable end
Wire stripping length	9 mm downside
Tightening torque	1 N.m downside

### Environment

tropicalisation	2
pollution degree	3
relative humidity	95 % at 55 °C
ambient air temperature for operation	-20...50 °C
ambient air temperature for storage	-40...80 °C

### Offer Sustainability

Sustainable offer status	Not Green Premium product
RoHS (date code: YYYYWW)	Compliant - since 1001 - Schneider Electric declaration of conformity
REACH	Reference not containing SVHC above the threshold

The information provided in this documentation contains general descriptions and/or technical characteristics of the products contained herein. This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications. It is the duty of any such user or integrator to perform the appropriate and complete risk analysis, evaluation and testing of the products with respect to the relevant specific application or use thereof. Neither Schneider Electric Industries SAS nor any of its affiliates or subsidiaries shall be responsible or liable for misuse of the information contained herein.