



Main

| | |
|-----------------------------|-------------------------|
| Range | Acti 9 |
| Product name | Acti 9 iLL |
| Product or component type | Modular pilot lighth |
| Device short name | iLL |
| Light source | LED |
| Cap/operator or lens colour | Green |
| [Us] rated supply voltage | 110...230 V AC 50/60 Hz |

Complementary

| | |
|--|--|
| Bulb lifespan | 100000 h |
| Local signalling | 1 lamp |
| Power consumption | 0.3 W |
| Mounting mode | Fixed |
| Mounting support | Symmetrical DIN rail |
| Comb busbar distribution block compatibility | Upside : ProDis |
| 9 mm pitches | 2 |
| Height | 82 mm |
| Width | 18 mm |
| Depth | 69.5 mm |
| Auxiliary connection terminal | Tunnel type terminal 2 cable(s) flexible 2.5 mm ² with cable end Tunnel type terminal 2 cable(s) flexible 2.5 mm ² without cable end Tunnel type terminal 2 cable(s) rigid 2.5 mm ² with cable end Tunnel type terminal 2 cable(s) rigid 2.5 mm ² without cable end |

Environment

| | |
|---------------------------------------|----------------|
| standards | IEC 60947-5-1 |
| IP degree of protection | IP2 IPxx B |
| pollution degree | 3 |
| tropicalisation | 2 |
| relative humidity | 95 % (55 °C) |
| ambient air temperature for operation | -20...50 °C |
| ambient air temperature for storage | -40...100 °C |

Offer Sustainability

| | |
|----------------------------------|---|
| Sustainable offer status | Green Premium product |
| RoHS (date code: YYWW) | Compliant - since 1001 - Schneider Electric declaration of conformity |
| REACH | Reference not containing SVHC above the threshold |
| Product environmental profile | Available |
| Product end of life instructions | Need no specific recycling operations |

The information provided in this documentation contains general descriptions and/or technical characteristics of the products contained herein. This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications. It is the duty of any such user or integrator to perform the appropriate and complete risk analysis, evaluation and testing of the products with respect to the relevant specific application or use thereof. Neither Schneider Electric Industries SAS nor any of its affiliates or subsidiaries shall be responsible or liable for misuse of the information contained herein.