# CCT15854

Acti 9 - IHP - 1C digital time switch - 24 hours + 7 days





#### Main

Range	Acti 9
Product name	Acti 9 IHP
Device short name	IHP
Product or component type	Programmable digital time switch
Device application	Building
Battery type	Lithium
Number of channels	1
Provided equipment	Memory key Programming kit
Language	English French German Italian Portuguese Spanish
Colour tint	White (RAL 9003)

# Complementary

Power consumption in W	0.4 W	
Maximum switching current	16 A - 250 V AC pf = 1 4 A - 250 V AC pf = 0.6	<del></del> :
[Ue] rated operational voltage	230 V[Sapce]( - 1510 % ) AC 50/60 Hz	
Cycle duration	24 hours + 7 days	
Maximum number of switchings	56	
Minimum interval duration	1 min	_
Accuracy	+/- 0.5 s/day 25 °C	
Display type	LCD	
Battery life	10 yr	;
Backup time	10 years time and program saving	
Mounting support	DIN rail	
9 mm pitches	2	
Function available	Operating hours counter Automatic winter/summer time changeover	
Type of setting	Absence for holidays function PIN code	:
Connections - terminals	Screwless terminals : 2 x 0.52.5 mm <sup>2</sup>	
Width	18 mm	
Height	90 mm	
Depth	66 mm	
Product weight	0.09 kg	<del></del> ,

## **Environment**

IP degree of protection	IP20 B
ambient air temperature for operation	-2555 °C

### Offer Sustainability

Sustainable offer status	Green Premium product	

RoHS (date code: YYWW)	Compliant - since 1504 - Schneider Electric declaration of conformity
REACh	Reference not containing SVHC above the threshold
Product environmental profile	Available
Product end of life instructions	Available

