


XAPE901  
empty flush mounted box - XAP-E - insulated material  
- without opening - IP 65



Main

|                               |   |
|-------------------------------|---|
| Range of product              | Harmony XAP   |
| Product or component type     | Protective rear cover   |
| Device short name             | XAPE  |
| Product destination           | For front plate XAPE301   |
| Material                      | Insulated material  |
| Cable entry                   | Knock-out cable entries   |
| Product mounting              | Flush mounting  |
| IP degree of protection       | IP65 conforming to IEC 60529<br>IP657 conforming to NF C 20-010   |
| Resistance to chemical agents | Good resistant to acetone<br>Good resistant to alcohols<br>Good resistant to chloride and fluoride solvents<br>Good resistant to diluted mineral acids<br>Good resistant to oils and petrol<br>Good resistant to organic acids<br>Good resistant to salts |


Complementary

|                |         |
|----------------|---------|
| Product weight | 0.04 kg |
|----------------|---------|

Environment

|                                       |  |
|---------------------------------------|--|
| protective treatment                  | TC<br>TH   |
| ambient air temperature for storage   | -40...70 °C  |
| ambient air temperature for operation | -25...70 °C  |
| electrical shock protection class     | Class I conforming to IEC 60536<br>Class I conforming to NF C 20-030 |

Dimensions and Mounting



P Usable depth

| b  |      | P    |      |
|----|------|------|------|
| mm | in.  | mm   | in.  |
| 52 | 2.05 | 82.5 | 3.25 |

The information provided in this documentation contains general descriptions and/or technical characteristics of the products contained herein. This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications. It is the duty of any such user or integrator to perform the appropriate and complete risk analysis, evaluation and testing of the products with respect to the relevant specific application or use thereof. Neither Schneider Electric Industries SAS nor any of its affiliates or subsidiaries shall be responsible or liable for misuse of the information contained herein.