



time counter 48x 48 mm 230V 50Hz AC without masking frame 55x 55 mm

Model			
product brand name	SETRON		
product designation	Time counter		
design of the product	Without cover		
type of the driving mechanism	others		
General technical data			
diameter of the front panel cutout	50.2 mm		
electrical input frequency			
• minimum			50 Hz
• maximum			50 Hz
principle of operation of the operating hours counter	analog		
reset function	no		
type of voltage of the operating voltage	AC		
input voltage	230 V		
Protection class			
protection class IP	IP20		
Number			
number of characters that can be displayed	7		
Mechanical Design			
height	45 mm		
height of the front plate	48 mm		
width	45 mm		
width of the front plate	48 mm		
installation depth	34 mm		
fastening method	front panel mounting		
net weight	59 g		
Approvals Certificates			
General Product Approval	other	Environment	



[Miscellaneous](#)

[Confirmation](#)

[Environmental Confirmations](#)

Further information

Information on the packaging

<https://support.industry.siemens.com/cs/ww/en/view/109813875>

Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=7KT5502>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/en/ps/7KT5502>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)


http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=7KT5502

CAX-Online-Generator

<http://www.siemens.com/cax>

Tender specifications

<http://www.siemens.com/specifications>



last modified:

11/12/2021 

