



INDUSTRIAL

HAZARDOUS  
AREAS

DATA ICT

RESIDENTIAL  
COMMERCIAL



**B&R Enclosures**  
**BOWEN SERIES**

[brenclosures.com.au](http://brenclosures.com.au)

# Bowen Series

## Mining and Industrial Enclosures



- Designed to house terminations, pushbuttons, isolators or switchgear in industrial or demanding environments such as washeries, processing and sampling stations.
- Is well suited to applications that require front and side mounted switching devices.
- 40° sloping roof and 40mm roof overhang reduces material build-up.
- Internal door rails fitted to ensure mounting flexibility.
- Lifting lugs conform to *AS4991: Lifting Devices*.
- One (1) tonne SWL on each lifting lug.
- Conformity, Approvals:  
Lloyds Register #06/10007 (E2)
- Manufactured from 1.5 to 2.0mm thick 316 stainless steel.
- N4 surface finish.

Comes standard with:

- Steel mounting pan powdercoated white
- Top and bottom mounting flanges
- Internal 6mm earth stud
- Lock dust cover with stainless steel lock with 8mm square slotted stainless steel insert
- Lifting lugs on 800mm & 1200mm high enclosures
- 3-point locking on 800mm & 1200mm high enclosures



### ORDERING GUIDE

Part Number	Dimensions (mm)														Weight (kg)
	External				Internal	Mounting Pan Gland Opening				Mounting Centres		Material Thk.			
	Height (A)	Width (B)	Depth (C)	Total Height (D)	Usable Depth* (E)	Height (F)	Width (G)	Width (H)	Depth (I)	Height (J)	Width (K)	Body	Door		
BL040320/S	400	300	200	709	179	345	210	200	105	676	200	1.5	1.5	14.0	
BL040420/S	400	400	200	709	150	345	310	300	105	676	300	1.5	1.5	18.0	
BL060420/S	600	400	200	909	150	545	310	300	105	876	300	1.5	1.5	21.0	
BL060630/S	600	600	300	993	250	545	510	500	205	960	500	1.5	1.5	33.0	
BL080630/S	800	600	300	1193	250	745	510	500	205	1160	500	1.5	1.5	60.0	
BL120830/S	1200	800	300	1593	250	1145	710	700	205	1560	700	1.5	1.5	90.0	
BM040320/S	400	300	200	709	179	345	210	200	105	676	200	1.5	2.0	15.0	
BM040420/S	400	400	200	709	150	345	310	300	105	676	300	1.5	2.0	19.0	
BM060420/S	600	400	200	909	150	545	310	300	105	876	300	1.5	2.0	24.0	
BM060630/S	600	600	300	993	250	545	510	500	205	960	500	1.5	2.0	36.0	
BM080630/S	800	600	300	1193	250	745	510	500	205	1160	500	1.5	2.0	65.0	
BM120830/S	1200	800	300	1593	250	1145	710	700	205	1560	700	1.5	2.0	95.0	
BW040320/S	400	300	200	710	179	345	210	200	105	676	200	2.0	2.0	17.0	
BW040420/S	400	400	200	709	150	345	310	300	105	676	300	2.0	2.0	21.0	
BW060420/S	600	400	200	909	150	545	310	300	105	876	300	2.0	2.0	28.0	
BW060630/S	600	600	300	993	250	545	510	500	205	960	500	2.0	2.0	38.0	
BW080630/S	800	600	300	1193	250	745	510	500	205	1160	500	2.0	2.0	70.0	
BW120830/S	1200	800	300	1593	250	1145	710	700	205	1560	700	2.0	2.0	100.0	

\* Mounting pan to inside of door



See **Page 4** for a range of lock options available for the Bowen range.

# Bowen Series

## Mining and Industrial Enclosures

### ACCESSORIES

Product	Part Number	Dimensions (mm)			BLO40320/S	BLO40420/S	BLO60420/S	BLO60630/S	BLO80630/S	BL120830/S	BMO40320/S	BMO40420/S	BMO60420/S	BMO60630/S	BMO80630/S	BM120830/S	BWO40320/S	BWO40420/S	BWO60420/S	BWO60630/S	BWO80630/S	BW120830/S	
		Height	Width	Depth																			
Hinged escutcheon – 2mm zinc coated steel (white)	BWHE040420	400	400	200		•						•											
	BWHE060420	600	400	200			•					•								•			
	BWHE060630	600	600	300				•					•								•		
	BWHE080630	800	600	300					•					•								•	
	BWHE120830	1200	800	300						•					•							•	
Light kit brackets^	BWLKB04	-	-	-		•	•					•	•						•	•			
	BWLKB06	-	-	-				•	•				•	•							•	•	
	BWLKB08	-	-	-						•					•							•	
LED Light*	BRLED300	-	300	-		•	•					•	•						•	•			
	BRLED300/24	-	300	-		•	•					•	•						•	•			
	BRLED500	-	500	-				•	•	•			•	•	•						•	•	
	BRLED500/24	-	500	-				•	•	•			•	•	•						•	•	


\* Requires light kit bracket to suit enclosure size

^ Light not included, purchased separately



See **Page 3** for more information about B&R's range of lighting solutions or contact your local sales representative to discuss your requirements.

### TECHNICAL DRAWINGS



# Enclosure LED Lighting




Our LED lighting solutions provide light inside an enclosure when visibility is required for both safety and efficiency.



High output, small form factor LED lighting. Up to 4 units can be daisy chained from the one power supply. Allows for the opening of full height swing frames or hinged escutcheons when fitted to the roof. The optional PIR movement sensor can be used for power efficiency as an automatic door switch. All light kits can be mounted directly onto 19" rack rails. In the absence of 19" rack rails a mounting kit is available to suit the enclosure size.

B&R's LED lighting solutions are applied to provide excess light within an enclosure and becomes a continuous light source to provide extra visibility.

- Energy saving up to 50% compared with traditional fluorescents under the same lux.
- Life span – over 50,000 hours
- Available in cool white, neutral white and warm white colour temperatures.
- Available in 12V and 24V options.
- Easy linking up to 36 watts per run.
- Easy to install.
- Low voltage — safe and efficient.
- Manufactured from aluminium with black plastic end caps and acrylic lens.
- Light source – SM3528 LED
- Operating temperature – -20°C to 40°C indoors



This information is provided as a guide only. Contact your local sales representative to discuss your requirements.

## Technical Operating Data

Length (mm)	Voltage (DC)	Power (W)	Radiance	ColourTemp	Luminous Flux (lm)*	LED Current (A)
300	12/24	3	90°	4400	280/360	0.18
500	12/24	5	90°	4400	460/600	0.18

## Bowen Series

Part Number	Power (V)	LED Light	Inclusions			Required Mounting Bracket			To suit enclosure		Optional
			Power Supply	Splitter	Switch	Connectors	BWLKB04	BWLKB06	BWLKB08	Width (mm)	
BRLED300	12	•	•		•				400	BRMOT PIR Motion Sensor	
BRLED300/24	24	•	•	•	•				400		
BRLED500	12	•	•		•	•			600 or 800		
BRLED500/24	24	•	•	•	•	•			600 or 800		
BRLEDK03	-	•		•	•				400		
BRLEDK05	-	•		•	•	•			600 or 800mm		

# Locks

## Locks to suit special purpose enclosures

### Standard Locks



Enclosure	SI	SS
Universal DD ≤1600mm	DD020 – chromed steel with 7mm square steel insert	DD020/PS – black powdercoated lock with 7mm square stainless steel insert
Universal DD +1600mm	DD050 – lockable L handle keyed 92268	DD050 – lockable L handle keyed 92268
Incline SR	–	NI020/S – stainless steel lock with 7mm square stainless steel insert
Hedland PH	–	NI020/S – stainless steel lock with 7mm square stainless steel insert
Finucane FI	–	NI020/S – stainless steel lock with 7mm square stainless steel insert
Bowen Series	–	NI028S/S – stainless steel lock with 8mm square slotted stainless steel insert
Pilbara SP	SP/LCK – chromed steel padlockable swing handle with LockSock®	SP/LCK/S – stainless steel padlockable swing handle with LockSock®
Lambert LB	–	SP/LCK/S – stainless steel padlockable swing handle with LockSock®
Miner ME	NI020 – chromed steel with 7mm square steel insert	–
Universal PB	NI020 – chromed steel with 7mm square steel insert	NI020/PS – black powdercoated lock with 7mm square stainless steel insert

### Lock Options for Special Purpose Enclosures

There are a number of lock options available that are suitable for use on special purpose enclosures. Contact your local sales representative to discuss your requirements.

Product	Description	Part Number	Standard Lock/Insert	Alternative insert	Keys		
					Lockable handles	Plastic, 3-way	Aluminium, 4-way
Turnbuckle	chromed steel	NI020	7mm square – steel	See page 5		SKU	SKZ
		DD020	7mm square – steel	See page 5		SKU	SKZ
	powdercoated	NI020/PS	7mm square – stainless steel	See page 5		SKU	SKZ
		DD020/PS	7mm square – stainless steel	See page 5		SKU	SKZ
	stainless steel	NI020/S	7mm square – stainless steel	See page 5		SKU	SKZ
		NI028S/S	8mm square slotted – stainless steel	See page 5			
Wing knob	lockable	NI030	Key code 92268			SK3	
		DD030	Key code 92268			SK3	
	non-lockable	NI111	–				
		DD111	–				
T-handle	lockable	NI040	Key code 92268			SK3	
		DD040	Key code 92268			SK3	
L-handle	lockable	NI050	Key code 92268			SK3	
		DD050	Key code 92268			SK3	
	padlockable – steel	NI052	–				
		DD052	–				
	padlockable – stainless steel	NI052/S	–				
		DD052/S	–				
Swing handle	padlockable – steel	SP/LCK	–				
	padlockable – stainless steel	SP/LCK/S	–				
LockSock®	plastic	SP/LCK/DC	To suit SP/LCK				
Dust cap	plastic	NI020/DC	To suit NI020 lock				

# Locks

Locks to suit special purpose enclosures



## Lock Inserts for Locks

The NI020 locks are available with an option lock insert for use on all special purpose enclosures. Contact your local sales engineer to discuss your requirements.

To suit lock style	Description	To suit lock	Standard Insert	3mm double bit pin		8mm square		8mm square slotted	8mm triangle	
				Steel	Stainless Steel	Steel	Stainless Steel	Stainless Steel	Steel	Stainless Steel
Turnbuckle	chromed steel	NI020 or DD020	7mm square – steel	LKINS3P		LKINS8S		LKINS8SS/S	LKIN8T	
	powdercoated with SS insert	NI020/PS or DD020/PS	7mm square – stainless steel		LKINS3P/S		LKINS8S/S	LKINS8SS/S		LKINS8T/S
	stainless steel	NI020/S or DD020/PS	7mm square – stainless steel		LKINS3P/S		LKINS8S/S	LKINS8SS/S		LKINS8T/S
Key required – aluminium			SKZ	SKZ	SKZ	SK8	SK8	SK8	SKZ	SKZ
Key required – plastic			SKU	SKU	SKU				SKU	SKU

## AUSTRALIA

### Sales

T: 1300 Enclosures (1300 362 567)

F: 1300 796 599

E: [sales@brenclosures.com.au](mailto:sales@brenclosures.com.au)

[brenclosures.com.au](http://brenclosures.com.au)

### QUEENSLAND

Brisbane Manufacturing, Sales & Warehouse

51 Stradbroke Street

Heathwood QLD 4110

(PO Box 1151)

Browns Plains BC QLD 4118

T: +61 7 3714 1111

E: [salesqld@brenclosures.com.au](mailto:salesqld@brenclosures.com.au)

### NORTH QUEENSLAND

Townsville Sales & Warehouse

Unit 4 / 780 Ingham Road

Mount Louisa QLD 4814

(PO Box 7615)

Garbutt QLD 4814

T: +61 7 4727 1900

E: [salestvl@brenclosures.com.au](mailto:salestvl@brenclosures.com.au)

### NEW SOUTH WALES

NSW & ACT Sales & Warehouse

Unit 12/100 Belmore Road North

(PO Box 192)

Riverwood NSW 2210

T: +61 2 9915 9555

E: [salesnsw@brenclosures.com.au](mailto:salesnsw@brenclosures.com.au)

### NEWCASTLE Distribution

109-111 Broadmeadow Road

Broadmeadow NSW 2292

T: +61 2 4961 4433

F: +61 2 4961 2498

### VICTORIA

VIC & TAS Sales & Warehouse

50-52 Sunmore Close

Heatherton VIC 3202

T: +61 3 9552 0552

E: [salesvic@brenclosures.com.au](mailto:salesvic@brenclosures.com.au)

### TASMANIA Distribution

W P Martin Pty Ltd

85 Elizabeth Street

Launceston TAS 7250

T: +61 3 6331 5545

F: +61 3 6331 4256

## SOUTH AUSTRALIA

SA & NT Manufacturing, Sales & Warehouse

505 Grand Junction Road

Wingfield SA 5013

T: +61 8 8417 6222

E: [salessa@brenclosures.com.au](mailto:salessa@brenclosures.com.au)

### NORTHERN TERRITORY Distribution

Cnr Hidden Valley & Beaton Roads

Berrimah NT 0828

T: +61 8 8947 0870

F: +61 8 8947 0764

### WESTERN AUSTRALIA

WA Sales Office & Warehouse

6 Montgomery Way

Malaga WA 6090

T: +61 8 6310 4777

E: [saleswa@brenclosures.com.au](mailto:saleswa@brenclosures.com.au)

## NEW ZEALAND

### Sales

B&R Enclosures Limited

T: 0800 Enclosures (0800 362 567)

E: [sales@brenclosures.co.nz](mailto:sales@brenclosures.co.nz)

[brenclosures.co.nz](http://brenclosures.co.nz)

### AUCKLAND Distribution

Unit 6/103 Cryers Road

East Tamaki Auckland NZ 2013

T: +64 9 265 2097

F: +64 9 265 2437

E: [sales@brenclosures.co.nz](mailto:sales@brenclosures.co.nz)

### CHRISTCHURCH Distribution

17 Washbournes Road

Wigram Christchurch NZ 8042

T: +64 3 348 0659

F: +64 3 348 4043

E: [sales@brenclosures.co.nz](mailto:sales@brenclosures.co.nz)

## CHINA

### Sales

B&R Enclosures (Suzhou) Co. Ltd

E: [sales@brenclosures.com.cn](mailto:sales@brenclosures.com.cn)

[brenclosures.com.cn](http://brenclosures.com.cn)

### SUZHOU

Suzhou Sales Office & Manufacturing

Building 45 Chuangtou Industrial Zone

SIP, Suzhou 215122

PEOPLE'S REPUBLIC OF CHINA

T: +86 512 8718 2139

F: +86 512 8718 2140

E: [sales@brenclosures.com.cn](mailto:sales@brenclosures.com.cn)

## SOUTH EAST ASIA

### Sales

B&R Enclosures SDN BHD

E: [sales@brenclosures.com.au](mailto:sales@brenclosures.com.au)

[brenclosures.com.au](http://brenclosures.com.au)

### MALAYSIA

Malaysia Sales Office & Manufacturing

No.38-1, Puchong Gateway Square,

Jalan Suria Puchong 4,

Pusat Perniagaan Suria Puchong

47110, Puchong, Selangor, Malaysia

T: +603 8958 3923 or +603 8959 3923

F: +603 8958 3223

E: [sales@brenclosures.com.au](mailto:sales@brenclosures.com.au)

## MIDDLE EAST

### Sales

B&R Gulf

E: [sales@brgulf.com.sa](mailto:sales@brgulf.com.sa)

[brenclosures.com.sa](http://brenclosures.com.sa)

### DAMMAM

Dammam Sales Office & Manufacturing

Factory No. 119, Modon Buildings

King Salman Road, Industrial Area 3

Dammam, Kingdom of Saudi Arabia

T +96 638 128 691 or +96 650 349 6592

E: [sales@brgulf.com.sa](mailto:sales@brgulf.com.sa)