

PRODUCT DATASHEET

DST MITW 15 W/4000K 220...240 V B22d

OSRAM DULUXSTAR MINI TWIST | Compact fluorescent integrated, spiral shape



AREAS OF APPLICATION

- General illumination
- Domestic applications
- Wherever compact and efficient lamps are needed
- Wherever cold light colors are needed
- Outdoor use in enclosed and ventilated luminaires only

PRODUCT BENEFITS

- Fast return on investment
- Compact dimensions
- Up to 80 % less energy consumption compared with ordinary light bulbs

PRODUCT FEATURES

- Available in 2 light colors: 827 and 865
- Also available in activating light color LUMILUX Cool Daylight
- Average life: up to 8,000 h



TECHNICAL DATA

Electrical data

Rated wattage	15.00 W
Nominal voltage	220...240 V
Nominal wattage	15.00 W
Power factor λ	0.50
Nominal current	0.15 A
Operating frequency	50...60 Hz


Photometrical data

Nominal luminous flux	900 lm
Rated luminous flux	900 lm
Rated color temperature	4000 K
Light color	840
Color temperature	4000 K
Luminous flux	900 lm
Color rendering index Ra	≥ 80

Light technical data

Warm-up time (60 %)	< 60.00 s
Starting time	≤ 1.5 s

Dimensions & weight



Maximum diameter	52.0 mm
Overall length	105.0 mm
Product weight	55.00 g
Length	102.0 mm

Lifespan

Nominal lamp life time	10000 h
Rated lamp life time	10000 h
Number of switching cycles	10000

Additional product data

Base (standard designation)	B22d
Mercury content	2.0 mg
Show WEEE picto	Yes

Certificates & standards

Cleaning instruction in case of breakage	What to do if a lamp containing mercury breaks?
------------------------------------------	-------------------------------------------------

SAFETY ADVICE

In case of lamp breakage: www.ledvance.com/brokenlamp
 Not for use with external dimmers or electronic switches.

LOGISTICAL DATA

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
4052899109315	Folding carton box 1	43 mm x 43 mm x 114 mm	66.00 g	0.21 dm ³
4058075029590	Shipping carton box 12	268 mm x 94 mm x 131 mm	880.00 g	3.30 dm ³

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.