# Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications



# Power Cord, C19 to C14, 2.0m



AP9878

### Overview

Lead time Usually in Stock

### Main

Product or component type	Power cord	
Input Connection Type	IEC 60320 C14	
Cable length	2.0 m	
Number of cables	1	

# **Physical**

Colour	Black	
Net weight	0.28 kg	
Mounting preference	No preference	
Mounting mode	Not rack-mountable	

## Input

Max line current 10 A

# Output

Max current draw	10 A
Number of power socket outlets	1 IEC 60320 C19

# **Packing Units**

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	30.5 cm
Package 1 Width	10.2 cm
Package 1 Length	10.2 cm
Package 1 Weight	0.359 kg
Unit Type of Package 2	CAR
Number of Units in Package 2	10
Package 2 Height	23.5 cm
Package 2 Width	33.5 cm
Package 2 Length	53 cm

Package 2 Weight	4.3 kg
Unit Type of Package 3	PAL
Number of Units in Package 3	10
Package 3 Height	143.99 cm
Package 3 Width	100 cm
Package 3 Length	120 cm
Package 3 Weight	4.3 kg

# **Contractual warranty**

Warranty 2 years repair or replace



Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing "Use Better, Use Longer, Use Again" campaign to extend product lifetimes and recyclability.

### Environmental Data explained >

How we assess product sustainability >

∅ Environmental footprint	
Carbon footprint (kg.eq.CO2 per CR, Total Life cycle)	88
Environmental Disclosure	Product Environmental Profile

### **Use Better**

Materials and Substances	
EU RoHS Directive	Compliant
REACh Regulation	REACh Declaration

### Use Again

○ Repack and remanufacture	
Circularity Profile	End of Life Information
WEEE	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins
Halogen content performance	Product contains halogen above thresholds
Take-back	Yes