

Specifications

## ΔΡC



# APC NetShelter 13U Wallmount Rack Cabinet Vented Door Double Hinged Server Depth

AR100HD

## Overview

Presentation

Ideal for retail, healthcare, and educational facilities, the wall rack offers an efficient solution for deploying server and networking equipment for edge computing applications. For areas with limited floor space. Designed to house your server, as well as network solutions such as network switches and patch panels. Rack hinges at the rear allowing for access to the back of the rack during installation and setup or while undergoing maintenance. The door is reversible allowing for the door to open direction desired to avoid interference with its surroundings. Optional 120V fan tray top-mounted and caster kit. Several APC Smart-UPS models low-profile provide easy UPS integration and mounting. 13U Wall mount cabinet, 19 inches maximum mounting depth, 200lb weight capacity, 19" rack width, ships fully assembled, vented door, 5 year APC warranty.

Lead time

Usually in Stock

### Main

Product or component type	Rack enclosure
Number of rack unit	13U
Number of cables	1
Provided equipment	Key(s) User manual Wall-mounting template

### **Physical**

· · · <b>· · · · ·</b>		
Height	66.3 cm	
Width	58.4 cm	
Depth	63.1 cm	
Net weight	42.73 kg	
Colour	Black	
Mounting preference	No preference	
Mounting mode	Not rack-mountable	
Maximum mounting depth	48.26 cm	
Rack width	19"	
Marking	16 gauge EIA mounting rail 16 gauge front door 16 gauge post 13 gauge rear door 18 gauge roof 18 gauge side panels	
Permanent permissible load	90.7 kg static	

#### Standards

#### EIA-310E

### **Packing Units**

U	
Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	83.8 cm
Package 1 Width	68.6 cm
Package 1 Length	77.5 cm
Package 1 Weight	52.17 kg

# **Contractual warranty**

Warranty

5 year repair or replace

## Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing "Use Better, Use Longer, Use Again" campaign to extend product lifetimes and recyclability.

#### Environmental Data explained >

How we assess product sustainability  $\geq$ 

${\ensuremath{ \bigtriangledown \bigtriangledown}}$ Environmental footprint				
Carbon footprint (kg.eq.CO2 per CR, Total Life cycle)	158			
Use Better				
In the state of the state o				
EU RoHS Directive	Pro-active compliance (Product out of EU RoHS legal scope)			
REACh Regulation	REACh Declaration			
China RoHS Regulation	China RoHS declaration			
Use Again				
♡ Repack and remanufacture				
Circularity Profile	End of Life Information			

Take-back

Yes