



APC NetShelter SX, Server Rack Enclosure, 45U, Black, 2124H x 600W x 1200D mm

AR3305

Overview

Presentation	An industry-standard server rack ready for medium to high-density environments with traditional network closet 2&4 post rack height and 3U extra space. A deeper rack design provides enough rack mounting space for even the deepest devices and still plenty of room for vertically mounting Rack PDUs and cable management.
Lead time	Usually in Stock

Main

Product or component type	Rack enclosure
Number of rack unit	45U
Provided equipment	Baying hardware Key(s) Keyed-alike doors and side panels Leveling feet Mounting hardware Pre-installed casters Side panels

Physical

Height	212.4 cm	
Width	60 cm	
Depth	120 cm	
Net weight	141 kg	
Colour	Black	
Mounting preference	No preference	
Mounting mode	Not rack-mountable	
Maximum mounting depth	104.8 cm	
minimum mounting depth	19.05 cm	
Rack width	19"	
Marking	14 gauge EIA mounting rail 16 gauge front door 16 gauge post 18 gauge rear door 18 gauge roof 18 gauge side panels	
Permanent permissible load	1020.6 kg dynamic 1701.0 kg static	

Conformance

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	224 cm
Package 1 Width	133.4 cm
Package 1 Length	74.6 cm
Package 1 Weight	158.4 kg

Contractual warranty

Warranty 5 year repair or replace



Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing "Use Better, Use Longer, Use Again" campaign to extend product lifetimes and recyclability.

Environmental Data explained >

How we assess product sustainability >

⊘ Environmental footprint			
Carbon footprint (kg.eq.CO2 per CR, Total Life cycle)	481		

Use Better

⊗ Materials and Substances	
EU RoHS Directive	Pro-active compliance (Product out of EU RoHS legal scope)
REACh Regulation	REACh Declaration
China RoHS Regulation	China RoHS declaration

Use Again

○ Repack and remanufacture	
Circularity Profile	End of Life Information
Take-back	Yes