Specifications

APC



# APC NetShelter SX, Server Rack Enclosure, 48U, Black, 2258H x 600W x 1200D mm

AR3307

## Overview

Lead time

Usually in Stock

#### Main

Product or component type	Rack enclosure
Number of rack unit	48U
Provided equipment	Baying hardware Key(s) Leveling feet Mounting hardware Pre-installed casters Side panels

#### **Physical**

· · · <b>J</b> · · · · ·	
Height	225.8 cm
Width	60 cm
Depth	120 cm
Net weight	149.55 kg
Colour	Black
Mounting preference	No preference
Mounting mode	Not rack-mountable
Maximum mounting depth	105.99 cm
minimum mounting depth	19.05 cm
Rack width	19"
Marking	14 gauge EIA mounting rail 16 gauge front door 16 gauge post 18 gauge rear door 18 gauge roof 18 gauge side panels
Permanent permissible load	1020.6 kg dynamic 1701.0 kg static

## Conformance

Standards

UL 2416 UL 60950-1 EIA-310E

### **Packing Units**

Unit Type of Package 1

PCE

1

Number of Units in Package 1	1
Package 1 Height	238.5 cm
Package 1 Width	75.2 cm
Package 1 Length	133.4 cm
Package 1 Weight	165.45 kg

# **Contractual warranty**

Warranty

5 year repair or replace

# C Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing "Use Better, Use Longer, Use Again" campaign to extend product lifetimes and recyclability.

Environmental Data explained $>$	
How we assess product sustainability $\geq$	
Provision Provisio Provisi Provisio Provisio Provisio Provisio Provisio Provisio P	
Carbon footprint (kg.eq.CO2 per CR, Total Life cycle)	502
Use Better	
EU RoHS Directive	Pro-active compliance (Product out of EU RoHS legal scope)
EU RoHS Directive REACh Regulation	
	scope)
REACh Regulation	scope)
REACh Regulation Use Again	scope)