

Product datasheet

Specifications



APC Back-UPS Pro External Battery Pack

BR24BPG

Overview

Lead time	Usually in Stock
-----------	------------------

Main

Main Input Voltage	120 V
Product or component type	Battery backup
Number of cables	1
Battery type	Lead-acid battery
Provided equipment	User manual
Range of product	Back-UPS Pro

Batteries & Runtime

Device mounting	Stand alone battery stack
Battery life	4...6 year(s)
Battery voltage	24 V
Battery capacity	18 Ah
Number of battery filled slots	2
Number of battery free slots	0
Number of battery replacement quantity	1
battery power in VAh	372 VAh

Physical

Colour	Black
Height	30.1 cm
Width	11.2 cm
Depth	38.2 cm
Net weight	13.4 kg
USB compatible	No

Conformance

Product certifications	TÜV
------------------------	-----

Environmental

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Relative humidity	0...95 %
Storage Relative Humidity	0...95 %
Ambient air temperature for storage	-15...45 °C
Ambient air temperature for operation	0...40 °C
Operating altitude	0...30000 ft
Storage altitude	0.0000000000...15240.0000000000 m

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	40.000 cm
Package 1 Width	24.000 cm
Package 1 Length	49.100 cm
Package 1 Weight	14.569 kg
Unit Type of Package 2	P06
Number of Units in Package 2	3
Package 2 Height	52.000 cm
Package 2 Width	60.000 cm
Package 2 Length	80.000 cm
Package 2 Weight	50.707 kg
SCC14	10731304268786

Contractual warranty

Warranty	3 years repair or replace
----------	---------------------------

Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

 Environmental footprint	
Carbon footprint (kg.eq.CO2 per CR, Total Life cycle)	67
Environmental Disclosure	Product Environmental Profile

Use Better

 Materials and Substances	
EU RoHS Directive	Compliant with Exemptions
REACH Regulation	REACH Declaration

Use Again

 Repack and remanufacture	
Circularity Profile	End of Life Information
Removable battery	User replaceable
Take-back	Yes