Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications



Battery Module for Symmetra PX, Smart-UPS VT or Galaxy 3500

SYBT4

Overview

Presentation	Battery module containing 4 battery units. Compatible with Symmetra PX 20/40/80, Smart-UPS VT, and Galaxy 3500 UPSs.
Lead time	Usually in Stock

Main

Battery type Lead-acid battery

Batteries & Runtime

Battery location	Internal battery
Number of battery blocks per string	4
Device mounting	Enclosed battery cartridge
Battery voltage	384 V
battery power in VAh	2765 VAh

Physical

Colour	Black
Height	15.9 cm
Width	43.2 cm
Depth	71.1 cm
Net weight	90.91 kg

Environmental

Ambient air temperature for operation	040 °C
Operating altitude	03333 ft
Relative humidity	095 %
Ambient air temperature for storage	-1540 °C
Storage altitude	0.000000000015240.000000000 m
Storage Relative Humidity	095 %

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	45.7 cm

Package 1 Width	61 cm
Package 1 Length	83.8 cm
Package 1 Weight	101.82 kg
Unit Type of Package 2	PAL
Number of Units in Package 2	7
Package 2 Height	45.72 cm
Package 2 Width	100 cm
Package 2 Length	120 cm
Package 2 Weight	712.74 kg



Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing "Use Better, Use Longer, Use Again" campaign to extend product lifetimes and recyclability.

Environmental Data explained >

How we assess product sustainability >

Carbon footprint (kg.eq.CO2 per CR, Total Life cycle)	1
Environmental Disclosure	Product Environmental Profile

Use Better

EU RoHS Directive Pro-active compliance (Product out of EU RoHS legal scope) REACH Regulation REACH Declaration	Materials and Substances	
REACh Regulation REACh Declaration	EU RoHS Directive	
	REACh Regulation	REACh Declaration

Use Again

12 Mar 2025

○ Repack and remanufacture	
Take-back	Yes