INDUSTRIAL TIME RELAYS - DIN MOUNTING





CRM-91H

CRM-91HE





CRM-2H

TIME RELAYS

| Function | Timing range | Contacts | Universal supply voltage | Part No. |
|-------------------------------|---------------|--------------------|--------------------------|----------|
| True Delay OFF (without su | oply voltage) | | | |
| e – delay ON a – delay OFF | 0.1s -10 min | 2 x C/O, 8 Amps | 12-240V AC/DC | CRM-82T0 |

^{- 1} module width 17.5mm.

Multifunction Time Relay (10 functions)

| 5.0. 6.00 | 0.4 40 1 | 4 6/0 | 40.040\/ | CD14 C411 |
|-----------------------------|---------------|----------|----------|-----------|
| 5 time functions controlled | 0.1s -10 days | 1 x C/O, | 12-240V | CRM-91H |
| by supply voltage | (divided into | 16 Amps | AC/DC | |
| 4 time functions controlled | 10 ranges) | | | |
| by control input | | | | |
| 1 time function of memory | | | | |
| (latching) relay | | | | |

^{- 1} module width 17.5mm.

Multifunction Time Relay (10 functions)

| 5 time functions controlled | 0.1s -10 days | 3 x C/O, | 12-240V | CRM-93H |
|-----------------------------|---------------|----------|---------|---------|
| by supply voltage | (divided into | 8 Amps | AC/DC | |
| 4 time functions controlled | 10 ranges) | | | |
| by control input | | | | |
| 1 time function of memory | | | | |
| (latching) relay | | | | |

^{- 1} module width 17.5mm.

Multifunction Time Relay with External Potentiometer

| 5 time functions controlled by supply voltage 4 time functions controlled by control input 1 time function of memory (latching) relay | 0.1s -10 days (divided into 10 ranges) | 1 x C/O, 16 Amps | 12-240V AC/DC | CRM-91HE |
|--|--|---------------------|------------------|----------|
|--|--|---------------------|------------------|----------|

^{- 1} module width 17.5mm.

| Function | Timing range | Contacts | Universal supply voltage | Part No. |
|--|--------------|---------------------|--------------------------|----------|
| Asymmetric Cycler | | | | |
| Cycler beginning with pulse Cycler beginning with pause | , | 1 x C/O, 16 Amps | 12-240V AC/DC | CRM-2H |

^{- 1} module width 17.5mm.

| Function | Timing range | Contacts | Universal supply voltage | Dimensions | Part No. | |
|--|--|---------------------|--------------------------|-------------------|----------|--|
| Super Multifunction Relay (10 functions) | | | | | | |
| Switching LED & flourescent lights | 0.1s -10 days (divided into 10 ranges) | 1 x N/O, 16 Amps | 5-250V AC/DC | 49 x 49 x 21mm | SMR-B | |



Datasheets & Function Diagrams available at ipd.com.au