

*Fans for all seasons  
...and reasons*



**CLIPSAL**  
ELECTRICAL ACCESSORIES



*Fans for all seasons  
...and reasons*

**AIRFLOW**

*mistral*  
**O.ERRE**

*Airflow, Mistral & O.ERRE  
Fans and Ventilation Equipment*



*Airflow, Mistral & O.ERRE  
Fans and Ventilation Equipment*



[clipsal.com](http://clipsal.com)

# ***Breathe Easy with Airflow, Mistral & O.ERRE***

To be comfortable, to work efficiently and to enjoy their surroundings, people need a constant supply of healthy, fresh air.

That's why Clipsal brings you a choice of over 100 fans and ventilation equipment from three names that, for many years, have been synonymous with air movement products - Airflow, Mistral and O.ERRE.

From compact exhaust fans for removing cooking odours from kitchens to heavy-duty industrial models that expel fumes and stale air from work environments, there's no reason why anyone shouldn't enjoy healthy, clean air at home and at work.

In addition to many firm favourites like Airflow's domestic range of Ceiling Exhaust Fans - there are a large number of recent releases, including the revamped Sunshine En Suite and Petite, which feature a new slimline design and improved lighting.

Italian made O.ERRE Exhaust and Ventilation products, which were added to the Airflow and Mistral ranges only a number of years ago, also offer a superb selection of innovatively styled products for domestic and industrial applications.

## ***Comfortably Quiet***

All Airflow, Mistral and O.ERRE products are fitted with the highest quality electric motors and specially designed fan blades that ensure the quietest and most efficient operation possible.

## ***Ceiling, Window & Wall Models***

Airflow, Mistral and O.ERRE products are designed for easy installation with a choice of ceiling, window and wall models available.

## ***Mounting Options***

### ***Ceiling***

Fit discreetly into cavity type ceilings to efficiently exhaust air. Stylish, low profile flyproof grilles can be easily removed for cleaning. Decorative metal and timber models are included in the ceiling range to complement contemporary decor, while the Sunshine range of combination units provides total bathroom luxury.

### ***Window***

Easily installed and can be auto switched or pull-cord operated, they expel air directly outside while automatic shutters keep out dust and insects.

### ***Wall***

Airflow, Mistral and O.ERRE offer a wide range of wall mounted fans, from domestic fans with diameters of just 100mm, right through to heavy-duty industrial models. Double brick, brick veneer, timber and pre-cast concrete are just some of the wall constructions suitable for our wall mounted products.



## ***Ducted Ventilation Systems***

These systems are an excellent way of effectively and economically exhausting steam, smoke, stale air and odours outside homes, commercial premises and light industrial buildings.

They are also ideal for transferring heat from one room to another, maximising the comfort of occupants and the economy of the heating system.

The range features all of the ducting components required to design a system for the most common installations.



## **O.ERRE Electronic Fans**

Italian made O.ERRE fans are at the forefront of European design with features that include the following:

### **Timers**

Many O.ERRE fans include built-in timers to assist with ventilating rooms, even after they have been vacated. For those O.ERRE fans that don't have built-in timers, the OW3394 (Timermatic) is the solution. The Timermatic is a stand alone, self regulating timer that operates for up to 13 minutes and can be installed to control fans and other loads up to 200W.



### **Humidistat**

The O.ERRE OW8641 has a built-in adjustable humidistat that operates automatically in areas that are subject to high humidity.



### **Sensors**

The OW1216 and OW1224 feature a built-in infra-red sensor that replaces the need for a wall switch. The detection zone for these models to operate is a maximum of 8 metres.

### **Reversible Mode**

The reversible mode on the Ventilor fans offers the option of extracting foul air and steam, or having fresh air delivered into your room from outside.

### **Other special features**

#### **Shutters**

A number of fans in the range incorporate shutters that prevent the entry of annoying draughts and insects.

#### **Ball Bearing Motors**

Heavy-duty ball bearing motors are built into some fan models that are likely to be left running for long periods of time.

### **Wall Kits**


All O.ERRE Wall Exhaust Fans are supplied as standard with wall fixing kits that include 450mm of flexible ducting; external grilles and fixing hardware. These products are easily identified as they are prefixed with the letters "WK", for example WK1372. The exhaust fans themselves can be purchased separately by replacing WK with OW. For example, WK1372 becomes OW1372.



The following pages feature just some of the ceiling, window and wall fans that are available in the Airflow, Mistral and O.ERRE ranges.

A comprehensive technical data catalogue containing our complete range of exhaust fans and ventilation equipment is due for release in late 2000.

**Breathe Easy with  
Airflow, Mistral & O.ERRE**



# Ceiling Exhaust Fans


## Ceiling Exhaust Fans



**CE250M**  
Approximate Air Delivery 568m<sup>3</sup>/hour  
Power 45 Watts



**CE250T**  
Approximate Air Delivery 568m<sup>3</sup>/hour  
Power 45 Watts



**CE200, CE250, 4XCE200, 4XCE250**  
Approximate Air Delivery  
260-385m<sup>3</sup>/hour  
Power 28-38 Watts



**CEL200**  
Approximate Air Delivery 260m<sup>3</sup>/hour  
Power 28 Watts (fan)



**MCE175, MCE200, MCE250, MCE300**  
Approximate Air Delivery  
224-666m<sup>3</sup>/hour  
Power 22-52 Watts



**6200-0, 6250-0**  
Approximate Air Delivery  
375-568m<sup>3</sup>/hour  
Power 45-50 Watts



**6220-0**  
Approximate Air Delivery 800m<sup>3</sup>/hour  
Power 45 Watts




**6230-0**  
Approximate Air Delivery 660m<sup>3</sup>/hour  
Power 54 Watts



**6300-0**  
Approximate Air Delivery 329m<sup>3</sup>/hour  
Power 45 Watts

## ***Airflow Sunshine Combination Fan, Light and Heater Units***

***Airflow***



**6500A, 6800A**  
Approximate Air Delivery 338m<sup>3</sup>/hour  
Power 1250-1650 Watts

***Airflow***



**6600A, 6601A**  
Approximate Air Delivery 338m<sup>3</sup>/hour  
Power 650-690 Watts  
Light and Heater only (6601A)

## ***Airflow Sunshine Combination Fan, Light and Heater Units***



## Wall Exhaust Fans

### Wall Exhaust Fans

#### Airflow



**AWE150**  
Approximate Air Delivery 132m<sup>3</sup>/hour  
Power 30 Watts  
Suits Most Types of Wall Construction

#### Airflow



**BVWE200, BVWE250**  
Approximate Air Delivery  
174-450m<sup>3</sup>/hour  
Power 28-40 Watts  
Suits Brick Veneer

#### Airflow



**DBWE200, DBWE250**  
Approximate Air Delivery  
174-450m<sup>3</sup>/hour  
Power 28-40 Watts  
Suits Double Brick

#### Airflow



**SLWE200**  
Approximate Air Delivery 240m<sup>3</sup>/hour  
Power 30 Watts  
Suits Slimline Walls

#### Airflow



**TWE250**  
Approximate Air Delivery  
203/450m<sup>3</sup>/hour  
Power 35/40 Watts  
Suits Stud Walls

#### Mistral



**6106-0, 6108-0**  
Approximate Air Delivery 260m<sup>3</sup>/hour  
Power 45 Watts  
Auto Switched (6106-0)  
Pull-Cord Operation (6108-0)

#### Mistral



**6109-0, 6110-0**  
Approximate Air Delivery 428m<sup>3</sup>/hour  
Power 66 Watts  
Brick Wall Mount (6109-0)  
Timber Wall Mount (6110-0)

#### O.ERRE



**WK8427**  
Approximate Air Delivery 155m<sup>3</sup>/hour  
Power 30 Watts  
Pull-Cord Operation

#### O.ERRE



**WK1216, WK1224**  
Approximate Air Delivery  
85-125m<sup>3</sup>/hour  
Power 14-21 Watts  
Infra-Red Sensor



**WK1372, WK1414, WK1380, WK1422**  
 Approximate Air Delivery  
 85-125m<sup>3</sup>/hour  
 Power 14-21 Watts  
 Infra-Red Sensor (WK1372)  
 Timer (WK1414 & WK1422)

**WK1570, WK1612**  
 Approximate Air Delivery  
 88-230m<sup>3</sup>/hour  
 Power 21-36 Watts

**WK1851, WK1869, WK8450, WK8468**  
 Approximate Air Delivery  
 90-230m<sup>3</sup>/hour  
 Power 14-45 Watts  
 Auto Shutters (WK1851/WK8450)  
 Timer (WK1869/WK8468)



**WK1885, WK1901, WK1901A, WK1927**  
 Approximate Air Delivery  
 450-750m<sup>3</sup>/hour  
 Power 50-60 Watts  
 Pull-Cord Shutters  
 Features Auto Shutters/Reversible

## Wall Exhaust Fans



## Ducted Fans

### Ducted Fans

#### Airflow



**CE100D Kit**  
Approximate Air Delivery 80m<sup>3</sup>/hour  
Power 15 Watts  
Duct Size 100mm

#### Airflow



**CE150D, CE200D, CE250D Kits**  
Approximate Air Delivery  
245-876m<sup>3</sup>/hour  
Power 30-70 Watts

#### Airflow



**CE150AS, CE200AS, CE250AS,  
CE150AS2, CE200AS2, CE250AS2**  
Approximate Air Delivery  
245-876m<sup>3</sup>/hour  
Power 30-70 Watts  
AS2 Series - 2 Speed

#### Airflow



**RE150AS, RE200AS, RE250AS**  
Approximate Air Delivery  
192-476m<sup>3</sup>/hour  
Power 30-70 Watts

#### O.ERRE



**OW1653**  
Approximate Air Delivery 150m<sup>3</sup>/hour  
Power 80 Watts  
Duct Size 100 and 125mm

#### O.ERRE



**OW1844, OW1943, OW1950**  
Approximate Air Delivery  
80-250m<sup>3</sup>/hour  
Power 15-30 Watts  
Duct Size 100, 120 & 150mm

#### O.ERRE



**OW4707, OW4715, OW4723,  
OW4748, OW4756, OW4764**  
Approximate Air Delivery  
310-1250m<sup>3</sup>/hour  
Power 70-220 Watts  
Duct Size 100-315mm

#### O.ERRE



**OW8542, OW8641**  
Approximate Air Delivery 250m<sup>3</sup>/hour  
Power 95 Watts  
Duct Size 100mm

#### O.ERRE



**OW9201**  
Approximate Air Delivery 270m<sup>3</sup>/hour  
Power 45 Watts  
Duct Size 100 & 120mm



## Ducted Fan Accessories

### Ducted Fan Accessories

**Airflow**



**CED100/3, CED125/3, CED150/6, CED200/6, CED250/6**  
Diameter 100-250mm  
Length 3-6 metres  
No Insulation

**Airflow**



**CEID150/6, CEID200/6, CEID250/6**  
Diameter 150-250mm  
Length 6 metres  
Insulated

**Airflow**



**CEB150, CEB200R, CEB250R**  
Branch Take Off (CEB150)  
Reducing Type (CEB200R/CEB250R)  
Dimensions 150 x 150 x 150mm  
200 x 200 x 150mm  
250 x 200 x 200mm

**Airflow**



**CEB250T, CEDB250R**  
Through Reducing Type (CEB250T)  
Dimensions 250 x 200 x 200mm  
Double Reducing Type (CEDB250R)  
Dimensions 250 x 200 x 150 x 150mm

**Airflow**



**CERED200, CERED250**  
Reducers  
Dimensions 200 to 150mm  
250 to 200mm

**Airflow**



**CEY150, CEY200R, CEY250R**  
Y Junctions  
Dimensions 150 x 150 x 150mm  
200 x 150 x 150mm  
250 x 200 x 200mm

**Airflow**



**CEDT10**  
Duct Tape  
Dimensions 10 metres x 48mm

**Airflow**



**CEDC20**  
Pack of 20 Duct Clips

**O.ERRE**



**OW8005, OW8021, OW9078**  
Grilles  
Hole Size 100-150mm

## Ducted Fan Accessories

### Ducted Fan Accessories

**Airflow****CEIL150, CEIL200, CEIL250**Inlet Grille - Round  
Hole Size 147-250mm**Airflow****CEEC150S, CEEC200S, CEEC250S**Egg Crate - Square  
Hole Size 150-250mm**Airflow****CEEC200R, CEEC250R**Egg Crate - Round  
Hole Size 200-250mm**Airflow****CEOL150, CEOL200, CEOL250**Outlet Louvres  
Hole Size 150-245mm**O.ERRE****OW8013, OW8039**Gravity Shutter  
Hole Size 100-120mm

# Cooling Fans

## Cooling Fans

**Airflow**



**ACES36AL, ACES48AL, ACES56AL**  
 Colour WE  
 Diameter 900-1400mm  
 Power 65 Watts  
 Aluminium Blades  
 Hangsure Mounting

**Airflow**



**ACES36JAL, ACES48JAL, ACES56JAL**  
 Colour WE  
 Diameter 900-1400mm  
 Power 65 Watts  
 Aluminium Blades  
 J-Hook Mounting

**Airflow**



**AFLR48**  
 Colour WE, BG  
 Diameter 1200mm  
 Power 60 Watts  
 Rattan Timber Blades  
 Hangsure Mounting

**Mistral**



**1960-7, 1961-7**  
 Pedestal Fan (1960-7)  
 Wall Mounting (1961-7)  
 Diameter 610mm  
 Power 120-200 Watts  
 Oscillating

## Cooling Fan Accessories



## Cooling Fan Accessories

**Airflow**



**DR30X1/2, DR30X1/2J, DR48X1/2**  
 Down Rods  
 Colour WE, BG  
 Length 760-1200mm  
 Hangsure Mounting (DR30X1/2, DR48X1/2)  
 J-Hook Mounting (DR30X1/2J)

**Airflow**



**HSMK**  
 Mounting Kits  
 Colour WE, BG

**Airflow**



**OYWHT, OYBEI**  
 Light Kits  
 Colour WE (OYWHT) BG (OYBEI)

WE (White Electric) BG (Beige)

# Industrial Fans

## Industrial Fans



**6400-9, 6402-9**  
 Approximate Air Delivery  
 1350-2368m<sup>3</sup>/hour  
 Power 80-150 Watts  
 Reverse Air



**6401-9, 6403-9**  
 Approximate Air Delivery  
 1350-2368m<sup>3</sup>/hour  
 Power 80-150 Watts  
 Forward Air



**EB254M, EB304M, EB404M, EB504M**  
 Approximate Air Delivery  
 900-4500m<sup>3</sup>/hour  
 Power 75-230 Watts  
 Single Phase



**EB304T, EB404T, EB504T**  
 Approximate Air Delivery  
 1500-4500m<sup>3</sup>/hour  
 Power 60-230 Watts  
 Three Phase



**OW4012, OW4020, OW5845**  
 Approximate Air Delivery  
 45-318m<sup>3</sup>/hour  
 Power 10-35 Watts  
 Cast Aluminium



**OW9763, OW9813, OW9920**  
 Approximate Air Delivery  
 42-360m<sup>3</sup>/hour  
 Power 15-70 Watts  
 PVC



# Industrial Fan Accessories

## Industrial Fan Accessories

**O.ERRE**

**OW6439**  
Cabinet Fan Filter and Grille  
Suits OW4020

**O.ERRE**

**OW1083, OW1091, OW6421**  
Cabinet Fan Protective Grille  
Suits OW4012 (OW1083)  
OW4020 (OW1091)  
OW5845 (OW6421)

**O.ERRE**

**OW5951, OW5969, OW5985, OW5993**  
EB Wall Plate Fan Protective Grille  
Suits EB254 Series (OW5951)  
EB304 Series (OW5969)  
EB404 Series (OW5985)  
EB504 Series (OW5993)

**O.ERRE**

**OW6025, OW6033, OW6058, OW6066**  
EB Wall Plate Fan Gravity Shutter  
Suits EB254 Series (OW6025)  
EB304 Series (OW6033)  
EB404 Series (OW6058)  
EB504 Series (OW6066)

**O.ERRE**

**OW3394**  
Timermatic  
Self Regulating Timer  
Rating 200 Watt

**O.ERRE**

**OW8146, OW8152**  
100mm Locking Ring (OW8146)  
120mm Locking Ring (OW8152)

**O.ERRE**

**OW8047**  
Ventilator Double Glazing Kit

**O.ERRE**

**OW9128**  
Ventilator 3 Speed Reversible Control

**Note:** More Industrial Fans are available to special order.

## Window Exhaust Fans

### Window Exhaust Fans



**WE200, WE250**  
 Approximate Air Delivery  
 174-450m<sup>3</sup>/hour  
 Power 28-40 Watts  
 Pull-Cord Operation



**6105-0, 6107-0**  
 Approximate Air Delivery 260m<sup>3</sup>/hour  
 Power 45 Watts  
 Pull-Cord Operation



**6111-0**  
 Approximate Air Delivery 490m<sup>3</sup>/hour  
 Power 66 Watts  
 Auto Shutters



**OW1109, OW1117, OW1125, OW8427**  
 Approximate Air Delivery  
 68-155m<sup>3</sup>/hour  
 Power 20-40 Watts  
 Auto Shutters  
 Pull-Cord Operation (OW8427)



**OW1885, OW1901, OW1901A, OW1927**  
 Approximate Air Delivery  
 450-750m<sup>3</sup>/hour  
 Power 50-60 Watts  
 Auto Shutters/Reversible  
 Pull-Cord Operation (OW1885)

## Window Exhaust Fans

