

PRODUCT-DETAILS

DRAF12-13N 100-250V50/60HZ

DRAF12-13N 100-250V50/60HZ Contactor Starter



General Information

| | |
|-----------------------|---|
| Extended Product Type | DRAF12-13N 100-250V50/60HZ |
| Product ID | 1SBK154137R1300 |
| EAN | 3471522144638 |
| Catalog Description | DRAF12-13N 100-250V50/60HZ Contactor Starter |
| Long Description | DRAF12-13N 100-250V50/60HZ enclosed Direct-On-Line starter with AF contactors |

Technical

| | |
|---|--|
| Rated Control Circuit Voltage (U _c) | 50 Hz 100 ... 250 V 60 Hz 100 ... 250 V DC Operation 100 ... 250 V |
| Number of Main Contacts NC | 0 |
| Number of Main Contacts NO | 3 |
| Number of Auxiliary Contacts NC | 0 |
| Number of Auxiliary Contacts NO | 1 |
| Number of Commands | 2 |
| Housing Material | ABS |
| Coil Consumption | Holding at Max. Rated Control Circuit Voltage 60 Hz 100 V-A |
| Housing Color | White |

Environmental

| | |
|----------------------|---|
| Degree of Protection | acc. to IEC 60529, IEC 60947-1, EN 60529 Auxiliary Terminals IP66 |
| RoHS Status | Following EU Directive 2011/65/EU |

Dimensions

| | |
|----------------------------|---------|
| Product Net Width | 107 mm |
| Product Net Height | 230 mm |
| Product Net Depth / Length | 131 mm |
| Product Net Weight | 0.82 kg |

Container Information

| | |
|--------------------------------|---------------|
| Package Level 1 Units | box 1 piece |
| Package Level 1 Width | 243 mm |
| Package Level 1 Height | 143 mm |
| Package Level 1 Depth / Length | 112 mm |
| Package Level 1 Gross Weight | 0.82 kg |
| Package Level 1 EAN | 3471522144638 |

Ordering

| | |
|------------------------|----------|
| Minimum Order Quantity | 1 piece |
| Customs Tariff Number | 85364900 |

Certificates and Declarations (Document Number)

| | |
|----------------------------------|--------------------------|
| Declaration of Conformity - CE | 1SBD250009U1000 |
| Declaration of Conformity - UKCA | 1SBD250040U1000 |
| Instructions and Manuals | 1SBC101048M6801 |
| RoHS Information | 1SBD250009U1000 |
| UL Certificate | UL_20150729-E312527-16-1 |
| UL Listing Card | UL_E312527 |

Popular Downloads

| | |
|-----------------------------------|-----------------|
| Data Sheet, Technical Information | 1SBC100199C0201 |
| Instructions and Manuals | 1SBC101048M6801 |
| UL Listing Card | UL_E312527 |

Classifications

| | |
|----------------|--|
| ETIM 7 | EC000200 - Enclosure for control circuit devices |
| ETIM 8 | EC000200 - Enclosure for control circuit devices |
| WEEE Category | 5. Small Equipment (No External Dimension More Than 50 cm) |
| WEEE B2C / B2B | Business To Business |
| CN8 | 8536 49 00 |

Categories

Low Voltage Products and Systems → Control Products → Contactor Starters → Enclosed Starters

