

Product data sheet

Characteristics

TBUX297319

Analog input module, Expansion Modules, 8 AI



Main

Range of product	Expansion Modules
Product or component type	I/O module
Range compatibility	SCADAPack 47x SCADAPack 57x SCADAPack 500E SCADAPack 300E SCADAPack 300, 32

Complementary

Input type	Analog x8 inputs,
Analogue input type	Voltage, input range: 0...5 V Voltage, input range: 1...5 V Current, input range: 0...20 mA Current, input range: 4...20 mA
Length	45 mm
Width	74 mm
Height	124 mm

Environment

Product certifications	cCSAus HazLoc Class I Division 2 Group A[RETURN]cCSAus HazLoc Class I Division 2 Group B[RETURN]cCSAus HazLoc Class I Division 2 Group C[RETURN]cCSAus HazLoc Class I Division 2 Group D[RETURN]ATEX Cat 3G[RETURN]IECEX
Relative humidity	5...95 %

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	4.128 cm
Package 1 Width	7.62 cm
Package 1 Length	10.954 cm
Package 1 Weight	0.504 kg
Unit Type of Package 2	BB1
Number of Units in Package 2	1
Package 2 Height	6.35 cm
Package 2 Width	13.339 cm
Package 2 Length	20.32 cm
Package 2 Weight	504 g
Unit Type of Package 3	S03
Number of Units in Package 3	10
Package 3 Height	30 cm
Package 3 Width	30 cm

Package 3 Length	40 cm
Package 3 Weight	5.68 kg

Offer Sustainability

REACH Regulation	REACH Declaration
EU RoHS Directive	Compliant with Exemptions
China RoHS Regulation	China RoHS Declaration
RoHS exemption information	Yes
WEEE	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins