CCT15940

Acti 9 - ITA - 4C yearly time switch - 24 hours + 7 days + year



Main	
Range	Acti 9
Product name	Acti 9 ITA
Device short name	ITA
Product or component type	Yearly programmable time switch
Device application	Building
Battery type	Lithium
Number of channels	4
Language	Danish Dutch English Finnish French German Hungarian Italian Norwegian Polish Portuguese Romanian Spanish Swedish Czech

White (RAL 9003)

Complementary

1.23.2 W
10 A - 250 V AC pf = 1 6 A - 250 V AC pf = 0.6
230 V AC 50/60 Hz
24 hours + 7 days + year
300
1 min
+/- 0.5 s/day 20 °C
2 input(s) impulse and maintained
Backlit LCD
10 yr
10 years time and program saving
DIN rail
8
Pulse programming External input for override Automatic winter/summer time changeover Time synchronisation via antenna possible Manual or software programming Cycle programming
Absence for holidays function PIN code
Screw terminals
71.5 mm
90 mm
63 mm

Colour tint

Environment

The information provided in this documentation contains general descriptions and/or technical characteristics of the performance of the products contained herein. This documentation is not intended as a substitute for and is not to be used for determining suitability or fitnese products for specific user applications. It is the ducty of any such user or integrator to perform the appropriate and complete risk analysis, evaluation and testing of the products with respect to the relevant specific application or use thereof. Neither Schneider Electric Industries SAS nor any of its affiliates or subsidiaries shall be responsible or liable for misuse of the information contained herein.

IP degree of protection	IP20
ambient air temperature for operation	-3055 °C

Offer Sustainability

Sustainable offer status	Not Green Premium product
RoHS (date code: YYWW)	Compliant - since 1426 - Schneider Electric declaration of conformity
Product environmental profile	Available
Product end of life instructions	Available

