


Arteor™

Connected push button with neutral

Cat. Nos: 5 742 01/11/20/29




1. USE

For local or remote control of lighting devices and other controls.
 Can be combined with one or more wireless lighting controls.
 Can be installed in place of an existing pushbutton in a flush-mounting box 40 mm deep (minimum).
 Claws and/or screws fixing.

2. RANGE

Description	White	Champagne	Magnesium	Soft Alu
Connected NO push button supplied with rocker plate. With LED indicator (configuration) and RESET button (hidden) used to return to factory settings. 1 module	5 742 01	5 742 29	5 742 20	5 742 11

3. DIMENSIONS (mm)





A	B	C	D
45	22.5	45	10

4. CONNECTION

Terminal type: with screws
 Terminal capacity: 1 x 2.5 mm² - 2 x 1.5 mm²
 Stripping length: 7 mm
 Screwdriver: 3 mm flat

5. OPERATION



6. TECHNICAL CHARACTERISTICS

■ 6.1 Mechanical characteristics

Protection against impacts: IK 04

Protection against solid bodies/liquids: IP 21 D

■ 6.2 Material characteristics

Rocker plate: ABS White RAL 9003

ABS Champagne painted

ABS Magnesium painted

ABS Soft Alu painted

Mechanism casing: PC

Halogen-free

UV resistant

Self-extinguishing:

850° C / 30 s for insulating parts holding live parts in place.

650° C / 30 s for the other insulating components.

■ 6.3 Electrical characteristics

Voltage: 110/230 V~

Current: 2 A

Frequency: 50/60 Hz

Power: 500 W bulb

Standby consumption: 0.1 mA

Zigbee technology 2.4 GHz to 2.4835 GHz

Power level: < 100 mW

Range: 200 m of unobstructed space

10 m between products

■ 6.4 Climate characteristics

Storage temperature: 0° C to + 45° C

Usage temperature: +5° C to + 45° C

7. CARE

Clean the surface with a cloth.

Do not use acetone, tar-removing cleaning agents or trichloroethylene.

Resistant to the following products: Hexane (EN 60669-1), methylated spirit, soapy water, diluted ammonia, bleach diluted to 10%, window-cleaning products, pre-impregnated wipes.

Caution: Always test before using special cleaning products.

8. STANDARDS AND APPROVALS

Compliant with installation and manufacturing standards.

See e-catalogue.

The undersigned, LEGRAND, declares that the radio-electric equipment type (5 742 01/11/20/29) complies with directive 2014/53/EU.

The full text of the EU declaration of conformity is available on the following website: www.legrandoc.com