

PRODUCT FAMILY DATASHEET

LED ECO STICK

LED lamps, classic stick shape



AREAS OF APPLICATION

- All domestic rooms, especially where the lamps are visible
- Wherever compact and efficient lamps are needed
- Where the lamps need to last a long time or have to withstand frequent on/off switching

PRODUCT BENEFITS

- Low energy consumption
- Attractive lamp appearance

PRODUCT FEATURES

- LED alternative to conventional lamps
- Mercury-free lamps
- Lifetime: up to 8,000 h




TECHNICAL DATA

Product description	Electrical data		Photometrical data					Dimensions & weight		Temperatures & operating conditions
	Nominal wattage	Nominal voltage	Rated luminous flux	Light color (designation)	Color temperature	Luminous flux	Color rendering index Ra	Overall length	Diameter	Ambient temperature range
LED ECO STICK 7 W/2700K E27 ¹⁾	7.00 W	220...240 V	550 lm	Warm White	2700 K	550 lm	≥80	114.0 mm	41.0 mm	-20...+35 °C
LED ECO STICK 7 W/2700K B22d ¹⁾	7.00 W	220...240 V	550 lm	Warm White	2700 K	550 lm	≥80	113.0 mm	41.0 mm	-20...+35 °C
LED ECO STICK 7 W/4000K E27 ¹⁾	7.00 W	220...240 V	600 lm	Cool White	4000 K	600 lm	≥80	115.0 mm	41.0 mm	-20...+35 °C
LED ECO STICK 7 W/4000K B22d ¹⁾	7.00 W	220...240 V	600 lm	Cool White	4000 K	600 lm	≥80	114.0 mm	41.0 mm	-20...+35 °C
LED ECO STICK 7 W/6500K E27 ¹⁾	7.00 W	220...240 V	600 lm	Daylight	6500 K	600 lm	≥80	114.0 mm	41.0 mm	-20...+35 °C
LED ECO STICK 7 W/6500K B22d ¹⁾	7.00 W	220...240 V	600 lm	Daylight	6500 K	600 lm	≥80	113.0 mm	41.0 mm	-20...+35 °C
LED ECO STICK 9 W/2700K E27 ¹⁾	9.00 W	220...240 V	750 lm	Warm White	2700 K	750 lm	80	114.0 mm	41.0 mm	-20...+35 °C
LED ECO STICK 9 W/2700K B22d ¹⁾	9.00 W	220...240 V	750 lm	Warm White	2700 K	750 lm	80	113.0 mm	41.0 mm	-20...+35 °C
LED ECO STICK 9 W/4000K E27 ¹⁾	9.00 W	220...240 V	800 lm	Cool White	4000 K	800 lm	80	114.0 mm	41.0 mm	-20...+35 °C
LED ECO STICK 9 W/4000K B22d ¹⁾	9.00 W	220...240 V	800 lm	Cool White	4000 K	800 lm	80	113.0 mm	41.0 mm	-20...+35 °C
LED ECO STICK 9 W/6500K E27 ¹⁾	9.00 W	220...240 V	800 lm	Daylight	6500 K	800 lm	80	114.0 mm	41.0 mm	-20...+35 °C
LED ECO STICK 9 W/6500K B22d ¹⁾	9.00 W	220...240 V	800 lm	Daylight	6500 K	800 lm	80	113.0 mm	41.0 mm	-20...+35 °C
LED ECO STICK 11 W/2700K E27 ¹⁾	11.00 W	220...240 V	1000 lm	Warm White	2700 K	1000 lm	80	121.0 mm	46.0 mm	-20...+35 °C
LED ECO STICK 11 W/2700K B22d ¹⁾	11.00 W	220...240 V	1000 lm	Warm White	2700 K	1000 lm	80	120.0 mm	46.0 mm	-20...+35 °C
LED ECO STICK 11 W/4000K E27 ¹⁾	11.00 W	220...240 V	1050 lm	Cool White	4000 K	1050 lm	80	121.0 mm	46.0 mm	-20...+35 °C
LED ECO STICK 11 W/4000K B22d ¹⁾	11.00 W	220...240 V	1050 lm	Cool White	4000 K	1050 lm	80	120.0 mm	46.0 mm	-20...+35 °C
LED ECO STICK 11 W/6500K E27 ¹⁾	11.00 W	220...240 V	1050 lm	Daylight	6500 K	1050 lm	80	121.0 mm	46.0 mm	-20...+35 °C
LED ECO STICK 11 W/6500K B22d ¹⁾	11.00 W	220...240 V	1050 lm	Daylight	6500 K	1050 lm	80	120.0 mm	46.0 mm	-20...+35 °C
LED ECO STICK 13 W/2700K E27 ¹⁾	13.00 W	220...240 V	1200 lm	Warm White	2700 K	1200 lm	80	135.0 mm	46.0 mm	-20...+35 °C
LED ECO STICK 13 W/2700K B22d ¹⁾	13.00 W	220...240 V	1200 lm	Warm White	2700 K	1200 lm	80	134.0 mm	46.0 mm	-20...+35 °C
LED ECO STICK 13 W/4000K E27 ¹⁾	13.00 W	220...240 V	1250 lm	Cool White	4000 K	1250 lm	80	135.0 mm	46.0 mm	-20...+35 °C
LED ECO STICK 13 W/4000K B22d ¹⁾	13.00 W	220...240 V	1250 lm	Cool White	4000 K	1250 lm	80	134.0 mm	46.0 mm	-20...+35 °C
LED ECO STICK 13 W/6500K E27 ¹⁾	13.00 W	220...240 V	1250 lm	Daylight	6500 K	1250 lm	80	135.0 mm	46.0 mm	-20...+35 °C
LED ECO STICK 13 W/6500K B22d ¹⁾	13.00 W	220...240 V	1250 lm	Daylight	6500 K	1250 lm	80	134.0 mm	46.0 mm	-20...+35 °C

Product description	Lifespan		Additional product data		Capabilities
	Nominal lamp life time	Number of switching cycles	Base (standard designation)	Mercury-free	Dimmable
LED ECO STICK 7 W/2700K E27 ¹⁾	8000 h	100000	E27	Yes	No
LED ECO STICK 7 W/2700K B22d ¹⁾	8000 h	100000	B22d	Yes	No
LED ECO STICK 7 W/4000K E27 ¹⁾	8000 h	100000	E27	Yes	No
LED ECO STICK 7 W/4000K B22d ¹⁾	8000 h	100000	B22d	Yes	No
LED ECO STICK 7 W/6500K E27 ¹⁾	8000 h	100000	E27	Yes	No
LED ECO STICK 7 W/6500K B22d ¹⁾	8000 h	100000	B22d	Yes	No
LED ECO STICK 9 W/2700K E27 ¹⁾	8000 h	100000	E27	Yes	No
LED ECO STICK 9 W/2700K B22d ¹⁾	8000 h	100000	B22d	Yes	No
LED ECO STICK 9 W/4000K E27 ¹⁾	8000 h	100000	E27	Yes	No
LED ECO STICK 9 W/4000K B22d ¹⁾	8000 h	100000	B22d	Yes	No
LED ECO STICK 9 W/6500K E27 ¹⁾	8000 h	100000	E27	Yes	No
LED ECO STICK 9 W/6500K B22d ¹⁾	8000 h	100000	B22d	Yes	No
LED ECO STICK 11 W/2700K E27 ¹⁾	8000 h	100000	E27	Yes	No
LED ECO STICK 11 W/2700K B22d ¹⁾	8000 h	100000	B22d	Yes	No
LED ECO STICK 11 W/4000K E27 ¹⁾	8000 h	100000	E27	Yes	No
LED ECO STICK 11 W/4000K B22d ¹⁾	8000 h	100000	B22d	Yes	No
LED ECO STICK 11 W/6500K E27 ¹⁾	8000 h	100000	E27	Yes	No
LED ECO STICK 11 W/6500K B22d ¹⁾	8000 h	100000	B22d	Yes	No
LED ECO STICK 13 W/2700K E27 ¹⁾	8000 h	100000	E27	Yes	No
LED ECO STICK 13 W/2700K B22d ¹⁾	8000 h	100000	B22d	Yes	No
LED ECO STICK 13 W/4000K E27 ¹⁾	8000 h	100000	E27	Yes	No
LED ECO STICK 13 W/4000K B22d ¹⁾	8000 h	100000	B22d	Yes	No
LED ECO STICK 13 W/6500K E27 ¹⁾	8000 h	100000	E27	Yes	No
LED ECO STICK 13 W/6500K B22d ¹⁾	8000 h	100000	B22d	Yes	No

¹⁾ All technical parameters apply to the entire lamp/Due to the complex production process for light-emitting diodes, the typical values shown for the technical LED parameters are purely statistical values that do not necessarily match the actual technical parameters of each individual product, which can vary from the typical value



LED ECO STICK 7 W/2700K E27, LED ECO STICK 7 W/4000K E27, LED ECO STICK 7 W/6500K E27, LED ECO STICK 9 W/2700K E27, LED ECO STICK 9 W/4000K E27, LED ECO STICK 9 W/6500K E27, LED ECO STICK 11 W/2700K E27, LED ECO STICK 11 W/4000K E27, LED ECO STICK 11 W/6500K E27, LED ECO STICK 13 W/2700K E27, LED ECO STICK 13 W/4000K E27, LED ECO STICK 13 W/6500K E27

LED ECO STICK 7 W/2700K B22d, LED ECO STICK 7 W/4000K B22d, LED ECO STICK 7 W/6500K B22d, LED ECO STICK 9 W/2700K B22d, LED ECO STICK 9 W/4000K B22d, LED ECO STICK 9 W/6500K B22d, LED ECO STICK 11 W/2700K B22d, LED ECO STICK 11 W/4000K B22d, LED ECO STICK 11 W/6500K B22d, LED ECO STICK 13 W/2700K B22d, LED ECO STICK 13 W/4000K B22d, LED ECO STICK 13 W/6500K B22d

APPLICATION ADVICE

For more detailed application information and graphics please see product datasheet.

LOGISTICAL DATA

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
4058075337862	Shipping carton box 10	218 mm x 92 mm x 132 mm	491.00 g	2.65 dm ³
4058075337886	Shipping carton box 10	218 mm x 92 mm x 132 mm	491.00 g	2.65 dm ³
4058075337909	Shipping carton box 10	218 mm x 92 mm x 132 mm	491.00 g	2.65 dm ³
4058075337923	Shipping carton box 10	218 mm x 92 mm x 132 mm	491.00 g	2.65 dm ³
4058075337947	Shipping carton box 10	218 mm x 92 mm x 132 mm	491.00 g	2.65 dm ³
4058075337961	Shipping carton box 10	218 mm x 92 mm x 132 mm	491.00 g	2.65 dm ³
4058075337978	Shipping carton box 10	218 mm x 92 mm x 132 mm	491.00 g	2.65 dm ³
4058075337985	Shipping carton box 10	218 mm x 92 mm x 132 mm	491.00 g	2.65 dm ³
4058075337992	Shipping carton box 10	218 mm x 92 mm x 132 mm	491.00 g	2.65 dm ³
4058075338005	Shipping carton box 10	218 mm x 92 mm x 132 mm	491.00 g	2.65 dm ³
4058075338012	Shipping carton box 10	218 mm x 92 mm x 132 mm	491.00 g	2.65 dm ³
4058075338036	Shipping carton box 10	218 mm x 92 mm x 132 mm	491.00 g	2.65 dm ³
4058075338050	Shipping carton box 10	246 mm x 103 mm x 138 mm	589.00 g	3.50 dm ³
4058075338074	Shipping carton box 10	246 mm x 103 mm x 138 mm	589.00 g	3.50 dm ³
4058075338098	Shipping carton box 10	246 mm x 103 mm x 138 mm	589.00 g	3.50 dm ³
4058075338111	Shipping carton box 10	246 mm x 103 mm x 138 mm	589.00 g	3.50 dm ³

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
4058075338135	Shipping carton box 10	246 mm x 103 mm x 138 mm	589.00 g	3.50 dm ³
4058075338159	Shipping carton box 10	246 mm x 103 mm x 138 mm	589.00 g	3.50 dm ³
4058075338173	Shipping carton box 10	243 mm x 102 mm x 152 mm	662.00 g	3.77 dm ³
4058075338197	Shipping carton box 10	243 mm x 102 mm x 152 mm	662.00 g	3.77 dm ³
4058075338210	Shipping carton box 10	243 mm x 102 mm x 152 mm	662.00 g	3.77 dm ³
4058075338234	Shipping carton box 10	243 mm x 102 mm x 152 mm	662.00 g	3.77 dm ³
4058075338258	Shipping carton box 10	243 mm x 102 mm x 152 mm	662.00 g	3.77 dm ³
4058075338272	Shipping carton box 10	243 mm x 102 mm x 152 mm	662.00 g	3.77 dm ³

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.