



## FANCY ROUND CLEAR DIM LFR - 4W

4 watt dimmable LED filament fancy round clear style lamps

### Application

Energy efficient LED lamp solutions

### Design Specifications

- Clear glass diffuser, B15, B22, E14, E27 bases
- High efficiency LED filament and colour rendering >80
- Integral trailing edge dimmable LED driver
- 320° beam distribution
- CCT choice of 2700K or 5000K
- 1:1 size to traditional fancy round lamp, dimmable, suits most fancy round lamp fittings, double insulation









### Performance

- Dimmable - **YES**
- Dimmer Type - **Trailing edge**





## Technical Specification

Product	Model No.	Input Voltage (V/AC)	Power (W)	Lumens (lm)	CCT (K)	CRI
	LFR27B15D/C	240	4	450	2700	80
	LFR27B22D/C	240	4	450	2700	80
	LFR27E14D/C	240	4	450	2700	80
	LFR27E27D/C	240	4	450	2700	80
	LFR50B15D/C	240	4	450	5000	80
	LFR50B22D/C	240	4	450	5000	80
	LFR50E14D/C	240	4	450	5000	80
	LFR50E27D/C	240	4	450	5000	80


Beam Angle (°)	Dimmable	Diameter (mm)	Length (mm)	Base Type
320	YES	45	75	B15
320	YES	45	71	B22
320	YES	45	77	E14
320	YES	45	73	E27
320	YES	45	75	B15
320	YES	45	71	B22
320	YES	45	77	E14
320	YES	45	73	B27

Due to continued product and technology enhancements, data sourced from sal.net.au shall not form part of any contract and or technical performance guarantee unless expressly confirmed in writing by SAL at the time of order. Products are sold in accordance with [SAL Terms and Conditions of sale](#) and all images shown are for illustration purposes only and may vary from the actual colour or finish. Unless specifically stated, all IP ratings nominated for Interior products are from "below the ceiling".




## Dimensions


LFR B15




LFR B22



LFR E14



LFR E27



# THE SFI SYSTEM ELIMINATES LED FLICKERING.

**SIMPLY  
MATCH THE  
UNIFIT SFI  
DOWNLIGHT  
WITH THIS  
SDD400SFI  
DIMMER.**



**DIM with  
FLICKER  
CONTROL**

For related  
products  
please  
scan me

