



FANCY ROUND OPAL DIM LFR - 4W

4 watt dimmable LED filament fancy round opal style lamps

Application

Energy efficient LED lamp solutions

Design Specifications

- Opal glass diffuser, B15, B22, E14, E27 bases
- High efficiency LED filament and colour rendering, CRI >80
- Integral trailing edge dimmable LED driver
- 320° beam distribution
- CCT choice of 2700K or 5000K
- 1:1 size to traditional fancy round lamp, dimmable, suits most fancy round lamp fittings, double insulation









Performance

- Dimmable - **YES**
- Dimmer Type - **Trailing edge**





Technical Specification


Product	Model No.	Input Voltage (V/AC)	Power (W)	Lumens (lm)	CCT (K)	CRI
	LFR27B15D	240	4	400	2700	80
	LFR27B22D	240	4	400	2700	80
	LFR27E14D	240	4	400	2700	80
	LFR27E27D	240	4	400	2700	80
	LFR50B15D	240	4	400	5000	80
	LFR50B22D	240	4	400	5000	80
	LFR50E14D	240	4	400	5000	80
	LFR50E27D	240	4	400	5000	80

Beam Angle (°)	Dimmable	Diameter (mm)	Length (mm)	Base Type
320	YES	45	75	B15
320	YES	45	71	B22
320	YES	45	77	E14
320	YES	45	73	E27
320	YES	45	75	B15
320	YES	45	71	B22
320	YES	45	77	E14
320	YES	45	73	E27


Due to continued product and technology enhancements, data sourced from sal.net.au shall not form part of any contract and or technical performance guarantee unless expressly confirmed in writing by SAL at the time of order. Products are sold in accordance with [SAL Terms and Conditions of sale](#) and all images shown are for illustration purposes only and may vary from the actual colour or finish. Unless specifically stated, all IP ratings nominated for Interior products are from "below the ceiling".

Dimensions


LFR B15




LFR B22



LFR E14



LFR E27



THE SFI SYSTEM ELIMINATES LED FLICKERING.

**SIMPLY
MATCH THE
UNIFIT SFI
DOWNLIGHT
WITH THIS
SDD400SFI
DIMMER.**



**DIM with
FLICKER
CONTROL**

For related
products
please
scan me

