

Empty enclosures for standard starters, TeSys LE, with 2 pushbuttons, for LE1D18-D35

DE1DS2

Main

Range of product	TeSys
Range	TeSys
Device short name	DE1D
Product or component type	Enclosure
Material	Polycarbonate
Device composition	Contactor ordered separately Thermal overload relay ordered separately
Product compatibility	LE1D1835
Control type	Push-button start green I

Complementary

Cable entry number	2 ISO20 top
	2 ISO20 bottom
	2 Pg 16 bottom
	2 ISO25 top
	2 Pg 21 bottom
	2 ISO25 bottom
Height	201 mm
Width	103 mm
Depth	160 mm
Net weight	0.5 kg

Environment

IP degree of protection	IP65 conforming to IEC 60529	
IK degree of protection	IK07 conforming to IEC 60529	
Ambient air temperature for operation	-540 °C	
Environmental characteristic	Standard environment	
Product certifications	UKCA	

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	21.000 cm
Package 1 Width	18.000 cm

Package 1 Length	26.500 cm
Package 1 Weight	838.000 g
Unit Type of Package 2	P06
Number of Units in Package 2	22
Package 2 Height	75.000 cm
Package 2 Width	60.000 cm
Package 2 Length	80.000 cm
Package 2 Weight	31.370 kg

Contractual warranty

Warranty 18 months



Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing "Use Better, Use Longer, Use Again" campaign to extend product lifetimes and recyclability.

Environmental Data explained >

How we assess product sustainability >

⊘ Environmental footprint	
Carbon footprint (kg.eq.CO2 per CR, Total Life cycle)	107
Environmental Disclosure	Product Environmental Profile

Use Better

Packaging made with recycled cardboard	Yes	
Packaging without single use plastic	No	

Use Again

○ Repack and remanufacture	
Circularity Profile	End of Life Information
Take-back	No